

Vernis Blend
Single lever shower mixer for exposed installation
 Surfaces: **chrome** Art. no. : **71640000**



Description

product features

- designed to run 1 function
- Connection type: S connections
- Flow rate of hand shower (at 3 bar): 15.7 l/min
- ceramic cartridge
- Min. operating pressure: 1 bar
- Max. operating pressure: 10 bar
- Maximum temperature can be adjusted on installation
- non-return valve
- hose connection 1/2"

Article Details

Price excl. VAT

£ 78.33


Certificates

kiwa


Product image



Scale drawing



Flowchart




Shower outlet with 1B-resistance

Vernis Blend
Single lever shower mixer for exposed installation
 Surfaces: **chrome** Art. no. : **71640000**



Exploded Drawing

Year of production: >01/21



Vernis Blend

Single lever shower mixer for exposed installation

Surfaces: **chrome** Art. no. : **71640000**



Spare part list

Year of production: >01/21

Pos.	Description	Art. no.	Price	PU
1	handle	93715000	-	1
2	screw cover	96338000	-	1
3	flange	93716000	-	1
4	nut	93717000	-	1
5	cartridge, assy	92730000	-	1
6	locking screw for handle	95140000	-	1
7	seal	95008000	-	1
8	set of non return valves DW 15	94074000	-	1
9	connecting thread G½	93767000	-	1
10	O-ring 16x2	98133000	-	1
11	filter packing	96922000	-	1
12	escutcheon Ø 70 mm	93718000	-	1
13	set of S-unions (±12 mm)	94140000	-	1
14	noise reduction	96429000	-	1