

SPECIFIERS'
CATALOGUE
2014

GROHE.COM/UK

Pure Freude an Wasser

GROHE
~~~~~



# GROHE CONTENTS

|                                     |                             |           |                                       |
|-------------------------------------|-----------------------------|-----------|---------------------------------------|
| <b>Introduction/Numerical index</b> |                             |           | <b>9 - 21</b>                         |
| <b>Bath Programme</b>               | GROHE Ondus®                | <b>01</b> | Allure Brilliant <b>02</b>            |
|                                     | Veris                       | <b>03</b> | GROHE F-digital <b>04</b>             |
|                                     | Allure                      | <b>05</b> | Atrio <b>06</b>                       |
|                                     | Grandera                    | <b>07</b> | Quadra <b>08</b>                      |
|                                     | Lineare                     | <b>09</b> | Eurocube <b>10</b>                    |
|                                     | Europlus                    | <b>11</b> | Essence <b>12</b>                     |
|                                     | Eurodisc Cosmopolitan       | <b>13</b> | Concetto <b>14</b>                    |
|                                     | Eurostyle Cosmopolitan      | <b>15</b> | Eurosmart Cosmopolitan <b>16</b>      |
|                                     | Eurosmart                   | <b>17</b> | BauLoop <b>18</b>                     |
|                                     | BauEdge                     | <b>19</b> |                                       |
| <b>Thermostats</b>                  | Grohtherm F                 | <b>20</b> | Grohtherm 3000 Cosmopolitan <b>21</b> |
|                                     | Grohtherm Cube              | <b>22</b> | Grohtherm 2000 <b>23</b>              |
|                                     | Grohtherm 1000 Cosmopolitan | <b>24</b> | Grohtherm 1000 <b>25</b>              |
|                                     | Avensys                     | <b>26</b> |                                       |
| <b>Concealed Bodies</b>             | GROHE Rapido T / Rapido E   | <b>27</b> | GROHE Rapido C <b>28</b>              |
| <b>Bath Accessories</b>             | Essentials Cube             | <b>29</b> | Essentials <b>30</b>                  |
| <b>Showers/Shower Sets</b>          | Shower Solution Bundles     | <b>31</b> | Shower Systems <b>32</b>              |
|                                     | Power&Soul                  | <b>33</b> | Rainshower® <b>34</b>                 |
|                                     | Sena                        | <b>35</b> | Euphoria Cube <b>36</b>               |
|                                     | Euphoria                    | <b>37</b> | Relexa <b>38</b>                      |
|                                     | Tempesta                    | <b>39</b> | Tempesta Cosmopolitan <b>40</b>       |
|                                     | Tempesta Rustic             | <b>41</b> | Trigger Sprays <b>42</b>              |
|                                     | Shower Accessories          | <b>43</b> |                                       |

# GROHE CONTENTS

|                               |                                           |           |                                     |
|-------------------------------|-------------------------------------------|-----------|-------------------------------------|
| <b>Kitchen Fittings</b>       | Kitchen Fittings                          |           | <b>44</b>                           |
| <b>Commercial Fittings</b>    | Allure E                                  | <b>45</b> | Essence E <b>46</b>                 |
|                               | Europlus E                                | <b>47</b> | Eurosmart Cosmopolitan E <b>48</b>  |
|                               | Euroeco Cosmopolitan E                    | <b>49</b> | Special Thermostats <b>50</b>       |
|                               | Commercial Showers                        | <b>51</b> | Euroeco Single Sequential <b>52</b> |
|                               | Euroeco Special                           | <b>53</b> | Hospita <b>54</b>                   |
|                               | Eurodisc SE                               | <b>55</b> | Eurosmart Cosmopolitan T <b>56</b>  |
|                               | Euroeco Cosmopolitan T                    | <b>57</b> |                                     |
| <b>Miscellaneous/Sundries</b> | Spouts and Wastes                         | <b>58</b> | Unions, Extensions <b>59</b>        |
|                               | Spare Parts                               | <b>60</b> |                                     |
| <b>Flushing Systems WC</b>    | WC Concealed Installation                 |           | <b>61</b>                           |
| <b>Installation Systems</b>   | Rapid SL WC, Frames                       |           | <b>62</b>                           |
|                               | WC Wall Plates, Dual Flush / Single Flush |           | <b>63</b>                           |
|                               | Rapid SL Urinal                           |           | <b>64</b>                           |
|                               | Rapid SL Wash Basin, Bidet                |           | <b>65</b>                           |
| <b>Flow Charts</b>            |                                           |           | <b>66</b>                           |

# GROHE ADDRESSES

## After Sales Service

We have a national network of appointed service engineers. Please contact the GROHE After Sales Service on 0871 200 3414 for more information.

## Mail order Spares

Available from:

## MT Agencies Ireland

Fearn House  
Unit 4, Jamestown Road  
Finglas  
Dublin 11  
www.mtagencies.ie  
email: sales@mtagencies.ie  
Tel. (+353) (0) 1 864 3363  
Fax. (+353) (0) 1 864 3371

## Faucets

Lower Mill, Pontypool, NP4 0RH  
Tel.: 01495 / 767600  
Fax: 01495 / 767601  
www.faucets.co.uk  
email: showers@faucets.co.uk

## National Shower Spares

Cheltenham House  
16 Bamel Way  
Gloucester Business Park  
Brockworth  
Gloucester, GL3 4BH  
Tel 0845 1264141  
fax 0845 1264142

## GROHE Ltd.

World Business Centre 2  
Newall Road  
London Heathrow Airport  
Hounslow  
Middlesex  
TW6 2SF  
Tel : 0871 200 3414  
Fax : 0871 200 3415  
Brochure Line 08708 488 877  
**www.grohe.co.uk**  
email: info@grohe.co.uk

## John Gosletts & Co Ltd

200 / 202 Latimer Road, London,  
W10 6QY  
Tel. 020 8969 3466  
Fax. 020 8969 4540

## Product Information

Further information on the GROHE product range is available on request, including guidance on the choice and installation of products.

Pressures stated are minimum recommended dynamic pressures (flow pressure).  
Please refer to flow charts.



## Accreditations

GROHE has a commitment to meeting all local and international regulatory standards and requirements, please contact us for the most up to date information and any special requirements you may have.

## Water Technology List

The water technology list has been set up by the department for Environment, Food and Rural Affairs (Defra) and HM Revenue and customs, to encourage businesses to invest in sustainable water use.

## Technical Support

GROHE offer a complete technical advisory service covering all aspects of the product range and their suitability for various applications.

## Product Information

Further information on the GROHE product range is available on request, including product brochures. Product details are also available on our web site **www.grohe.com/uk**

## Installation Information

Products marked with a min. recommended pressure of 1.0 bar are suitable for High Pressure mains fed or pumped systems.

Products marked with a min. recommended pressure 0.1 or 0.2 to 5.0 bar are suitable for both high pressure and low pressure tank fed and gravity systems.

Products marked with a min. recommended pressure 0.1 or 0.2 to 1.0 bar are suitable for low pressure tank fed and gravity systems only.

## Warranty Statement

All GROHE products purchased from January 2004 are guaranteed for a period of 5 years for manufacturing related defect.

Further terms and conditions apply, please contact us for full details of the GROHE Warranty or visit **www.grohe.com/uk**

## GROHE Ltd

World Business Centre 2  
Newall Road  
London Heathrow Airport  
Hounslow  
Middlesex  
TW6 2SF  
Tel : 0871 200 3414  
Fax : 0871 200 3415  
Brochure Line 08708 488 877

## www.grohe.com/uk

email: info-uk@grohe.com

We reserve the right at our discretion to change any product specification or price where we believe an improvement can be effected in design. Although the information shown in this price list is given in good faith, neither GROHE nor any of its agents can guarantee the suitability of a specific application.

# PURE FREUDE AN WASSER MOMENTS OF TRUTH




**GROHE EcoJoy®**  
Save precious resources and enjoy 100% water comfort.



**GROHE Zero**  
Lead-free, corrosion-resistant faucets thanks to the unique GROHE-developed alloy.



**GROHE SilkMove®**  
Smoothest handling for effortless precision and ultimate comfort for a lifetime.



**GROHE StarLight®**  
Made-to-last surfaces ranging from precious matt to shiny like a diamond.



**GROHE DreamSpray®**  
Innovative quality showers for luxurious revitalisation and wellbeing.




**GROHE Digital®**  
Intuitive digital technology at your fingertips.



**GROHE CoolTouch®**  
No scalding on hot surfaces thanks to 100% GROHE CoolTouch®.



**GROHE TurboStat®**  
Always the right temperature, for utmost convenience and safety.



**GROHE Whisper®**  
Innovative water technology delivering whisper-quiet acoustics.



**GROHE QuickFix®**  
Faster, easier and hassle-free, GROHE QuickFix® cuts installation time by up to 50%.



# GROHE QR CODES



### What is this image?

This is a Quick Response code (QR code). It represents the address (URL) of a single page on a website. The image here stands for [www.grohe.com](http://www.grohe.com).

### How does a QR code work?

Sometimes page addresses can be very long e.g. [http://www.grohe.com/en/references/sports-and-leisure/arena-zagreb-croatia/p/25\\_101307.html](http://www.grohe.com/en/references/sports-and-leisure/arena-zagreb-croatia/p/25_101307.html). A QR code enables you to open a web page quickly and easily, without typing the URL into your phone. Instead, you simply "scan" the image; your phone reads it, converts it back into the URL and opens the web page.

### How do I "scan" the image?

You will need a mobile phone with a camera and internet access, plus a QR code reader installed on your phone.

### Where can I download a QR code reader?

We suggest you try the following websites. There are also others that offer a similar service.

<http://www.i-nigma.mobi>

<http://reader.kaywa.com>

<http://upcode.mobi>

You also can download a reader from your App store.

# GROHE SURVEY OF CONTENTS

| Material   | EAN/UPC       | Page         | 2014 RRP £ |
|------------|---------------|--------------|------------|
| <b>00</b>  |               |              |            |
| 00 798 000 | 4005176229008 | 60.09        | 25.33      |
| <b>07</b>  |               |              |            |
| 07 025 000 | 4005176016929 | 60.04        | 25.50      |
| 07 146 000 | 4005176017261 | 60.04        | 16.50      |
| 07 182 000 | 4005176017438 | 58.08        | 20.50      |
| 07 264 00M | 4005176228797 | 60.10        | 8.00       |
| 07 341 000 | 4005176017728 | 60.10        | 31.33      |
| 07 587 000 | 4005176229015 | 60.09        | 13.50      |
| 07 749 000 | 4005176018695 | 50.05        | 65.83      |
| <b>11</b>  |               |              |            |
| 115219     | 4005176910067 | 43.09, 51.03 | 24.17      |
| 115220     | 4005176910074 | 43.09, 51.03 | 241.66     |
| 115221     | 4005176910081 | 08.03, 09.03 | 30.60      |
| 118152     | 4005176981951 | 62.08        | 345.28     |
| 118315     | 4005176982798 | 31.16        | 340.39     |
| 118316     | 4005176982804 | 31.16        | 456.65     |
| 118317     | 4005176982811 | 31.13        | 711.01     |
| 118318     | 4005176982828 | 31.13        | 675.88     |
| 118319     | 4005176982835 | 31.13        | 785.50     |
| 118320     | 4005176982842 | 31.10        | 869.24     |
| 118321     | 4005176982859 | 31.11        | 943.49     |
| 118322     | 4005176982866 | 31.08        | 1,157.71   |
| 118323     | 4005176982873 | 31.09        | 1,004.55   |
| 118325     | 4005176982989 | 31.08        | 1,523.10   |
| 118326     | 4005176983009 | 31.09        | 1,230.60   |
| 118327     | 4005176983016 | 31.11        | 1,538.10   |
| 118329     | 4005176983030 | 31.09        | 1,433.38   |
| 118330     | 4005176983047 | 31.11        | 1,702.97   |
| 118331     | 4005176983054 | 31.08        | 1,987.95   |
| 118332     | 4005176983061 | 31.03        | 1,948.07   |
| 118333     | 4005176983078 | 31.02        | 2,316.13   |
| 118334     | 4005176983085 | 31.02        | 2,299.60   |
| 118343     | 4005176983979 | 18.03        | 154.20     |
| 118599     | 4005176993527 | 62.10        | 335.98     |
| 118600     | 4005176987045 | 19.03        | 154.20     |
| <b>12</b>  |               |              |            |
| 12 001 000 | 4005176004339 | 59.03        | 20.33      |
| 12 051 000 | 4005176213588 | 50.03, 59.03 | 36.17      |
| 12 400 000 | 4005176004582 | 50.03, 59.03 | 34.17      |
| 12 401 000 | 4005176004612 | 59.03        | 61.66      |
| 12 407 000 | 4005176004629 | 55.03        | 83.83      |
| 12 411 000 | 4005176004667 | 50.07        | 53.33      |
| 12 417 000 | 4005176004681 | 50.08        | 33.67      |
| 12 423 000 | 4005176004728 | 59.04        | 30.83      |
| 12 424 000 | 4005176004735 | 50.08        | 37.17      |
| 12 428 000 | 4005176004759 | 50.08        | 51.83      |
| 12 432 000 | 4005176004773 | 50.08        | 80.00      |
| 12 436 000 | 4005176004797 | 50.09        | 131.66     |
| 12 444 000 | 4005176004834 | 50.08        | 140.33     |
| 12 925 000 | 4005176004940 | 59.04        | 45.16      |
| 12 927 000 | 4005176004957 | 59.04        | 13.50      |
| 12 952 000 | 4005176022692 | 59.02        | 33.17      |
| 12 965 000 | 4005176022708 | 59.04        | 38.67      |
| <b>13</b>  |               |              |            |
| 13 135 000 | 4005176225765 | 58.02        | 157.17     |
| 13 139 000 | 4005176235856 | 06.06, 06.13 | 178.32     |
| 13 210 000 | 4005176838132 | 01.06        | 249.16     |
| 13 210 KSO | 4005176839634 | 01.06        | 349.99     |
| 13 216 001 | 4005176846861 | 06.04        | 898.60     |
| 13 217 000 | 4005176846878 | 01.06        | 1,483.27   |
| 13 217 KSO | 4005176847080 | 01.06        | 2,064.69   |
| 13 218 000 | 4005176847110 | 04.17, 05.09 | 1,124.13   |
| 13 228 001 | 4005176860058 | 06.04        | 898.60     |
| 13 242 000 | 4005176869198 | 03.10, 04.08 | 199.30     |

| Material   | EAN/UPC       | Page         | 2014 RRP £ |
|------------|---------------|--------------|------------|
| 13 242 KSO | 4005176873409 | 03.10        | 334.79     |
| 13 242 LSO | 4005176873393 | 03.10        | 334.79     |
| 13 245 000 | 4005176870163 | 03.05, 04.08 | 1,124.13   |
| 13 261 000 | 4005176877384 | 16.04, 58.03 | 78.15      |
| 13 264 000 | 4005176882449 | 05.10        | 178.32     |
| 13 276 002 | 4005176887246 | 15.04, 58.03 | 78.90      |
| 13 278 002 | 4005176887871 | 13.06, 58.02 | 115.39     |
| 13 280 001 | 4005176888687 | 14.05, 58.03 | 87.41      |
| 13 292 000 | 4005176894824 | 04.07        | 480.78     |
| 13 299 000 | 4005176899003 | 02.07, 58.02 | 230.77     |
| 13 301 000 | 4005176899041 | 02.06        | 1,054.20   |
| 13 303 000 | 4005176906350 | 10.06, 58.03 | 104.38     |
| 13 304 000 | 4005176906367 | 58.04        | 115.03     |
| 13 315 000 | 4005176909696 | 04.16        | 287.59     |
| 13 317 000 | 4005176912603 | 05.10        | 562.95     |
| 13 319 000 | 4005176912627 | 02.07        | 562.95     |
| 13 335 000 | 4005176923746 | 04.17        | 202.80     |
| 13 341 000 | 4005176931000 | 07.07        | 184.45     |
| 13 341 IGO | 4005176931017 | 07.07        | 239.51     |
| 13 435 000 | 4005176005251 | 58.04        | 206.66     |
| 13 540 000 | 4005176005411 | 58.03        | 90.00      |
| 13 614 000 | 4005176068096 | 58.02        | 183.33     |
| 13 900 000 | 4005176005442 | 58.04        | 8.33       |
| 13 905 000 | 4005176025099 | 58.04        | 8.33       |
| 13 907 000 | 4005176025129 | 58.05        | 18.83      |
| 13 927 000 | 4005176005541 | 58.05        | 18.83      |
| 13 928 000 | 4005176025365 | 58.04        | 10.67      |
| 13 929 000 | 4005176025440 | 58.05        | 10.67      |
| 13 950 000 | 4005176025679 | 58.05        | 10.67      |
| 13 951 000 | 4005176025730 | 58.05        | 10.67      |
| 13 954 000 | 4005176025747 | 58.06        | 8.33       |
| 13 955 000 | 4005176025808 | 58.06        | 8.33       |
| <b>14</b>  |               |              |            |
| 14 014 000 | 4005176929274 | 32.18        | 55.94      |
| 14 116 00M | 4005176006005 | 60.09        | 43.66      |
| 14 159 000 | 4005176100710 | 60.02        | 14.67      |
| 14 165 00M | 4005176006043 | 60.02        | 20.67      |
| <b>18</b>  |               |              |            |
| 18 121 000 | 4005176815812 | 11.06, 14.07 | 62.16      |
| 18 153 000 | 4005176819094 | 21.03, 23.04 | 47.16      |
| 18 349 000 | 4005176874796 | 16.06        | 26.40      |
| 18 349 L02 | 4005176894336 | 13.07        | 63.83      |
| 18 370 000 | 4005176885228 | 21.03, 23.04 | 60.50      |
| 18 383 002 | 4005176887109 | 15.06        | 40.56      |
| 18 391 001 | 4005176888533 | 14.07        | 42.31      |
| 18 541 000 | 4005176910869 | 10.08        | 26.23      |
| 18 608 001 | 4005176985140 | 23.04        | 48.33      |
| 18 651 000 | 4005176931413 | 07.05        | 52.97      |
| 18 700 000 | 4005176940811 | 22.05        | 29.00      |
| 18 862 000 | 4005176028120 | 59.02        | 49.16      |
| 18 863 000 | 4005176028137 | 59.03        | 61.66      |
| 18 978 000 | 4005176028809 | 50.02, 59.02 | 146.33     |
| <b>19</b>  |               |              |            |
| 19 017 000 | 4005176212024 | 60.11        | 32.50      |
| 19 025 000 | 4005176209154 | 01.10, 02.13 | 37.67      |
| 19 025 KSO | 4005176842016 | 01.10, 03.13 | 50.70      |
| 19 025 LSO | 4005176842023 | 01.10, 03.13 | 50.70      |
| 19 069 000 | 4005176236570 | 06.17        | 95.28      |
| 19 070 000 | 4005176029653 | 60.11        | 44.33      |
| 19 088 000 | 4005176236600 | 06.11        | 95.28      |
| 19 133 000 | 4005176235870 | 06.13        | 115.03     |
| 19 134 000 | 4005176235900 | 06.12        | 115.03     |
| 19 141 000 | 4005176237577 | 06.16        | 895.11     |
| 19 142 000 | 4005176237591 | 06.10        | 895.11     |
| 19 237 000 | 4005176803710 | 25.04        | 31.65      |
| 19 243 001 | 4005176926570 | 23.06        | 41.09      |
| 19 285 000 | 4005176816543 | 12.05        | 131.13     |















# GROHE CONTENTS BATH PROGRAMME

|                                     |                             |               |                                       |
|-------------------------------------|-----------------------------|---------------|---------------------------------------|
| <b>Introduction/Numerical index</b> |                             | <b>9 - 21</b> |                                       |
| <b>Bath Programme</b>               | GROHE Ondus®                | <b>01</b>     | Allure Brilliant <b>02</b>            |
|                                     | Veris                       | <b>03</b>     | GROHE F-digital <b>04</b>             |
|                                     | Allure                      | <b>05</b>     | Atrio <b>06</b>                       |
|                                     | Grandera                    | <b>07</b>     | Quadra <b>08</b>                      |
|                                     | Lineare                     | <b>09</b>     | Eurocube <b>10</b>                    |
|                                     | Europlus                    | <b>11</b>     | Essence <b>12</b>                     |
|                                     | Eurodisc Cosmopolitan       | <b>13</b>     | Concetto <b>14</b>                    |
|                                     | Eurostyle Cosmopolitan      | <b>15</b>     | Eurosmart Cosmopolitan <b>16</b>      |
|                                     | Eurosmart                   | <b>17</b>     | BauLoop <b>18</b>                     |
|                                     | BauEdge                     | <b>19</b>     |                                       |
| <b>Thermostats</b>                  | Grohtherm F                 | <b>20</b>     | Grohtherm 3000 Cosmopolitan <b>21</b> |
|                                     | Grohtherm Cube              | <b>22</b>     | Grohtherm 2000 <b>23</b>              |
|                                     | Grohtherm 1000 Cosmopolitan | <b>24</b>     | Grohtherm 1000 <b>25</b>              |
|                                     | Avensys                     | <b>26</b>     |                                       |
| <b>Concealed Bodies</b>             | GROHE Rapido T / Rapido E   | <b>27</b>     | GROHE Rapido C <b>28</b>              |
| <b>Bath Accessories</b>             | Essentials Cube             | <b>29</b>     | Essentials <b>30</b>                  |



# GROHE ONDUS®



GROHE  
SilkMove®



GROHE  
StarLight®



Wash Basin



Bath / Shower Fittings



Showers



GROHE Ondus



Rainshower F-Series


Accessories / Actuators




GROHE Ondus



GROHE Ondus




| Ref.No.                                                                                                                                                                                                                                                                                                                                                                  | EAN code                       | Colour                 | Retail Guide Price (£) |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|------------------------|------------------------|
| 32 125 000<br>32 125 KS0                                                                                                                                                                                                                                                                                                                                                 | 4005176858116<br>4005176858130 | chrome<br>velvet black | 414.76<br>664.34       |
| <p><b>GROHE Ondus</b><br/><b>Single-lever basin mixer</b><br/>monobloc installation<br/>28 mm ceramic cartridge<br/>with GROHE SilkMove®<br/>integrated mousseur<br/>Push-open waste set 1 1/4"<br/>pressure-proof, flexible connection hoses<br/>6.0 l/min flow rate<br/><b>min. recommended pressure 1.0 bar</b></p>                                                   |                                |                        |                        |
| 20 178 000<br>20 178 KS0                                                                                                                                                                                                                                                                                                                                                 | 4005176858154<br>4005176858178 | chrome<br>velvet black | 596.16<br>744.76       |
| <p><b>GROHE Ondus</b><br/><b>3-hole basin mixer</b><br/>ceramic headparts 1/2" - 90°<br/>integrated mousseur<br/>Push-open waste set 1 1/4"<br/>pressure-proof, flexible connection hoses<br/>between spout and side valves<br/>click escutcheon<br/>flow limiter 14 l/min.<br/><b>min. recommended pressure 1.0 bar</b></p>                                             |                                |                        |                        |
| 20 152 000<br>20 152 KS0                                                                                                                                                                                                                                                                                                                                                 | 4005176838101<br>4005176839603 | chrome<br>velvet black | 520.99<br>730.78       |
| <p><b>GROHE Ondus</b><br/><b>3-hole basin mixer</b><br/>wall mounted<br/><b>set for final installation for 29025000</b><br/>mousseur<br/>ceramic headparts 1/2" - 90°<br/><b>GROHE StarLight®</b> chrome finish<br/>Push-open waste set 1 1/4"<br/>projection 171 mm<br/>centre distance 200 mm<br/>6.0 l/min flow rate<br/><b>min. recommended pressure 1.0 bar</b></p> |                                |                        |                        |
| 29 025 000                                                                                                                                                                                                                                                                                                                                                               | 4005176841927                  |                        | 211.54                 |
| <p><b>Two-handle basin mixer</b><br/><b>concealed body, 1/2"</b><br/>for 3-hole basin mixer<br/>wall installation<br/><b>without finishing trim set</b><br/>DR-brass<br/><b>min. recommended pressure 1.0 bar</b></p>                                                                                                                                                    |                                |                        |                        |
| 32 695 000<br>32 695 KS0                                                                                                                                                                                                                                                                                                                                                 | 4005176850301<br>4005176850325 | chrome<br>velvet black | 598.31<br>836.63       |
| <p><b>GROHE Ondus</b><br/><b>Bidet mixer</b><br/>monobloc installation<br/>28 mm ceramic cartridge<br/>with GROHE SilkMove®<br/><b>GROHE StarLight®</b> chrome finish<br/>ball-joint mousseur<br/>pressure-proof, flexible connection hoses<br/>Push-open waste set 1 1/4"<br/><b>min. recommended pressure 1.0 bar</b></p>                                              |                                |                        |                        |




| Ref.No.    | EAN code      | Colour       | Retail Guide Price (£) |
|------------|---------------|--------------|------------------------|
| 24 031 000 | 4005176838118 | chrome       | 723.78                 |
| 24 031 KSO | 4005176839610 | velvet black | 1,012.24               |

**GROHE Ondus**  
**3-hole bidet mixer**  
ceramic headparts 1/2", 90°  
**GROHE StarLight®** chrome finish  
ball-joint mousseur  
pressure-proof, flexible connection hoses  
between spout and side valves  
Push-open waste set 1 1/4"  
**min. recommended pressure 1.0 bar**




|            |               |              |          |
|------------|---------------|--------------|----------|
| 31 047 000 | 4005176838125 | chrome       | 1,559.45 |
| 31 047 KSO | 4005176839627 | velvet black | 2,003.51 |

**GROHE Ondus**  
**5-hole bath/shower combination**  
bath inlet  
GROHE Ondus flow straightener  
handles  
ceramic headparts 1/2", 90°  
GROHE hand shower 27 184  
metal shower hose 2000 mm  
diverter bath/shower, flow limiter 20 l/min.  
**GROHE StarLight®** chrome finish  
can be used with 29 037 000  
**min. recommended pressure 1.0 bar**




|            |               |              |        |
|------------|---------------|--------------|--------|
| 34 258 000 | 4005176838163 | chrome       | 433.08 |
| 34 258 KSO | 4005176839702 | velvet black | 536.72 |

**GROHE Ondus**  
**Thermostatic shower mixer**  
wall mounted  
**GROHE CoolTouch®** safety housing  
**GROHE TurboStat®** compact cartridge  
with wax thermoelement  
ceramic headpart 1/2", 180°  
volume handle with **GROHE EcoButton**  
(economy button with individually  
adjustable economy stop)  
**GROHE SafeStop** safety button at 38°C  
shower bottom outlet 1/2"  
covered S-unions  
protected against backflow  
**GROHE StarLight®** chrome finish  
max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**




|            |               |              |        |
|------------|---------------|--------------|--------|
| 19 442 000 | 4005176840487 | chrome       | 487.76 |
| 19 442 KSO | 4005176840494 | velvet black | 614.64 |

**GROHE Ondus**  
**Thermostat with integrated 2-way diverter**  
**for bath or shower with more than one outlet**  
set for final installation for 35 500 000 / 35 050 000  
**without concealed body**  
temperature scale handle with  
**GROHE SafeStop** safety stop at 38°C  
Aquadimmer with multiple function  
shut off and flow control, diverter for 2 outlets  
metal handles, escutcheon- and shaft-sealings  
covered fixing



| Ref.No.    | EAN code      | Colour       | Retail Guide Price (£) |
|------------|---------------|--------------|------------------------|
| 19 443 000 | 4005176840517 | chrome       | 426.67                 |
| 19 443 KSO | 4005176840548 | velvet black | 533.22                 |


**GROHE Ondus**  
**Thermostatic shower mixer**  
**without concealed body**  
set for final installation for  
GROHE Rapido T 35 500 000 / 35 050 000  
**TMV2 compliant when used with 35 050 000**  
volume handle with **GROHE EcoButton**  
(economy button with individually  
adjustable economy stop)  
temperature scale handle with  
**GROHE SafeStop** safety stop at 38°C  
metal handles  
**GROHE StarLight®** chrome finish  
metal escutcheon



|            |               |  |        |
|------------|---------------|--|--------|
| 35 050 000 | 4005176982064 |  | 263.99 |
|------------|---------------|--|--------|


**GROHE Rapido T**  
**Universal Thermostatic mixer**  
**for concealed installation**  
**TMV2 compliant product**  
for use with bath-, shower- and central-mixer  
**without finishing trim set**  
easy to install, premounted and tested unit  
**GROHE TurboStat®** compact cartridge  
with wax thermoelement  
two top outlets 1/2", lockable  
bottom outlet 1/2" - can only be used  
with separate stopvalve  
safe to install, stable built-in-box and  
protective cap  
fixation options for solid walls and dry  
cladding  
wall sealing  
Aquadimmer-diverter for bath mixer or  
stopvalve for shower mixer in finishing  
trim set  
body in DR-brass  
built-in non return valve  
and dirt strainers  
**GROHE EcoJoy®** technology for  
less water and perfect flow  
**min. recommended pressure 1.0 bar**

|                                        |               |  |        |
|----------------------------------------|---------------|--|--------|
| 35 500 000                             | 4005176831522 |  | 263.99 |
| <b>Ditto, Non TMV2 compliant valve</b> |               |  |        |








|            |               |              |        |
|------------|---------------|--------------|--------|
| 19 444 000 | 4005176840562 | chrome       | 113.64 |
| 19 444 KSO | 4005176840579 | velvet black | 184.99 |






**Concealed stop-valve trim**  
set for final installation for  
**29 032 000**  
installation depth adjustable  
43 - 91 mm  
**GROHE StarLight®** chrome finish



|            |               |  |       |
|------------|---------------|--|-------|
| 29 032 000 | 4005176845277 |  | 21.33 |
|------------|---------------|--|-------|

**Concealed valve**  
pre-assembled headpart 1/2"  
threaded union 1/2"  
installation depth adjustable  
43 - 91 mm  
DR-brass  
**min. recommended pressure 1.0 bar**


| Ref.No.                                                                                                                                                                                                                                                                                                                                                                | EAN code                       | Colour                 | Retail Guide Price (€) |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|------------------------|------------------------|
| 19 448 000<br>19 448 KSO                                                                                                                                                                                                                                                                                                                                               | 4005176841897<br>4005176841903 | chrome<br>velvet black | 186.37<br>326.92       |
| <p><b>5-way diverter</b><br/>set for final installation for<br/><b>29 033 000</b><br/><b>without concealed body</b><br/>installation depth adjustable<br/>66 - 113 mm<br/>only for use with concealed body<br/><b>GROHE StarLight®</b> chrome finish</p>                              |                                |                        |                        |
| 29 033 000                                                                                                                                                                                                                                                                                                                                                             | 4005176845338                  |                        | 169.76                 |
| <p><b>5-way diverter</b><br/>concealed body<br/>wall installation<br/>with ceramic sealing disks<br/>connection cold and hot 1/2"<br/>2 outlets 1/2"<br/>1 bath outlet 3/4"<br/>installation depth adjustable<br/>66 - 113 mm<br/>DR-brass<br/>min. recommended pressure 1.0 bar</p>  |                                |                        |                        |
| 13 210 000<br>13 210 KSO                                                                                                                                                                                                                                                                                                                                               | 4005176838132<br>4005176839634 | chrome<br>velvet black | 249.16<br>349.99       |
| <p><b>GROHE Ondus</b><br/><b>Bath spout</b><br/>wall mounted<br/>mousseur<br/>projection 171 mm<br/>flow limiter 20 l/min.<br/><b>GROHE StarLight®</b> chrome finish<br/>min. recommended pressure 1.0 bar</p>                                                                      |                                |                        |                        |
| 13 217 000<br>13 217 KSO                                                                                                                                                                                                                                                                                                                                               | 4005176846878<br>4005176847080 | chrome<br>velvet black | 1,483.27<br>2,064.69   |
| <p><b>GROHE Ondus</b><br/><b>Bath spout</b><br/>floor-mounted<br/>set for final installation for<br/>45 984 000<br/><b>without roughing-in-set</b><br/>projection 225 mm<br/>GROHE Ondus flow straightener<br/>min. recommended pressure 1.0 bar</p>                                |                                |                        |                        |
| 45 984 000                                                                                                                                                                                                                                                                                                                                                             | 4005176847127                  |                        | 438.82                 |
| <p><b>Roughing-in set for floor mounted bath spout and bath/shower mixer</b><br/>for floor-mounted bath spout<br/><b>without finishing trim set</b><br/>installation plate for precise fitting<br/>plug<br/>fixing material</p>                                                     |                                |                        |                        |

| Ref.No.                                                                                                                                                                                                                                                                                                                                                                                                                                                 | EAN code                                        | Colour                               | Retail Guide Price (€)     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|--------------------------------------|----------------------------|
| 27 532 000<br>27 532 KSO<br>27 532 LSO                                                                                                                                                                                                                                                                                                                                                                                                                  | 4005176889707<br>4005176889714<br>4005176889721 | chrome<br>velvet black<br>moon white | 168.88<br>276.22<br>276.22 |
| <p><b>GROHE Ondus Stick</b><br/><b>Shower set 1 spray</b><br/><b>Inner WaterGuide</b> for a longer life<br/>metal shower hose 2000 mm<br/>hose guide<br/><b>GROHE StarLight®</b> chrome finish<br/><b>GROHE DreamSpray®</b> perfect spray pattern<br/><b>GROHE CoolTouch®</b><br/><b>SpeedClean</b> anti-limescale system<br/>min. recommended pressure 1.0 bar</p>  |                                                 |                                      |                            |
| 27 184 000<br>27 184 KSO<br>27 184 LSO                                                                                                                                                                                                                                                                                                                                                                                                                  | 4005176840654<br>4005176840661<br>4005176840678 | chrome<br>velvet black<br>moon white | 115.91<br>162.06<br>162.06 |
| <p><b>GROHE Ondus</b><br/><b>Hand shower</b><br/>normal spray<br/><b>SpeedClean</b> anti-limescale system<br/><b>Inner WaterGuide</b> for a longer life<br/><b>GROHE StarLight®</b> chrome finish<br/><b>GROHE DreamSpray®</b> perfect spray pattern<br/><b>GROHE CoolTouch®</b><br/>min. recommended pressure 1.0 bar</p>                                           |                                                 |                                      |                            |
| 27 188 000<br>27 188 KSO<br>27 188 LSO                                                                                                                                                                                                                                                                                                                                                                                                                  | 4005176842160<br>4005176842177<br>4005176842184 | chrome<br>velvet black<br>moon white | 83.40<br>103.23<br>103.23  |
| <p><b>GROHE Ondus</b><br/><b>Hand shower holder</b><br/>wall mounted<br/>not adjustable<br/><b>GROHE StarLight®</b> chrome finish</p>                                                                                                                                                                                                                              |                                                 |                                      |                            |
| 27 190 000<br>27 190 KSO<br>27 190 LSO                                                                                                                                                                                                                                                                                                                                                                                                                  | 4005176842221<br>4005176842238<br>4005176842245 | chrome<br>velvet black<br>moon white | 93.89<br>123.26<br>123.26  |
| <p><b>GROHE Ondus</b><br/><b>Shower outlet elbow</b><br/>connection thread 1/2"<br/>protected against backflow<br/><b>GROHE StarLight®</b> chrome finish</p>                                                                                                                                                                                                       |                                                 |                                      |                            |
| 28 143 000<br>28 143 KSO<br>28 143 LSO                                                                                                                                                                                                                                                                                                                                                                                                                  | 4005176601347<br>4005176842252<br>4005176842269 | chrome<br>velvet black<br>moon white | 54.19<br>103.85<br>81.12   |
| <p><b>GROHE Ondus</b><br/><b>Metal hose</b><br/>1500 mm<br/>Longlife<br/>strengthened model<br/>tensile strength 750 N</p>                                                                                                                                                                                                                                         |                                                 |                                      |                            |




| Ref.No.    | EAN code      | Colour       | Retail Guide Price (€) |
|------------|---------------|--------------|------------------------|
| 27 251 000 | 4005176856327 | chrome       | 83.40                  |
| 27 251 KSO | 4005176870118 | velvet black | 129.90                 |
| 27 251 LSO | 4005176870125 | moon white   | 129.90                 |

**GROHE Ondus**  
**Side shower 1 spray**  
Normal  
including concealed body  
also to be used as head shower  
127 x 127 mm  
**GROHE DreamSpray®** perfect spray pattern  
flow straightener with ball joint  
(± 12.5° rotatable)  
**GROHE FlowBalance** flow regulating screw  
connection thread 1/2"  
**SpeedClean** anti-limescale system  
**GROHE StarLight®** chrome finish  
min recommended pressure 1.0 bar




| Ref.No.    | EAN code      | Colour       | Retail Guide Price (€) |
|------------|---------------|--------------|------------------------|
| 28 576 000 | 4005176274022 | chrome       | 65.04                  |
| 28 576 KSO | 4005176842122 | velvet black | 98.77                  |
| 28 576 LSO | 4005176842139 | moon white   | 98.77                  |

**GROHE Ondus**  
**Shower arm 286 mm**  
metal  
connection thread 1/2"  
can be used for all Rainshower head  
showers except Rainshower Jumbo  
**GROHE StarLight®** chrome finish




|            |               |              |          |
|------------|---------------|--------------|----------|
| 27 193 000 | 4005176842337 | chrome       | 1,170.15 |
| 27 193 KSO | 4005176842344 | velvet black | 1,743.02 |
| 27 193 LSO | 4005176842351 | moon white   | 1,743.02 |

**GROHE Ondus**  
**Rainshower® Jumbo shower head**  
diameter 400 mm  
**SpeedClean** anti-limescale system  
This headshower should only be used  
in conjunction with shower arm 28 982  
or 28 497  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
recommended pressure 1.0 - 5.0 bar




|            |               |              |        |
|------------|---------------|--------------|--------|
| 28 361 000 | 4005176295157 | chrome       | 100.18 |
| 28 361 KSO | 4005176842146 | velvet black | 119.23 |
| 28 361 LSO | 4005176842153 | moon white   | 119.23 |

**GROHE Ondus**  
**Shower arm, 380 mm**  
connection thread 1/2"  
can be used for all Rainshower head  
showers except Rainshower Jumbo  
**GROHE StarLight®** chrome finish




|            |               |        |        |
|------------|---------------|--------|--------|
| 27 477 000 | 4005176883286 | chrome | 398.60 |
|------------|---------------|--------|--------|

**Rainshower® Cosmopolitan 310**  
**Head shower 1 spray**  
Rain  
Diameter 310 mm  
metal  
**GROHE DreamSpray®** perfect spray pattern  
connection thread 1/2"  
ball joint with turning angle 20° ± 20°  
**SpeedClean** anti-limescale system  
**GROHE StarLight®** chrome finish  
min. recommended pressure 1.0 bar




|            |               |              |        |
|------------|---------------|--------------|--------|
| 28 982 000 | 4005176829987 | chrome       | 113.29 |
| 28 982 KSO | 4005176842399 | velvet black | 295.46 |
| 28 982 LSO | 4005176842405 | moon white   | 295.46 |

**GROHE Ondus**  
**Shower arm 378 mm**  
metal  
connection thread 1/2"  
**GROHE StarLight®** chrome finish  
can be used for all Rainshower® head  
showers




|            |               |              |        |
|------------|---------------|--------------|--------|
| 27 287 000 | 4005176842061 | chrome       | 449.31 |
| 27 287 KSO | 4005176842078 | velvet black | 583.92 |
| 27 287 LSO | 4005176842085 | moon white   | 583.92 |

**GROHE Ondus**  
**Rainshower shower head**  
Ø 210 mm  
**SpeedClean** anti-limescale system  
This headshower should only be used  
in conjunction with shower arm 28 497,  
28 576, 28 361 or 28 982  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
recommended pressure 1.0 - 5.0 bar




|            |               |              |       |
|------------|---------------|--------------|-------|
| 28 497 000 | 4005176270338 | chrome       | 50.52 |
| 28 497 KSO | 4005176842115 | velvet black | 74.83 |
| 28 497 LSO | 4005176842481 | moon white   | 74.83 |

**GROHE Ondus**  
**Shower ceiling arm 292 mm**  
metal  
connection thread 1/2"  
can be used for all Rainshower® head  
showers  
**GROHE StarLight®** chrome finish



|            |               |              |        |
|------------|---------------|--------------|--------|
| 19 952 000 | 4005176174230 | chrome       | 169.06 |
| 19 952 KSO | 4005176842030 | velvet black | 208.92 |
| 19 952 LSO | 4005176842047 | moon white   | 208.92 |



**Talentofill**  
**Inlet-, pop-up and waste-system**  
set for final installation  
escutcheon  
supply part  
waste plug  
fixing set  
**GROHE StarLight®** chrome finish  
min recommended pressure 1.0 bar



in combination with Talentofill  
28 990 000/28 991 000


| Ref.No.    | EAN code      | Colour       | Retail Guide Price (£) |
|------------|---------------|--------------|------------------------|
| 19 025 000 | 4005176209154 | chrome       | 37.67                  |
| 19 025 KSO | 4005176842016 | velvet black | 50.70                  |
| 19 025 LSO | 4005176842023 | moon white   | 50.70                  |

**Talento**  
Waste and overflow set for baths  
set for final installation  
escutcheon  
waste plug  
fixing set  
**GROHE StarLight®** chrome finish  
in combination with Talento 28 939 & 28943




|            |               |              |        |
|------------|---------------|--------------|--------|
| 38 766 000 | 4005176847134 | chrome       | 126.91 |
| 38 766 KSO | 4005176847141 | velvet black | 223.64 |

**GROHE Ondus**  
WC wall plate  
for dual flush or start & stop actuation  
for pneumatic drop valve AV1  
for vertical and horizontal installation  
156 x 197 mm  
**GROHE StarLight®** chrome finish





|            |               |              |        |
|------------|---------------|--------------|--------|
| 40 376 000 | 4005176840241 | chrome       | 113.98 |
| 40 376 KSO | 4005176840258 | velvet black | 171.15 |

**GROHE Ondus**  
Glass/soap dish holder  
without glass, soap dish or soap  
dispenser  
**GROHE StarLight®** chrome finish




|            |               |              |       |
|------------|---------------|--------------|-------|
| 40 389 000 | 4005176847189 | chrome       | 57.34 |
| 40 389 KSO | 4005176851025 | velvet black | 81.12 |

**GROHE Ondus**  
Soap dispenser  
satin glass  
for combination with holder 40 376  
**GROHE StarLight®** chrome finish




|            |               |  |       |
|------------|---------------|--|-------|
| 40 391 000 | 4005176847202 |  | 61.71 |
|------------|---------------|--|-------|

**GROHE Ondus**  
Soap dish  
satin glass  
for combination with holder 40 376




| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 40 390 000 | 4005176847196 |        | 53.44                  |

**GROHE Ondus**  
Glass  
satin glass  
for combination with holder 40 376




|            |               |              |        |
|------------|---------------|--------------|--------|
| 40 377 000 | 4005176840272 | chrome       | 163.47 |
| 40 377 KSO | 4005176840289 | velvet black | 247.38 |

**GROHE Ondus**  
Toilet roll holder  
without cover  
**GROHE StarLight®** chrome finish




|            |               |              |        |
|------------|---------------|--------------|--------|
| 40 379 000 | 4005176840333 | chrome       | 154.02 |
| 40 379 KSO | 4005176840340 | velvet black | 232.52 |

**GROHE Ondus**  
Towel ring  
**GROHE StarLight®** chrome finish




|            |               |              |        |
|------------|---------------|--------------|--------|
| 40 381 000 | 4005176840395 | chrome       | 236.01 |
| 40 381 KSO | 4005176840401 | velvet black | 356.65 |


**GROHE Ondus**  
Towel rail  
**GROHE StarLight®** chrome finish



|            |               |              |        |
|------------|---------------|--------------|--------|
| 40 380 000 | 4005176840364 | chrome       | 236.01 |
| 40 380 KSO | 4005176840371 | velvet black | 378.32 |

**GROHE Ondus**  
Toilet brush set  
wall model  
satin glass  
**GROHE StarLight®** chrome finish





| Ref.No.    | EAN code      | Colour       | Retail Guide Price (€) |
|------------|---------------|--------------|------------------------|
| 40 378 000 | 4005176840302 | chrome       | 64.34                  |
| 40 378 KS0 | 4005176840319 | velvet black | 94.93                  |

GROHE Ondus  
Robe hook  
GROHE StarLight® chrome finish

|            |               |              |          |
|------------|---------------|--------------|----------|
| 40 387 000 | 4005176846526 | chrome       | 1,368.89 |
| 40 387 KS0 | 4005176846540 | velvet black | 1,826.59 |

GROHE Ondus  
Robe holder  
free standing  
GROHE StarLight® chrome finish

|            |               |              |          |
|------------|---------------|--------------|----------|
| 40 388 000 | 4005176846533 | chrome       | 1,304.95 |
| 40 388 KS0 | 4005176846557 | velvet black | 1,916.09 |

GROHE Ondus  
Champagne bucket  
free standing  
GROHE StarLight® chrome finish



# GROHE ALLURE BRILLIANT



Antoniety Architekten AG | Switzerland



# GROHE ALLURE BRILLIANT




# GROHE ALLURE BRILLIANT

Ref.No.      EAN code      Colour      Retail Guide Price (£)

23 109 000      4005176898754      chrome      559.44

**Allure Brilliant**  
Basin mixer 1/2"  
monobloc installation  
28 mm ceramic cartridge  
with GROHE SilkMove®  
GROHE StarLight® chrome finish  
GROHE EcoJoy® technology for  
less water and perfect flow  
flow limiter 5 l/min.  
spout with integrated mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
temperature limiter  
GROHE QuickFix® installation system  
min recommended pressure 1.0 bar




23 112 000      4005176898778      chrome      527.97

Ditto, smooth body

23 029 000      4005176898709      chrome      506.99

**Allure Brilliant**  
Basin mixer 1/2"  
monobloc installation  
28 mm ceramic cartridge  
with GROHE SilkMove®  
GROHE StarLight® chrome finish  
GROHE EcoJoy® technology for  
less water and perfect flow  
flow limiter 5 l/min.  
spout with integrated mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
temperature limiter  
GROHE QuickFix® installation system  
min recommended pressure 1.0 bar




23 033 000      4005176898716      chrome      475.53

Ditto, smooth body

23 114 000      4005176898792      chrome      695.81



**Allure Brilliant**  
Basin mixer 1/2"  
for free-standing basins  
28 mm ceramic cartridge  
with GROHE SilkMove®  
GROHE StarLight® chrome finish  
GROHE EcoJoy® technology for  
less water and perfect flow  
flow limiter 5 l/min.  
spout with integrated mousseur  
smooth body  
flexible connection hoses  
temperature limiter  
GROHE QuickFix® installation system  
monobloc installation  
min. recommended pressure 1.0 bar





# GROHE ALLURE BRILLIANT

Ref.No. EAN code Colour Retail Guide Price (£)




**19 781 000 4005176898822**  
**Allure Brilliant**  
**2-hole basin mixer**  
wall mounted  
**without concealed body**  
set for final installation 23200000  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
flow limiter 5 l/min.  
spout with integrated mousseur  
projection 161 mm  
centre distance 110 mm  
**min recommended pressure 1.0 bar**

**19 783 000 4005176898846** **chrome** **643.36**


**Ditto**, projection 210 mm

**23 200 000 4005176908354** **217.66**




**Allure Brilliant**  
**Single-lever mixer 1/2", concealed body**  
for 2 hole basin mixer  
wall installation  
**without finishing trim set**  
installation depth 45 to 75 mm  
**GROHE SilkMove®** 35 mm ceramic cartridge  
adjustable flow rate limiter  
installation device

**20 342 000 4005176898860** **chrome** **571.68**



**Allure Brilliant**  
**Three-hole basin mixer 1/2"**  
ceramic headparts 1/2", 90°  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
flow limiter 5 l/min.  
low spout with integrated mousseur  
pressure-proof, flexible connection hoses between spout and side valves  
pop-up waste set 1 1/4"

**20 344 000 4005176898884** **chrome** **695.81**





**Allure Brilliant**  
**Three-hole basin mixer 1/2"**  
ceramic headparts 1/2", 90°  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
flow limiter 5 l/min.  
spout with integrated mousseur  
pressure-proof, flexible connection hoses between spout and side valves  
pop-up waste set 1 1/4"  
**min recommended pressure 1.0 bar**

# GROHE ALLURE BRILLIANT

Ref.No. EAN code Colour Retail Guide Price (£)

02




**20 346 000 4005176898907** **chrome** **664.34**

**Allure Brilliant**  
**Three-hole basin mixer 1/2"**  
wall mounted  
set for final installation for 29 025 000  
**without concealed body**  
valves hot/cold  
with headparts 1/2" - 90°  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
flow limiter 5 l/min.  
spout with integrated mousseur  
projection 161 mm  
**min recommended pressure 1.0 bar**


**20 348 000 4005176898921** **chrome** **695.81**

**Ditto**, projection 210 mm




**29 025 000 4005176841927** **211.54**

**Two-handle basin mixer**  
**concealed body, 1/2"**  
for 3-hole basin mixer  
wall installation  
**without finishing trim set**  
DR-brass  
Installation depth 43 - 85 mm  
Balance hot and cold supplies recommended  
**min. recommended pressure 1.0 bar**



**23 117 000 4005176898938** **chrome** **506.99**

**Allure Brilliant**  
**Bidet mixer 1/2"**  
28 mm ceramic cartridge  
with **GROHE SilkMove®**  
**GROHE StarLight®** chrome finish  
ball-joint mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
temperature limiter  
**GROHE QuickFix®** installation system  
**min recommended pressure 1.0 bar**




**23 116 000 4005176898815** **chrome** **1,370.63**


**Allure Brilliant**  
**Basin mixer 1/2"**  
set for final installation for 45 984 000  
**without roughing-in-set**  
28 mm ceramic cartridge  
with **GROHE SilkMove®**  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
flow limiter 5 l/min.  
spout with integrated mousseur  
temperature limiter  
**min recommended pressure 1.0 bar**

# GROHE ALLURE BRILLIANT


Ref.No. EAN code Colour Retail Guide Price (£)




**40 564 000** **4005176912740** **chrome** **180.83**  
**Bottle trap**  
 for wash basin  
**GROHE StarLight®** chrome finish  
 brass body




**40 565 000** **4005176912757** **chrome** **68.19**  
**Plug incl. cup**  
 for standard pop-up waste set 1 3/4"  
**GROHE StarLight®** chrome finish



**13 301 000** **4005176899041** **chrome** **1,054.20**  
**Allure Brilliant**  
**Bath spout**  
 floor-mounted  
 set for final installation for 45 984 000  
**without roughing-in-set**  
**GROHE StarLight®** chrome finish  
 spout with integrated mousseur  
 projection 270 mm  
 total height 1070 mm  
**min recommended pressure 1.0 bar**




**23 119 000** **4005176899027** **chrome** **1,993.02**  
**Allure Brilliant**  
**Single-lever bath/shower mixer 1/2"**  
 floor-mounted  
 set for final installation for 45 984 000  
**without roughing-in-set**  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 automatic diverter: bath/shower  
 spout with integrated mousseur  
 integrated non-return valve  
 in the shower outlet 1/2"  
 with shower holder  
 hand shower Euphoria Cube+  
 metal shower hose  
 protected against backflow  
**min recommended pressure 1.0 bar**




**45 984 000** **4005176847127** **438.82**  
**Roughing-in set for floor mounted bath spout and bath/shower mixer**  
 for floor-mounted bath spout  
**without finishing trim set**  
 installation plate for precise fitting  
 plug  
 fixing material

# GROHE ALLURE BRILLIANT


Ref.No. EAN code Colour Retail Guide Price (£)




**19 787 000** **4005176898983** **chrome** **1,159.10**  
**Allure Brilliant**  
**4-hole single-lever bath combination**  
**GROHE StarLight®** chrome finish  
**GROHE SilkMove®** 46 mm ceramic cartridge  
 pre-assembled spout fixing  
 OHM operating element  
 bath spout with integrated mousseur  
 diverter bath/shower  
 hand shower Euphoria Cube+  
 metal shower hose 2000 mm  
 flexible connection hoses  
 connection for shower hose  
 protected against backflow  
**min recommended pressure 1.0 bar**




**29 037 000** **4005176865749** **699.31**  
**4/5-hole bath combination (optional)**  
**baseframe for installation**  
**under tiled surround**  
 for combination with  
 base frame  
 drainage box with  
 integrated outlet for splash water



**13 319 000** **4005176912627** **chrome** **562.95**  
**Allure Brilliant**  
**Cascade spout for bath and shower**  
 wall mounted  
**GROHE StarLight®** chrome finish  
 projection 180 mm  
**min. recommended pressure 1.0 bar**




**13 299 000** **4005176899003** **chrome** **230.77**  
**Allure Brilliant**  
**Bath spout**  
 wall mounted  
**GROHE StarLight®** chrome finish  
 spout with integrated mousseur  
 projection 161 mm  
**min recommended pressure 1.0 bar**




**19 792 000** **4005176899096** **chrome** **613.64**  
**Allure Brilliant**  
**Thermostat with integrated 2-way diverter**  
**for bath or shower with more than one outlet**  
 set for final installation for 35 500 000 / 35 050 000  
**without concealed body**  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop Plus** integrated temperature  
 limiter at max 50°C  
 Aquadimmer with multiple function  
 - flow control  
 wall escutcheon with **GROHE SmartFix**  
 (covered escutcheon- and shaft sealing,  
 covered fixing)  
 metal handles, diverter for 2 outlets

# GROHE ALLURE BRILLIANT


Ref.No. EAN code Colour Retail Guide Price (£)




**19 791 000 4005176899089 chrome 571.68**  
**Allure Brilliant**  
**Thermostatic shower mixer**  
**without concealed body**  
 set for final installation for GROHE Rapido T 35 500 000 / 35 050 000  
**TMV2 compliant when used with 35 050 000**  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop Plus** integrated temperature limiter at max 50°C  
 volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)  
 ceramic headparts 1/2", 180°  
 wall escutcheon with **GROHE SmartFix** (covered escutcheon- and shaft sealing, covered fixing)  
 metal handles



**19 887 000 4005176900907 chrome 545.46**  
**Allure Brilliant**  
**Trim for thermostatic shower valve**  
 set for final installation for 35 500 000 / 35 050 000  
**without concealed body**  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop Plus** integrated temperature limiter at max 50°C  
 wall escutcheon with **GROHE SmartFix** (covered escutcheon- and shaft sealing, covered fixing)  
 metal handles




**35 050 000 4005176982064 263.99**  
**GROHE Rapido T**  
**Universal Thermostatic mixer**  
**for concealed installation**  
**TMV2 compliant product**  
 for use with bath-, shower- and central-mixer  
**without finishing trim set**  
 easy to install, pre-mounted and tested unit  
**GROHE TurboStat®** compact cartridge with wax thermoelement  
 two top outlets 1/2", lockable  
 bottom outlet 1/2" - can only be used with separate stopvalve  
 safe to install, stable built-in-box and protective cap  
 fixation options for solid walls and dry cladding  
 wall sealing  
 Aquadimmer-diverter for bath mixer or stopvalve for shower mixer in finishing trim set  
 body in DR-brass  
 built-in non return valve and dirt strainers  
**GROHE EcoJoy®** technology for less water and perfect flow  
**min. recommended pressure 1.0 bar**  
**35 500 000 4005176831522 263.99**  
**Ditto, Non TMV2 compliant valve**




**19 798 000 4005176899157 chrome 199.30**  
**Allure Brilliant**  
**5-way diverter**  
 set for final installation for 29 033 000  
**GROHE StarLight®** chrome finish  
 installation depth adjustable 66 - 113 mm  
**without concealed body**

# GROHE ALLURE BRILLIANT


Ref.No. EAN code Colour Retail Guide Price (£)




**29 033 000 4005176845338 169.76**  
**5-way diverter**  
 concealed body  
 wall installation  
 with ceramic sealing disks  
 connection cold and hot 1/2"  
 2 outlets 1/2"  
 1 bath outlet 3/4"  
 installation depth adjustable 66 - 113 mm  
 DR-brass




**19 796 000 4005176899133 chrome 147.55**  
**Allure Brilliant**  
**Concealed stop-valve trim**  
 set for final installation for 29 032 000 (preassembled headpart 1/2")  
 29 068 000 (preassembled ceramic headpart 1/2" - not to be used for shut-off)  
**GROHE StarLight®** chrome finish  
 installation depth adjustable 43 - 91 mm



**35 028 000 4005176908316 107.17**  
**Rapido C**  
**Rough-in for single volume control 27 623**  
 for grid installation of Grohtherm Custom Shower system  
 build-in box with removable protection cover  
 waterproof membrane base for wall sealing  
 for masonry and drywall installation  
 fixing points for front and back wall  
 body of DR brass  
 pre-assembled ceramic headpart 3/4"  
 connection threads 1/2"  
 installation depth 70 - 95 mm




**29 032 000 4005176845277 21.33**  
**Concealed valve**  
 pre-assembled headpart 1/2"  
 threaded union 1/2"  
 installation depth adjustable 43 - 91 mm  
 DR-brass




**19 789 000 4005176899058 chrome 360.14**  
**Allure Brilliant**  
**Single-lever shower mixer trim**  
**without concealed body**  
 set for final installation for 35 501 000  
**GROHE StarLight®** chrome finish  
 escutcheon- and shaft-sealing  
 metal escutcheon  
 covered coupling

# GROHE ALLURE BRILLIANT


Ref.No. EAN code Colour Retail Guide Price (£)




**19 785 000 4005176898969** **chrome** **370.63**  
**Allure Brilliant**  
**Single-lever bath/shower mixer trim**  
**without concealed body**  
 set for final installation for  
 35 501 000  
**GROHE StarLight®** chrome finish  
 automatic diverter: bath/shower  
 escutcheon- and shaft-sealing  
 metal escutcheon  
 covered coupling




**35 501 000 4005176833847** **103.15**  
**GROHE Rapido E**  
**Universal Single-lever mixer**  
**for concealed installation**  
**without finishing trim set**  
**GROHE SilkMove®** 46 mm ceramic cartridge  
 adjustable flow rate limiter  
 Balance hot and cold supplies recommended  
**min. recommended pressure 1.0 bar**



**27 863 000 4005176918155** **chrome** **512.24**  
**Rainshower® Allure 210**  
**Ceiling shower 1 spray**  
 Rain  
 metal  
 connection thread 1/2"  
**GROHE DreamSpray®** perfect spray pattern  
**SpeedClean** anti-limescale system  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**




**27 479 000 4005176883309** **chrome** **374.13**  
**Rainshower®**  
**Head shower 1 spray**  
 Rain  
 metal  
 ball joint with turning angle ± 15°  
 connection thread 1/2"  
**SpeedClean** anti-limescale system  
**GROHE StarLight®** chrome finish  
 Ball joint +/- 15° rotatable  
**min recommended pressure 1.0 bar**  
**GROHE DreamSpray®** perfect spray pattern




**27 488 000 4005176885525** **chrome** **38.47**  
**Rainshower®**  
**Shower arm 275 mm**  
 metal  
 connection thread 1/2"  
 with square escutcheon  
 can be used for all Rainshower head  
 showers except Rainshower Jumbo  
**GROHE StarLight®** chrome finish

# GROHE ALLURE BRILLIANT


Ref.No. EAN code Colour Retail Guide Price (£)




**27 484 000 4005176885488** **chrome** **56.81**  
**Rainshower®**  
**Shower ceiling arm 292 mm**  
 metal  
 connection thread 1/2"  
 with square escutcheon  
 can be used for all Rainshower® head  
 showers  
**GROHE StarLight®** chrome finish




**27 485 000 4005176885495** **chrome** **44.58**  
**Rainshower®**  
**Shower arm ceiling 151 mm**  
 metal  
 connection thread 1/2"  
 with square escutcheon  
 can be used for all Rainshower® head  
 showers  
**GROHE StarLight®** chrome finish



**27 709 000 4005176909092** **chrome** **90.38**  
**Rainshower®**  
**Shower arm 286 mm**  
 metal  
 connection thread 1/2"  
**GROHE StarLight®** chrome finish



**27 711 000 4005176909115** **chrome** **76.92**  
**Rainshower®**  
**Shower arm ceiling 154 mm**  
 metal  
 connection thread 1/2"  
**GROHE StarLight®** chrome finish




**27 884 001 4005176919695** **chrome** **75.70**  
**Euphoria Cube+ Stick**  
**Hand shower 1 spray**  
 Normal  
 metal  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE CoolTouch®**  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
 Universal Mounting System. Fitting all  
 standard shower hoses  
**min. recommended pressure 1.0 bar**  
**27 888 000 4005176921179** **chrome** **75.70**  
**Ditto, with GROHE EcoJoy® 9.5 l/min. flow limiter**



# GROHE ALLURE BRILLIANT



Ref.No. EAN code Colour Retail Guide Price (£)

27 251 000 4005176856327 chrome 83.40




**Rainshower® F-Series 5" Side shower 1 spray**  
Normal including concealed body also to be used as head shower 127 x 127 mm  
**GROHE DreamSpray®** perfect spray pattern flow straightener with ball joint ( $\pm 12.5^\circ$  rotatable)  
**GROHE FlowBalance** flow regulating screw connection thread 1/2"  
**SpeedClean** anti-limescale system  
**GROHE StarLight®** chrome finish  
min recommended pressure 1.0 bar

27 531 000 4005176889486 chrome 219.99




**Pull-out shower**  
for bath rim installation and under tiled surround  
Lead-through for shower hose with square escutcheon shower hose 1/2" x 3/8", 2000 mm (28 158 000)  
The pull-out shower assembly can be combined with all hand showers!  
**GROHE StarLight®** chrome finish

27 706 000 4005176908439 chrome 89.50




**Allure Brilliant Wall hand Shower holder**  
metal  
**GROHE StarLight®** chrome finish

27 707 000 4005176908446 chrome 99.50



**Allure Brilliant Shower outlet elbow, 1/2"**  
male thread protected against backflow metal  
**GROHE StarLight®** chrome finish

28 364 000 4005176295294 silver 32.70




**Shower hose Silverflex**  
plastic material with smooth surface flexible, easy cleaning kink proofing  
Rotation cone for **Twistfree** function 1500 mm 1/2" x 1/2"

# GROHE ALLURE BRILLIANT


Ref.No. EAN code Colour Retail Guide Price (£)

19 952 000 4005176174230 chrome 169.06




**Talentofill Inlet, pop-up and waste-system**  
set for final installation escutcheon supply part waste plug fixing set  
**GROHE StarLight®** chrome finish  
min recommended pressure 1.0 bar  
  
in combination with **Talentofill** 28 990 000/28 991 000

19 025 000 4005176209154 chrome 37.67




**Talento Waste and overflow set for baths**  
set for final installation escutcheon waste plug fixing set  
**GROHE StarLight®** chrome finish  
in combination with **Talento** 28 939 & 28943

38 732 000 4005176836114 chrome 65.91




**Skate Cosmopolitan WC wall plate**  
for dual flush or start & stop actuation for vertical and horizontal installation 156 x 197 mm made of ABS for pneumatic drop valve AV1  
**GROHE StarLight®** chrome finish

38 859 XG0 4005176878312 black graphics 89.33



**Skate Cosmopolitan WC wall plate**  
with printed graphics for dual flush or start & stop actuation for pneumatic drop valve AV1 for vertical and horizontal installation 156 x 197 mm made of ABS

40 493 000 4005176899256 chrome 356.65




**Allure Brilliant Holder with tumbler**  
**GROHE StarLight®** chrome finish

# GROHE ALLURE BRILLIANT

Ref.No. EAN code Colour Retail Guide Price (£)


40 503 000 4005176900068 chrome 346.16

Allure Brilliant  
Shelf with tumbler  
GROHE StarLight® chrome finish




40 494 000 4005176899263 chrome 458.05

Allure Brilliant  
Holder with soap dispenser  
GROHE StarLight® chrome finish




40 498 000 4005176899300 chrome 230.82

Allure Brilliant  
Robe hook  
GROHE StarLight® chrome finish




40 504 000 4005176900075 chrome 356.65

Allure Brilliant  
Shelf with soap dish  
GROHE StarLight® chrome finish



40 496 000 4005176899287 chrome 288.46

Allure Brilliant  
Towel bar  
Two arms  
GROHE StarLight® chrome finish  
non swivelling




# GROHE ALLURE BRILLIANT

Ref.No. EAN code Colour Retail Guide Price (£)


40 499 000 4005176899317 chrome 439.07

Allure Brilliant  
Toilet roll holder  
GROHE StarLight® chrome finish




40 500 000 4005176899324 chrome 345.65

Allure Brilliant  
Toilet brush set  
GROHE StarLight® chrome finish



40 497 000 4005176899294 chrome 288.46

Allure Brilliant  
Towel rail  
600 mm  
GROHE StarLight® chrome finish



# GROHE VERIS



GROHE  
SilkMove®



GROHE  
StarLight®



Wash basin




Bath / Shower Fittings



Showers



Accessories / Actuators




| Ref.No.    | EAN code      | Colour       | Retail Guide Price (£) |
|------------|---------------|--------------|------------------------|
| 32 184 000 | 4005176860379 | chrome       | 559.44                 |
| 32 184 KS0 | 4005176873041 | velvet black | 868.58                 |
| 32 184 LS0 | 4005176873034 | moon white   | 863.64                 |

**Veris**  
**Basin mixer 1/2"**  
monobloc installation  
28 mm ceramic cartridge  
with GROHE SilkMove®  
GROHE StarLight® chrome finish  
swivel spout  
**SpeedClean** mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
**min recommended pressure 1.0 bar**

|            |               |        |        |
|------------|---------------|--------|--------|
| 32 187 000 | 4005176860904 | chrome | 526.23 |
|------------|---------------|--------|--------|

ditto, Smooth Body Version




|            |               |              |        |
|------------|---------------|--------------|--------|
| 23 064 000 | 4005176890109 | chrome       | 506.99 |
| 23 064 KS0 | 4005176890116 | velvet black | 524.48 |
| 23 064 LS0 | 4005176890123 | moon white   | 524.48 |

**Veris**  
**Basin mixer 1/2"**  
monobloc installation  
28 mm ceramic cartridge  
with GROHE SilkMove®  
GROHE StarLight® chrome finish  
low spout  
pop-up waste set 1 1/4"  
**SpeedClean** mousseur  
flexible connection hoses  
**min. recommended pressure 1.0 bar**

|            |               |        |        |
|------------|---------------|--------|--------|
| 23 065 000 | 4005176890130 | chrome | 475.53 |
|------------|---------------|--------|--------|

Ditto, smooth body




|            |               |              |        |
|------------|---------------|--------------|--------|
| 32 183 000 | 4005176860362 | chrome       | 411.65 |
| 32 183 KS0 | 4005176873027 | velvet black | 701.64 |
| 32 183 LS0 | 4005176873010 | moon white   | 701.64 |

**Veris**  
**Basin mixer 1/2"**  
monobloc installation  
28 mm ceramic cartridge  
with GROHE SilkMove®  
GROHE StarLight® chrome finish  
low spout  
pop-up waste set 1 1/4"  
**SpeedClean** mousseur  
flexible connection hoses  
**min recommended pressure 1.0 bar**

|            |               |        |        |
|------------|---------------|--------|--------|
| 32 186 000 | 4005176860898 | chrome | 400.35 |
|------------|---------------|--------|--------|

|            |               |        |        |
|------------|---------------|--------|--------|
| 32 191 000 | 4005176860966 | chrome | 643.36 |
|------------|---------------|--------|--------|

**Veris**  
**Basin mixer 1/2"**  
**for free-standing basins**  
monobloc installation  
28 mm ceramic cartridge  
with GROHE SilkMove®  
GROHE StarLight® chrome finish  
swivel spout  
**SpeedClean** mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
**min recommended pressure 1.0 bar**




|            |               |              |        |
|------------|---------------|--------------|--------|
| 19 342 000 | 4005176860942 | chrome       | 559.44 |
| 19 342 KS0 | 4005176873065 | velvet black | 856.63 |
| 19 342 LS0 | 4005176873058 | moon white   | 898.60 |

**Veris**  
**2-hole basin mixer**  
wall mounted  
**without concealed body**  
set for final installation for  
32 635 000  
GROHE StarLight® chrome finish  
**SpeedClean** mousseur  
separate escutcheons Ø 60 mm  
projection 170 mm  
centre distance 110 mm


|            |               |        |        |
|------------|---------------|--------|--------|
| 19 388 000 | 4005176876042 | chrome | 590.91 |
|------------|---------------|--------|--------|

Ditto, projection 220mm






| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|




**32 635 000**    **4005176845949**       **217.66**

**Quadra**  
Single-lever mixer 1/2", concealed body  
for 2 hole basin mixer  
wall installation  
**without finishing trim set**  
installation depth 45 to 75 mm  
**GROHE SilkMove®** 35 mm ceramic cartridge  
installation device  
**min recommended pressure 1.0 bar**



**20 180 000**    **4005176860980**    **chrome**    **643.36**  
**20 180 KSO**    **4005176873287**    **velvet black**    **1,045.46**  
**20 180 LSO**    **4005176873072**    **moon white**    **1,048.96**


**Veris**  
Three-hole basin mixer 1/2"  
ceramic headparts 1/2", 90°  
**GROHE StarLight®** chrome finish  
pressure-proof, flexible connection hoses  
between spout and side valves  
swivel spout  
**SpeedClean** mousseur  
pop-up waste set 1 1/4"  
**min recommended pressure 1.0 bar**



**20 181 000**    **4005176860997**    **chrome**    **611.89**


**Veris**  
Three-hole basin mixer 1/2"  
wall mounted  
**without concealed body**  
set for final installation for  
29 025 000  
**GROHE StarLight®** chrome finish  
valves hot/cold  
with headparts 1/2" - 90°  
**SpeedClean** mousseur  
projection 170 mm  
centre distance 200 mm  
**min recommended pressure 1.0 bar**

**20 195 000**    **4005176876035**    **chrome**    **643.36**  
**Ditto**, projection 220mm



**29 025 000**    **4005176841927**       **211.54**


**Two-handle basin mixer**  
**concealed body, 1/2"**  
for 3-hole basin mixer  
wall installation  
**without finishing trim set**  
DR-brass  
installation device



**32 193 000**    **4005176861024**    **chrome**    **431.82**  
**32 193 LSO**    **4005176873294**    **moon white**    **748.25**


**Veris**  
Bidet mixer 1/2"  
monobloc installation  
28 mm ceramic cartridge  
with **GROHE SilkMove®**  
**GROHE StarLight®** chrome finish  
ball-joint mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
**min recommended pressure 1.0 bar**

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|




**32 196 000**    **4005176861055**    **chrome**    **872.38**

**Veris**  
Single-lever bath/shower mixer 1/2"  
wall mounted  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
adjustable flow rate limiter  
automatic diverter: bath/shower  
integrated non-return valve  
in the shower outlet 1/2"  
flat wall installation with covered unions  
protected against backflow  
GROHE hand shower 27 184  
GROHE hand shower holder 27 188  
shower hose 1500 mm (28 143)  
**min recommended pressure 1.0 bar**




**32 195 000**    **4005176861048**    **chrome**    **688.82**  
**32 195 LSO**    **4005176873317**    **moon white**    **1,197.56**

**Veris**  
Single-lever bath/shower mixer 1/2"  
wall mounted  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
automatic diverter: bath/shower  
integrated non-return valve  
in the shower outlet 1/2"  
flat wall installation with covered unions  
protected against backflow  
**min recommended pressure 1.0 bar**



**32 197 000**    **4005176861185**    **chrome**    **606.65**  
**32 197 LSO**    **4005176873355**    **moon white**    **1,045.46**

**Veris**  
Single-lever shower mixer 1/2"  
wall mounted  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
shower front outlet 1/2"  
with integrated non return-valve  
flat wall installation with covered unions  
protected against backflow  
**min recommended pressure 1.0 bar**




**13 245 000**    **4005176870163**    **chrome**    **1,124.13**

**Veris**  
Bath spout  
floor-mounted  
set for final installation for  
45 984 000  
**without roughing-in-set**  
spout with mousseur  
projection 295 mm  
total height 1037 mm  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 32 222 001 | 4005176890222 | chrome | 1,629.38               |

**Veris**  
Single-lever bath/shower mixer 1/2"  
floor-mounted  
set for final installation for  
45 984 000  
**without roughing-in-set**  
GROHE SilkMove® 46 mm ceramic cartridge  
GROHE StarLight® chrome finish  
swivel spout with mousseur  
and stop limiter  
automatic diverter: bath/shower  
integrated non-return valve  
in the shower outlet 1/2"  
GROHE hand shower 27 184  
shower hose 1500 mm  
protected against backflow  
**min. recommended pressure 1.0 bar**




|            |               |  |        |
|------------|---------------|--|--------|
| 45 984 000 | 4005176847127 |  | 438.82 |
|------------|---------------|--|--------|

**Roughing-in set for floor mounted bath spout and bath/shower mixer**  
for floor-mounted bath spout  
**without finishing trim set**  
installation plate for precise fitting  
plug  
fixing material




|            |               |        |          |
|------------|---------------|--------|----------|
| 19 362 000 | 4005176861123 | chrome | 1,265.74 |
|------------|---------------|--------|----------|

**Veris**  
5-hole bath/shower combination  
GROHE StarLight® chrome finish  
consisting of:  
ceramic headparts 1/2", 90°  
pre-assembled spout fixing  
optional swivel bath inlet with mousseur  
diverter bath/shower  
GROHE hand shower 27 184  
metal shower hose 2000 mm  
mounting plate  
flexible connection hoses  
connection for shower hose  
can be used with 29 037 000  
**min. recommended pressure 1.0 bar**





|            |               |        |          |
|------------|---------------|--------|----------|
| 19 373 000 | 4005176866814 | chrome | 1,054.20 |
|------------|---------------|--------|----------|

**Veris**  
4-hole single-lever bath combination  
GROHE StarLight® chrome finish  
consisting of:  
GROHE SilkMove® 46 mm ceramic cartridge  
pre-assembled spout fixing  
OHM operating element  
optional swivel bath inlet with mousseur  
diverter bath/shower  
GROHE hand shower 27 184  
metal shower hose 2000 mm  
mounting plate  
flexible connection hoses  
connection for shower hose  
protected against backflow  
**min. recommended pressure 1.0 bar**





| Ref.No.    | EAN code      | Colour       | Retail Guide Price (£) |
|------------|---------------|--------------|------------------------|
| 19 344 000 | 4005176861062 | chrome       | 307.69                 |
| 19 344 LSO | 4005176873331 | moon white   | 414.33                 |
| 19 344 KSO | 4005176873348 | velvet black | 414.33                 |

**Veris**  
Single-lever bath/shower mixer trim  
**without concealed body**  
set for final installation for  
35 501 000  
GROHE StarLight® chrome finish  
automatic diverter: bath/shower  
escutcheon- and shaft-sealing  
metal escutcheon  
covered coupling





|            |               |              |        |
|------------|---------------|--------------|--------|
| 19 367 000 | 4005176861192 | chrome       | 297.20 |
| 19 367 KSO | 4005176873386 | velvet black | 347.90 |
| 19 367 LSO | 4005176873379 | moon white   | 347.90 |

**Veris**  
Single-lever shower mixer trim  
**without concealed body**  
set for final installation for  
35 501 000  
GROHE StarLight® chrome finish  
escutcheon- and shaft-sealing  
metal escutcheon  
covered coupling




|            |               |  |        |
|------------|---------------|--|--------|
| 35 501 000 | 4005176833847 |  | 103.15 |
|------------|---------------|--|--------|

**GROHE Rapido E**  
Universal Single-lever mixer  
for concealed installation  
**without finishing trim set**  
GROHE SilkMove® 46 mm ceramic cartridge  
adjustable flow rate limiter  
**min. recommended pressure 1.0 bar**




|            |               |            |        |
|------------|---------------|------------|--------|
| 34 327 000 | 4005176861147 | chrome     | 631.12 |
| 34 327 LSO | 4005176880629 | moon white | 940.56 |

**Veris**  
Thermostatic bath/shower mixer 1/2"  
wall mounted  
GROHE CoolTouch® safety housing  
GROHE TurboStat® compact cartridge  
with wax thermoelement  
Aquadimmer with multiple function  
- flow control  
- diverter: bath/shower  
GROHE SafeStop Plus integrated temperature  
limiter at max 50°C  
shower bottom outlet 1/2"  
integrated non-return valves  
and dirt strainers  
covered S-unions  
metal handles  
protected against backflow  
GROHE EcoJoy® technology for  
less water and perfect flow  
GROHE StarLight® chrome finish  
max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**




| Ref.No.    | EAN code      | Colour     | Retail Guide Price (£) |
|------------|---------------|------------|------------------------|
| 34 330 000 | 4005176861215 | chrome     | 526.23                 |
| 34 330 LSO | 4005176880667 | moon white | 666.08                 |

**Veris**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
**GROHE CoolTouch®** safety housing  
**GROHE TurboStat®** compact cartridge with wax thermoelement  
 integrated mixed water shut off ceramic headparts 1/2", 180°  
 volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)  
**GROHE SafeStop Plus** integrated temperature limiter at max 50°C  
 shower bottom outlet 1/2"  
 integrated non-return valves and dirt strainers  
 covered S-unions  
 metal handles  
 protected against backflow  
**GROHE EcoJoy®** technology for less water and perfect flow  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**




|            |               |        |          |
|------------|---------------|--------|----------|
| 27 472 000 | 4005176882814 | chrome | 1,353.16 |
|------------|---------------|--------|----------|

**Rainshower® System 310**  
**Shower system with thermostat for wall mounting**  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Rainshower 310 (27 471 000)  
 horizontal swivable 450 mm projection shower arm  
 with ball joint  
 rotation angle ± 15°  
 hand shower Ondus (27 185 000)  
 adjustable in height with gliding element (12 140 000)  
**GROHE EcoJoy®** technology for less water and perfect flow  
**GROHE StarLight®** chrome finish  
**GROHE CoolTouch®**  
 max. pressure differential 5:1  
 minimum flow rate 7 l/min.  
**Inner WaterGuide** for a longer life  
**min. recommended pressure 1.0 bar**




|            |               |        |        |
|------------|---------------|--------|--------|
| 19 364 000 | 4005176861154 | chrome | 496.50 |
|------------|---------------|--------|--------|

**Veris**  
**Thermostat with integrated 2-way diverter for bath or shower with more than one outlet**  
 set for final installation for 35 500 000 / 35 050 000  
**without concealed body**  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop Plus** integrated temperature limiter at max 50°C  
 Aquadimmer with multiple function shut off and flow control  
 diverter for 2 outlets  
 metal handles  
 wall escutcheon with **GROHE SmartFix** (covered escutcheon- and shaft sealing, covered fixing)



| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 19 369 000 | 4005176861222 | chrome | 454.55                 |


**Veris**  
**Thermostatic shower mixer without concealed body**  
 set for final installation for GROHE Rapido T 35 500 000 / 35 050 000  
**TMV2 compliant when used with 35 050 000**  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop Plus** integrated temperature limiter at max 50°C  
 volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)  
 ceramic headparts 1/2", 180°  
 metal handles  
 wall escutcheon with **GROHE SmartFix** (covered escutcheon- and shaft sealing, covered fixing)



NEW

|            |               |  |        |
|------------|---------------|--|--------|
| 35 050 000 | 4005176982064 |  | 263.99 |
|------------|---------------|--|--------|


**GROHE Rapido T**  
**Universal Thermostatic mixer for concealed intallation**  
**TMV2 compliant product**  
 for use with bath-, shower- and central-mixer  
**without finishing trim set**  
 easy to install, premounted and tested unit  
**GROHE TurboStat®** compact cartridge with wax thermoelement  
 two top outlets 1/2", lockable  
 bottom outlet 1/2" - can only be used with separate stopvalve  
 safe to install, stable built-in-box and protective cap  
 fixation options for solid walls and dry cladding  
 wall sealing  
 Aquadimmer-diverter for bath mixer or stopvalve for shower mixer in finishing trim set  
 body in DR-brass  
 built-in non return valve and dirt strainers  
**GROHE EcoJoy®** technology for less water and perfect flow  
**min. recommended pressure 1.0 bar**



|                                 |               |  |        |
|---------------------------------|---------------|--|--------|
| 35 500 000                      | 4005176831522 |  | 263.99 |
| Ditto, Non TMV2 compliant valve |               |  |        |


|            |               |              |        |
|------------|---------------|--------------|--------|
| 19 444 000 | 4005176840562 | chrome       | 113.64 |
| 19 444 KSO | 4005176840579 | velvet black | 184.99 |

**Concealed stop-valve trim**  
 set for final installation for **29 032 000**  
 installation depth adjustable 43 - 91 mm




|            |               |  |       |
|------------|---------------|--|-------|
| 29 032 000 | 4005176845277 |  | 21.33 |
|------------|---------------|--|-------|

**Concealed valve**  
 pre-assembled headpart 1/2"  
 threaded union 1/2"  
 installation depth adjustable 43 - 91 mm  
 DR-brass




| Ref.No.    | EAN code      | Colour       | Retail Guide Price (£) |
|------------|---------------|--------------|------------------------|
| 19 448 000 | 4005176841897 | chrome       | 186.37                 |
| 19 448 KSO | 4005176841903 | velvet black | 326.92                 |

**5-way diverter**  
set for final installation for  
**29 033 000**  
**without concealed body**  
installation depth adjustable  
66 - 113 mm  
only for use with concealed body




|            |               |  |        |
|------------|---------------|--|--------|
| 29 033 000 | 4005176845338 |  | 169.76 |
|------------|---------------|--|--------|

**5-way diverter**  
concealed body  
wall installation  
with ceramic sealing disks  
connection cold and hot 1/2"  
2 outlets 1/2"  
1 bath outlet 3/4"  
installation depth adjustable  
66 - 113 mm  
DR-brass




|            |               |              |        |
|------------|---------------|--------------|--------|
| 13 242 000 | 4005176869198 | chrome       | 199.30 |
| 13 242 KSO | 4005176873409 | velvet black | 334.79 |
| 13 242 LSO | 4005176873393 | moon white   | 334.79 |

**Veris**  
**Bath spout**  
wall mounted  
**GROHE StarLight®** chrome finish  
mousseur  
projection 170 mm




|            |               |              |        |
|------------|---------------|--------------|--------|
| 27 184 000 | 4005176840654 | chrome       | 115.91 |
| 27 184 KSO | 4005176840661 | velvet black | 162.06 |
| 27 184 LSO | 4005176840678 | moon white   | 162.06 |

**GROHE Ondus Stick**  
**Hand shower 1 spray**  
normal spray  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**GROHE StarLight®** chrome finish  
**GROHE DreamSpray®** perfect spray pattern  
min. recommended pressure 1.0 bar




|            |               |              |        |
|------------|---------------|--------------|--------|
| 27 532 000 | 4005176889707 | chrome       | 168.88 |
| 27 532 KSO | 4005176889714 | velvet black | 276.22 |
| 27 532 LSO | 4005176889721 | moon white   | 276.22 |

**GROHE Ondus Stick**  
**Shower set 1 spray**  
GROHE hand shower 27 184  
**Inner WaterGuide** for a longer life  
metal shower hose 2000 mm  
hose guide  
**GROHE StarLight®** chrome finish  
**GROHE DreamSpray®** perfect spray pattern  
min. recommended pressure 1.0 bar




| Ref.No.    | EAN code      | Colour       | Retail Guide Price (£) |
|------------|---------------|--------------|------------------------|
| 27 188 000 | 4005176842160 | chrome       | 83.40                  |
| 27 188 KSO | 4005176842177 | velvet black | 103.23                 |
| 27 188 LSO | 4005176842184 | moon white   | 103.23                 |

**Veris**  
**Hand shower holder**  
wall mounted  
not adjustable  
**GROHE StarLight®** chrome finish




|            |               |              |        |
|------------|---------------|--------------|--------|
| 27 190 000 | 4005176842221 | chrome       | 93.89  |
| 27 190 KSO | 4005176842238 | velvet black | 123.26 |
| 27 190 LSO | 4005176842245 | moon white   | 123.26 |

**Veris**  
**Shower outlet elbow**  
connection thread 1/2"  
protected against backflow  
**GROHE StarLight®** chrome finish




|            |               |              |        |
|------------|---------------|--------------|--------|
| 28 143 LSO | 4005176842269 | moon white   | 81.12  |
| 28 143 KSO | 4005176842252 | velvet black | 103.85 |
| 28 143 000 | 4005176601347 | chrome       | 54.19  |

**Relaxa**  
**Metal hose**  
1500 mm  
1/2" x 1/2"  
Longlife  
strengthened model  
tensile strength 750 N  
**GROHE StarLight®** chrome finish




|            |               |        |        |
|------------|---------------|--------|--------|
| 27 861 000 | 4005176918131 | chrome | 501.75 |
|------------|---------------|--------|--------|

**Rainshower® Ondus Veris 300**  
**Ceiling shower 1 spray**  
Rain  
metal  
connection thread 1/2"  
**GROHE DreamSpray®** perfect spray pattern  
**SpeedClean** anti-limescale system  
**GROHE StarLight®** chrome finish  
min. recommended pressure 1.0 bar



|            |               |        |        |
|------------|---------------|--------|--------|
| 27 470 000 | 4005176882531 | chrome | 374.13 |
|------------|---------------|--------|--------|

**Rainshower® Veris 300**  
**Head shower 1 spray**  
Rain  
metal  
**SpeedClean** anti-limescale system  
ball joint with turning angle ± 15°  
connection thread 1/2"  
**GROHE StarLight®** chrome finish  
**GROHE DreamSpray®** perfect spray pattern  
min. recommended pressure 1.0 bar






Ref.No. EAN code Colour Retail Guide Price (£)


28 576 000 4005176274022 chrome 65.04

**Rainshower®**  
**Shower arm 286 mm**  
metal  
connection thread 1/2"  
can be used for all Rainshower head  
showers except Rainshower Jumbo  
**GROHE StarLight®** chrome finish




28 361 000 4005176295157 chrome 100.18

**Rainshower®**  
**Shower arm, 380 mm**  
connection thread 1/2"  
can be used for all Rainshower head  
showers except Rainshower Jumbo  
**GROHE StarLight®** chrome finish  
with circle escutcheon




28 497 000 4005176270338 chrome 50.52

**Rainshower®**  
**Shower ceiling arm 292 mm**  
metal  
connection thread 1/2"  
can be used for all Rainshower® head  
showers  
**GROHE StarLight®** chrome finish




28 724 000 4005176812644 chrome 47.73

**Rainshower®**  
**Shower arm ceiling 142 mm**  
connection thread 1/2"  
**GROHE StarLight®** chrome finish



19 952 000 4005176174230 chrome 169.06


**Talentofill**  
**Inlet-, pop-up and waste-system**  
set for final installation  
escutcheon  
supply part  
waste plug  
fixing set  
**GROHE StarLight®** chrome finish  
min recommended pressure 1.0 bar  
  
in combination with Talentofill  
28 990 000/28 991 000



Ref.No. EAN code Colour Retail Guide Price (£)


19 025 000 4005176209154 chrome 37.67  
19 025 KSO 4005176842016 velvet black 50.70  
19 025 LSO 4005176842023 moon white 50.70

**Talento**  
**Waste and overflow set for baths**  
set for final installation  
escutcheon  
waste plug  
fixing set  
**GROHE StarLight®** chrome finish  
in combination with Talento 28 939 & 28943




38 844 000 4005176874963 chrome 63.99  
38 844 SH0 4005176874970 alpine white 51.57  
38 844 P00 4005176875687 matt chrome 63.99

**WC wall plate**  
for dual flush or start & stop actuation  
for pneumatic drop valve  
for vertical installation  
156 x 197 mm  
made of ABS  
**GROHE StarLight®** chrome finish




40 376 000 4005176840241 chrome 113.98

**Veris**  
**Glass/soap dish holder**  
without glass, soap dish or soap  
dispenser




40 389 000 4005176847189 chrome 57.34

**Soap dispenser**  
satin glass  
for combination with holder 40 376




40 391 000 4005176847202 chrome 61.71

**Veris**  
**Soap dish**  
satin glass  
for combination with holder 40 376




| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 40 390 000 | 4005176847196 |        | 53.44                  |

**Veris**  
**Glass**  
satin glass  
for combination with holder 40 376




|            |               |        |        |
|------------|---------------|--------|--------|
| 40 377 000 | 4005176840272 | chrome | 163.47 |
|------------|---------------|--------|--------|

**Veris**  
**Toilet roll holder**  
without cover




|            |               |        |        |
|------------|---------------|--------|--------|
| 40 379 000 | 4005176840333 | chrome | 154.02 |
|------------|---------------|--------|--------|

**Towel ring**




|            |               |        |        |
|------------|---------------|--------|--------|
| 40 381 000 | 4005176840395 | chrome | 236.01 |
|------------|---------------|--------|--------|

**Towel rail**




|            |               |        |        |
|------------|---------------|--------|--------|
| 40 380 000 | 4005176840364 | chrome | 236.01 |
|------------|---------------|--------|--------|

**Toilet brush set**  
wall model  
satin glass



| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 40 378 000 | 4005176840302 | chrome | 64.34                  |

**Robe hook**



# GROHE F-DIGITAL



# GROHE F-DIGITAL

## Simple, Intuitive and Precise

Simple, intuitive, precise control, the perfect temperature and the luxury of saving your preferred settings with a single touch; GROHE F-Digital will change your perception of brassware and showers.

## Design and Planning Freedom

GROHE F-Digital offers maximum design and planning freedom; with wireless technology, any pressure solutions and a full range of coordinating products for the shower, bathtub, basin and bidet, you can plan your bathroom exactly as you wish.

## German Engineering and Design


For GROHE F-Digital functional technology and award winning design go hand-in-hand; extensive lifetime testing, innovative GROHE technologies and intuitive controls combine to provide you with a truly exceptional experience.



# GROHE VERIS F-DIGITAL


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 36 277 000 | 4005176893438 | chrome | 768.14                 |

**GROHE Veris F-digital Digital basin mixer**  
including digital mixing device  
monobloc installation  
Digital Controller - intuitive multifunctional operating unit  
- Wireless technology  
- Temperature and flow control  
- Pause-function  
- Memory function  
- LED ring  
digital mixing device  
- digitally controlled valve  
- integrated temperature sensor  
default setting configurable during installation  
- automatic safety shut-off after 60 sec.  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
swivel spout with SpeedClean mousseur  
Push-open waste set 1 1/4"  
flexible connection hoses  
**min. recommended pressure 1.0 bar**  
**requires build-in power supply 36 078 000**



|            |               |        |        |
|------------|---------------|--------|--------|
| 36 278 000 | 4005176893445 | chrome | 768.14 |
|------------|---------------|--------|--------|


**GROHE Veris F-digital Digital basin mixer**  
including digital mixing device  
wall mounted  
Digital Controller - intuitive multifunctional operating unit  
- Wireless technology  
- Temperature and flow control  
- Pause-function  
- Memory function  
- LED ring  
digital mixing device  
- digitally controlled valve  
- integrated temperature sensor  
default setting configurable during installation  
- automatic safety shut-off after 60 sec.  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
spout with SpeedClean mousseur  
projection 170 mm  
Push-open waste set 1 1/4"  
**min. recommended pressure 1.0 bar**  
**requires build-in power supply 36 078 000**




## CONTROLLER




Turn the ring to adjust the water flow



## BATH DIVERTER



## SHOWER DIVERTER






# GROHE VERIS F-DIGITAL


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 36 286 000 | 4005176894589 | chrome | 768.14                 |

**GROHE Veris F-digital Digital bidet mixer**  
including digital mixing device  
monobloc installation  
Digital Controller - intuitive multifunctional operating unit  
- Wireless technology  
- Temperature and flow control  
- Pause-function  
- Memory function  
- LED ring  
digital mixing device  
- digitally controlled valve  
- integrated temperature sensor  
default setting configurable during installation  
- automatic safety shut-off after 60 sec.  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
ball-joint mousseur  
Push-open waste set 1 1/4"  
flexible connection hoses  
**min. recommended pressure 1.0 bar**  
**requires build-in power supply 36 078 000**




|            |               |  |       |
|------------|---------------|--|-------|
| 36 078 000 | 4005176856532 |  | 56.81 |
|------------|---------------|--|-------|

**Plug power supply 110-240 V**  
operating voltage 6V  
cable length 400 mm



|            |               |  |        |
|------------|---------------|--|--------|
| 36 356 000 | 4005176911347 |  | 118.88 |
|------------|---------------|--|--------|


**GROHE F-digital Transceiver**  
optional accessory for digital mixing unit



# GROHE VERIS F-DIGITAL


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 36 292 000 | 4005176894640 | chrome | 942.32                 |

**Veris F-Digital Digital controller for bath or shower**  
including digital thermostat unit  
Digital Controller - intuitive multifunctional operating unit  
- Wireless technology  
- Temperature and flow control  
- Pause-function  
- Memory function  
- LED ring incl. warming-up function: visual feedback when preferred temperature is reached  
digital thermostat unit (concealed body)  
- warm/cold-supplies 1/2"  
- 1 outlet 1/2"  
transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m  
**GROHE TurboStat®** digital controlled compact cartridge with wax thermoelement  
default setting configurable during installation  
- automatic safety shut-off after 20 min  
- GROHE SafeStop at 38°C  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
**min. recommended pressure 1.0 bar**  
**requires build-in power supply 36 078 000**



|            |               |        |        |
|------------|---------------|--------|--------|
| 36 293 000 | 4005176894657 | chrome | 994.77 |
|------------|---------------|--------|--------|


**Veris F-Digital Digital controller for bath or shower**  
including digital thermostat unit  
Digital Controller - intuitive multifunctional operating unit  
- Wireless technology  
- Temperature and flow control  
- Pause-function  
- Memory function  
- LED ring incl. warming-up function: visual feedback when preferred temperature is reached  
digital thermostat unit (concealed body)  
- warm/cold-supplies 1/2"  
- 1 outlet 1/2"  
- with pump and build-in power supply 110-240 V / operating voltage 24 V / cable length 400m  
transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m  
**GROHE TurboStat®** digital controlled compact cartridge with wax thermoelement  
default setting configurable during installation  
- automatic safety shut-off after 20 min  
- GROHE SafeStop at 38°C  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
**recommended pressure 0.1 - 1.0 bar**



# GROHE VERIS F-DIGITAL


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 36 289 000 | 4005176894619 | chrome | 1,152.11               |

**Veris F-Digital**  
**Digital controller and digital diverter for bath**  
 including digital thermostat unit  
 Digital Controller - intuitive multifunctional operating unit  
 - Wireless technology  
 - Temperature and flow control  
 - Pause-function  
 - Memory function  
 - LED ring incl. warming-up function: visual feedback when preferred temperature is reached  
 digital diverter for bath  
 - Diverter: head-, hand shower and bath spout  
 - LED ring (indication of outlet)  
 digital thermostat unit (concealed body)  
 - warm/cold-supplies 1/2"  
 - 3 outlets 1/2" bath diverter  
 transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m  
**GROHE TurboStat®** digital controlled compact cartridge with wax thermoelement default setting configurable during installation  
 - automatic safety shut-off after 20 min  
 - GROHE SafeStop at 38°C  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
**min. recommended pressure 1.0 bar**  
**requires**  
**build-in power supply 36 078 000**



|            |               |        |          |
|------------|---------------|--------|----------|
| 36 290 000 | 4005176894626 | chrome | 1,204.56 |
|------------|---------------|--------|----------|


**Veris F-Digital**  
**Digital controller and digital diverter for bath**  
 including digital thermostat unit  
 Digital Controller - intuitive multifunctional operating unit  
 - Wireless technology  
 - Temperature and flow control  
 - Pause-function  
 - Memory function  
 - LED ring incl. warming-up function: visual feedback when preferred temperature is reached  
 digital diverter for bath  
 - Diverter: head-, hand shower and bath spout  
 - LED ring (indication of outlet)  
 digital thermostat unit (concealed body)  
 - warm/cold-supplies 1/2"  
 - 3 outlets 1/2"  
 - with pump and build-in power supply 110-240 V / operating voltage 24 V / cable length 400m  
 transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m  
**GROHE TurboStat®** digital controlled compact cartridge with wax thermoelement default setting configurable during installation  
 - automatic safety shut-off after 20 min  
 - GROHE SafeStop at 38°C  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
**recommended pressure 0.1 - 1.0 bar**



# GROHE VERIS F-DIGITAL


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 36 295 000 | 4005176894671 | chrome | 1,152.11               |

**Veris F-Digital**  
**Digital controller and digital diverter for shower**  
 including digital thermostat unit  
 Digital Controller - intuitive multifunctional operating unit  
 - Wireless technology  
 - Temperature and flow control  
 - Pause-function  
 - Memory function  
 - LED ring incl. warming-up function: visual feedback when preferred temperature is reached  
 digital diverter for shower  
 - Diverter: head-, side- and hand shower  
 - LED ring (indication of outlet)  
 digital thermostat unit (concealed body)  
 - warm/cold-supplies 1/2"  
 - 3 outlets 1/2" shower diverter  
 transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m  
**GROHE TurboStat®** digital controlled compact cartridge with wax thermoelement default setting configurable during installation  
 - automatic safety shut-off after 20 min  
 - GROHE SafeStop at 38°C  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
**min. recommended pressure 1.0 bar**  
**requires**  
**build-in power supply 36 078 000**




|            |               |        |          |
|------------|---------------|--------|----------|
| 36 296 000 | 4005176894688 | chrome | 1,204.56 |
|------------|---------------|--------|----------|

**Veris F-Digital**  
**Digital controller and digital diverter for shower**  
 including digital thermostat unit  
 Digital Controller - intuitive multifunctional operating unit  
 - Wireless technology  
 - Temperature and flow control  
 - Pause-function  
 - Memory function  
 - LED ring incl. warming-up function: visual feedback when preferred temperature is reached  
 digital diverter for shower  
 - Diverter: head-, side- and hand shower  
 - LED ring (indication of outlet)  
 digital thermostat unit (concealed body)  
 - warm/cold-supplies 1/2"  
 - 3 outlets 1/2"  
 - with pump and build-in power supply 110-240 V / operating voltage 24 V / cable length 400m  
 transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m  
**GROHE TurboStat®** digital controlled compact cartridge with wax thermoelement default setting configurable during installation  
 - automatic safety shut-off after 20 min  
 - GROHE SafeStop at 38°C  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
**recommended pressure 0.1 - 1.0 bar**



|            |               |        |        |
|------------|---------------|--------|--------|
| 13 292 000 | 4005176894824 | chrome | 480.78 |
|------------|---------------|--------|--------|

**Veris**  
**Bath spout**  
 projection 228 mm  
**GROHE StarLight®** chrome finish




# GROHE VERIS F-DIGITAL

Ref.No. EAN code Colour Retail Guide Price (£)


13 242 000 4005176869198 chrome 199.30

**Veris**  
**Bath spout**  
wall mounted  
**GROHE StarLight®** chrome finish  
mousseur  
projection 170 mm




13 245 000 4005176870163 chrome 1,124.13

**Veris**  
**Bath spout**  
floor-mounted  
set for final installation for 45 984 000  
**without roughing-in set**  
spout with mousseur  
projection 295 mm  
total height 1037 mm  
**GROHE StarLight®** chrome finish




45 984 000 4005176847127 438.82

**Roughing-in set for floor mounted bath spout and bath/shower mixer**  
for floor-mounted bath spout and bath mixer  
**without finishing trim set**  
installation plate for precise fitting  
floor equalization 0-80 mm  
1/2" mixed water connection  
plug  
fixing material



19 952 000 4005176174230 chrome 169.06


**Talentofill**  
**Inlet-, pop-up and waste-system**  
set for final installation  
consisting of:  
escutcheon  
supply part  
waste plug  
fixing set  
**GROHE StarLight®** chrome finish



in combination with Talentofill  
28 990 000/28 991 000

27 532 000 4005176889707 chrome 168.88

**GROHE Ondus Stick**  
**Shower set 1 spray**  
consisting of:  
GROHE hand shower 27 184  
**Inner WaterGuide** for a longer life  
metal shower hose 2000 mm  
hose guide



# GROHE VERIS F-DIGITAL

Ref.No. EAN code Colour Retail Guide Price (£)


27 184 000 4005176840654 chrome 115.91

**GROHE Ondus Stick**  
**Hand shower 1 spray**  
normal spray  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
Universal Mounting System. Fitting all standard shower hoses




27 190 000 4005176842221 chrome 93.89

**GROHE Ondus**  
**Shower outlet elbow**  
connection thread 1/2"  
protected against backflow




27 188 000 4005176842160 chrome 83.40

**GROHE Ondus**  
**Hand shower holder**  
wall mounted  
not adjustable




27 861 000 4005176918131 chrome 501.75

**Rainshower® Ondus Veris 300**  
**Ceiling shower 1 spray**  
Rain  
metal  
connection thread 1/2"  
**GROHE DreamSpray®** perfect spray pattern  
**SpeedClean** anti-limescale system  
**GROHE StarLight®** chrome finish  
min. recommended pressure 1.0 bar




27 470 000 4005176882531 chrome 374.13

**Rainshower® Veris 300**  
**Head shower 1 spray**  
Rain  
metal  
ball joint with turning angle ± 15°  
connection thread 1/2"  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**GROHE DreamSpray®** perfect spray pattern  
min. recommended pressure 1.0 bar




# GROHE VERIS F-DIGITAL

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 27 251 000 | 4005176856327 | chrome | 83.40                  |




**Rainshower® F-Series 5"**  
**Side shower 1 spray**  
Normal including concealed body  
127 x 127 mm  
**GROHE DreamSpray®** perfect spray pattern  
flow straightener with ball joint  
(± 12.5° rotatable)  
**GROHE FlowBalance** flow regulating screw  
connection thread 1/2"  
**SpeedClean** anti-limescale system  
**GROHE StarLight®** chrome finish

|            |               |        |       |
|------------|---------------|--------|-------|
| 40 479 000 | 4005176894787 | chrome | 55.00 |
|------------|---------------|--------|-------|




**Holder plate for Digital Controller & Digital Diverter**  
vertical or horizontal installation  
**GROHE StarLight®** chrome finish

|            |               |        |        |
|------------|---------------|--------|--------|
| 36 309 000 | 4005176894794 | chrome | 164.99 |
|------------|---------------|--------|--------|




**Digital Controller**  
**Remote Controller for bath or shower**  
additional multifunctional operating unit  
- Wireless technology  
- Temperature and flow control  
- Pause-function  
- Memory function  
- LED ring  
**GROHE StarLight®** chrome finish

|            |               |  |       |
|------------|---------------|--|-------|
| 36 078 000 | 4005176856532 |  | 56.81 |
|------------|---------------|--|-------|



**Plug power supply 110-240 V**  
operating voltage 6V  
cable length 400 mm


|            |               |        |       |
|------------|---------------|--------|-------|
| 47 727 000 | 4005176884160 | chrome | 23.00 |
|------------|---------------|--------|-------|



**Connection wire**  
2-pole  
cable length 3 m

# GROHE VERIS F-DIGITAL

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 36 356 000 | 4005176911347 |        | 118.88                 |




**GROHE F-digital**  
**Transceiver**  
optional accessory for digital mixing unit



# GROHE ALLURE F-DIGITAL


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 36 342 000 | 4005176909702 | chrome | 768.14                 |

**Allure F-digital**  
**Digital basin mixer**  
including digital mixing device  
monobloc installation  
Digital Controller - intuitive multifunctional operating unit  
- Wireless technology  
- Temperature and flow control  
- Pause-function  
- Memory function  
- LED ring  
digital mixing device  
- digitally controlled valve  
- integrated temperature sensor  
default setting configurable during installation  
- automatic safety shut-off after 60 sec.  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
spout with mousseur  
Push-open waste set 1 1/4"  
flexible connection hoses  
**min. recommended pressure 1.0 bar**  
**requires build-in power supply 36 078 000**



|            |               |        |        |
|------------|---------------|--------|--------|
| 36 343 000 | 4005176909719 | chrome | 768.14 |
|------------|---------------|--------|--------|


**Allure F-digital**  
**Digital basin mixer**  
including digital mixing device  
wall mounted  
Digital Controller - intuitive multifunctional operating unit  
- Wireless technology  
- Temperature and flow control  
- Pause-function  
- Memory function  
- LED ring  
digital mixing device  
- digitally controlled valve  
- integrated temperature sensor  
default setting configurable during installation  
- automatic safety shut-off after 60 sec.  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
spout with mousseur  
projection 167 mm  
Push-open waste set 1 1/4"  
**min. recommended pressure 1.0 bar**  
**requires build-in power supply 36 078 000**



# GROHE ALLURE F-DIGITAL


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 36 346 000 | 4005176909740 | chrome | 768.14                 |

**Allure F-digital**  
**Digital bidet mixer**  
including digital mixing device  
monobloc installation  
Digital Controller - intuitive multifunctional operating unit  
- Wireless technology  
- Temperature and flow control  
- Pause-function  
- Memory function  
- LED ring  
digital mixing device  
- digitally controlled valve  
- integrated temperature sensor  
default setting configurable during installation  
- automatic safety shut-off after 60 sec.  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
ball-joint mousseur  
Push-open waste set 1 1/4"  
flexible connection hoses  
**min. recommended pressure 1.0 bar**  
**requires build-in power supply 36 078 000**




|            |               |  |       |
|------------|---------------|--|-------|
| 36 078 000 | 4005176856532 |  | 56.81 |
|------------|---------------|--|-------|

**Plug power supply 110-240 V**  
operating voltage 6V  
cable length 400 mm



|            |               |  |        |
|------------|---------------|--|--------|
| 36 356 000 | 4005176911347 |  | 118.88 |
|------------|---------------|--|--------|


**GROHE F-digital**  
**Transceiver**  
optional accessory for digital mixing unit



# GROHE ALLURE F-DIGITAL


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 36 349 000 | 4005176909771 | chrome | 942.32                 |

**GROHE F-digital**  
**Digital controller with square base plate for bath or shower**  
 including digital thermostat unit  
 Digital Controller - intuitive multifunctional operating unit  
 - Wireless technology  
 - Temperature and flow control  
 - Pause-function  
 - Memory function  
 - LED ring incl. warming-up function: visual feedback when preferred temperature is reached  
 digital thermostat unit (concealed body)  
 - warm/cold-supplies 1/2"  
 - 1 outlet 1/2"  
 transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m  
**GROHE TurboStat®** digital controlled compact cartridge with wax thermoelement  
 default setting configurable during installation  
 - automatic safety shut-off after 20 min  
 - GROHE SafeStop at 38°C  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
**min. recommended pressure 1.0 bar**  
**requires**  
**build-in power supply 36 078 000**



|            |               |        |        |
|------------|---------------|--------|--------|
| 36 350 000 | 4005176909788 | chrome | 994.77 |
|------------|---------------|--------|--------|


**GROHE F-digital**  
**Digital controller with square base plate for bath or shower**  
 including digital thermostat unit  
 Digital Controller - intuitive multifunctional operating unit  
 - Wireless technology  
 - Temperature and flow control  
 - Pause-function  
 - Memory function  
 - LED ring incl. warming-up function: visual feedback when preferred temperature is reached  
 digital thermostat unit (concealed body)  
 - warm/cold-supplies 1/2"  
 - 1 outlet 1/2"  
 - with pump and build-in power supply 110-240 V / operating voltage 24 V / cable length 400m  
 transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m  
**GROHE TurboStat®** digital controlled compact cartridge with wax thermoelement  
 default setting configurable during installation  
 - automatic safety shut-off after 20 min  
 - GROHE SafeStop at 38°C  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
**recommended pressure 0.1 - 1.0 bar**



# GROHE ALLURE F-DIGITAL


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 36 344 000 | 4005176909726 | chrome | 1,152.11               |

**GROHE F-digital**  
**Digital controller and digital diverter for bath with square base plate**  
 including digital thermostat unit  
 Digital Controller - intuitive multifunctional operating unit  
 - Wireless technology  
 - Temperature and flow control  
 - Pause-function  
 - Memory function  
 - LED ring incl. warming-up function: visual feedback when preferred temperature is reached  
 digital diverter for bath  
 - Diverter: head-, hand shower and bath spout  
 - wireless technology  
 - LED ring (indication of outlet)  
 digital thermostat unit (concealed body)  
 - warm/cold-supplies 1/2"  
 3 outlets 1/2"  
 transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m  
**GROHE TurboStat®** digital controlled compact cartridge with wax thermoelement  
 default setting configurable during installation  
 - automatic safety shut-off after 20 min  
 - GROHE SafeStop at 38°C  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
**min. recommended pressure 1.0 bar**  
**requires**  
**build-in power supply 36 078 000**



|            |               |        |          |
|------------|---------------|--------|----------|
| 36 347 000 | 4005176909757 | chrome | 1,204.56 |
|------------|---------------|--------|----------|

**GROHE F-digital**  
**Digital controller and digital diverter for bath with square base plate**  
 including digital thermostat unit  
 Digital Controller - intuitive multifunctional operating unit  
 - Wireless technology  
 - Temperature and flow control  
 - Pause-function  
 - Memory function  
 - LED ring incl. warming-up function: visual feedback when preferred temperature is reached  
 digital diverter for bath  
 - Diverter: head-, hand shower and bath spout  
 - wireless technology  
 - LED ring (indication of outlet)  
 digital thermostat unit (concealed body)  
 - warm/cold-supplies 1/2"  
 - 3 outlets 1/2"  
 - with pump and build-in power supply 110-240 V / operating voltage 24 V / cable length 400m  
 transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m  
**GROHE TurboStat®** digital controlled compact cartridge with wax thermoelement  
 default setting configurable during installation  
 - automatic safety shut-off after 20 min  
 - GROHE SafeStop at 38°C  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
**recommended pressure 0.1 - 1.0 bar**



# GROHE ALLURE F-DIGITAL

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 36 352 000 | 4005176909801 | chrome | 1,152.11               |

**Digital controller and digital diverter for shower with square base plate** including digital thermostat unit  
Digital Controller - intuitive multifunctional operating unit

- Wireless technology
- Temperature and flow control
- Pause-function
- Memory function
- LED ring incl. warming-up function: visual feedback when preferred temperature is reached

digital diverter for shower

- Diverter: head-, side- and hand shower
- wireless technology
- LED ring (indication of outlet)

digital thermostat unit (concealed body)


- warm/cold-supplies 1/2"
- 3 outlets 1/2" shower diverter
- 3 outlets 1/2"

transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m

**GROHE TurboStat®** digital controlled compact cartridge with wax thermoelement default setting configurable during installation

- automatic safety shut-off after 20 min
- GROHE SafeStop at 38°C

**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
**min. recommended pressure 1.0 bar**  
**requires**  
**build-in power supply 36 078 000**



|            |               |        |          |
|------------|---------------|--------|----------|
| 36 353 000 | 4005176909818 | chrome | 1,204.56 |
|------------|---------------|--------|----------|

**GROHE F-digital Digital controller and digital diverter for shower with square base plate** including digital thermostat unit  
Digital Controller - intuitive multifunctional operating unit

- Wireless technology
- Temperature and flow control
- Pause-function
- Memory function
- LED ring incl. warming-up function: visual feedback when preferred temperature is reached

digital diverter for shower

- Diverter: head-, side- and hand shower
- wireless technology
- LED ring (indication of outlet)

digital thermostat unit (concealed body)

- warm/cold-supplies 1/2"
- 3 outlets 1/2"


- with pump and build-in power supply 110-240 V / operating voltage 24 V / cable length 400m

transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m

**GROHE TurboStat®** digital controlled compact cartridge with wax thermoelement default setting configurable during installation


- automatic safety shut-off after 20 min
- GROHE SafeStop at 38°C

**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
**recommended pressure 0.1 - 1.0 bar**



|            |               |        |        |
|------------|---------------|--------|--------|
| 13 315 000 | 4005176909696 | chrome | 287.59 |
|------------|---------------|--------|--------|


**Allure F-digital Bath spout**  
projection 210 mm  
**GROHE StarLight®** chrome finish



# GROHE ALLURE F-DIGITAL


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 13 335 000 | 4005176923746 | chrome | 202.80                 |

**Allure F-digital Bath spout**  
wall mounted  
projection 167 mm  
mousseur  
**GROHE StarLight®** chrome finish




|            |               |        |          |
|------------|---------------|--------|----------|
| 13 218 000 | 4005176847110 | chrome | 1,124.13 |
|------------|---------------|--------|----------|

**Allure Bath spout**  
floor-mounted  
set for final installation for 45 984 000  
**without roughing-in-set**  
projection 300 mm  
spout with mousseur  
total height 910 mm  
**GROHE StarLight®** chrome finish  
**min recommended pressure 1.0 bar**




|            |               |  |        |
|------------|---------------|--|--------|
| 45 984 000 | 4005176847127 |  | 438.82 |
|------------|---------------|--|--------|

**Roughing-in set for floor mounted bath spout and bath/shower mixer**  
for floor-mounted bath spout and bath mixer  
**without finishing trim set**  
installation plate for precise fitting  
floor equalization 0-80 mm  
1/2" mixed water connection  
plug  
fixing material



|            |               |        |        |
|------------|---------------|--------|--------|
| 19 952 000 | 4005176174230 | chrome | 169.06 |
|------------|---------------|--------|--------|


**Talentofill Inlet, pop-up and waste-system**  
set for final installation  
consisting of:  
escutcheon  
supply part  
waste plug  
fixing set  
**GROHE StarLight®** chrome finish



**in combination with Talentofill**  
**28 990 000/28 991 000**

|            |               |        |        |
|------------|---------------|--------|--------|
| 28 034 000 | 4005176231810 | chrome | 114.34 |
|------------|---------------|--------|--------|

**Sena Stick Hand shower 1 spray**  
Normal  
metal  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
DVGW Reg. No. NW-6517BL0624  
**GROHE StarLight®** chrome finish  
Universal Mounting System. Fitting all standard shower hoses




# GROHE ALLURE F-DIGITAL

Ref.No. EAN code Colour Retail Guide Price (£)


27 930 000 4005176923760 chrome 230.77

**Allure F-digital  
Pull-out shower**  
for bath rim installation and under tiled surround  
Lead-through for shower hose  
shower hose 1/2" x 3/8",  
2000 mm (28 158 000)  
**The pull-out shower assembly can be combined with all hand showers!**  
GROHE StarLight® chrome finish




27 076 000 4005176833106 chrome 45.80

**Rainshower®  
Shower outlet elbow**  
male thread  
with square escutcheon  
GROHE StarLight® chrome finish  
protected against backflow




27 075 000 4005176833090 chrome 29.37

**Rainshower®  
Wall hand Shower holder**  
not adjustable  
GROHE StarLight® chrome finish  
with square escutcheon




27 286 000 4005176860737 chrome 1,475.53

**Rainshower® F-Series 20"  
Ceiling shower 1 spray**  
Rain  
508 x 508 mm  
connection thread 1/2"  
SpeedClean anti-limescale system  
GROHE StarLight® chrome finish  
min. recommended pressure 1.0 bar  
GROHE DreamSpray® perfect spray pattern



27 467 000 4005176882609 chrome 493.01

**Rainshower® F-Series 10"  
Ceiling shower 1 spray**  
Rain  
metal  
254 x 254 mm  
GROHE DreamSpray® perfect spray pattern  
connection thread 1/2"  
SpeedClean anti-limescale system  
GROHE StarLight® chrome finish  
min. recommended pressure 1.0 bar




# GROHE ALLURE F-DIGITAL

Ref.No. EAN code Colour Retail Guide Price (£)


27 271 000 4005176860690 chrome 347.03

**Rainshower® F-Series 10"  
Head shower 1 spray**  
Rain  
metal  
254 x 254 mm  
Ball joint +/- 20° rotatable  
connection thread 1/2"  
SpeedClean anti-limescale system  
GROHE StarLight® chrome finish  
min. recommended pressure 1.0 bar  
GROHE DreamSpray® perfect spray pattern




27 251 000 4005176856327 chrome 83.40

**Rainshower® F-Series 5"  
Side shower 1 spray**  
Normal  
including concealed body  
127 x 127 mm  
GROHE DreamSpray® perfect spray pattern  
flow straightener with ball joint  
(± 12.5° rotatable)  
GROHE FlowBalance flow regulating screw  
connection thread 1/2"  
SpeedClean anti-limescale system  
GROHE StarLight® chrome finish




40 548 000 4005176909832 chrome 75.00

**Holder plate for Digital Controller & Digital Diverter**  
vertical or horizontal installation  
or combination with 36289000 and 36295000  
GROHE StarLight® chrome finish




36 355 000 4005176909849 chrome 164.99

**GROHE F-digital  
Digital controller with square base plate  
remote controller for bath or shower**  
additional multifunctional operating unit  
- Wireless technology  
- Temperature and flow control  
- Pause-function  
- Memory function  
- LED ring  
GROHE StarLight® chrome finish



36 078 000 4005176856532 56.81

**Plug power supply 110-240 V**  
operating voltage 6V  
cable length 400 mm





# GROHE ALLURE F-DIGITAL


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 47 727 000 | 4005176884160 | chrome | 23.00                  |

**Connection wire**  
2-pole  
cable length 3 m



|            |               |  |        |
|------------|---------------|--|--------|
| 36 356 000 | 4005176911347 |  | 118.88 |
|------------|---------------|--|--------|

**GROHE F-digital Transceiver**  
optional accessory for digital mixing unit




# GROHE F-DIGITAL

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 36 298 000 | 4005176894701 | chrome | 1,047.21               |

**Rainshower Solo F-Digital Shower set**


including digital thermostat unit  
Digital Controller - intuitive multifunctional operating unit  
- Wireless technology  
- Temperature and flow control  
- Pause-function  
- Memory function  
- LED ring incl. warming-up function: visual feedback when preferred temperature is reached  
digital thermostat unit (concealed body)  
- warm/cold-supplies 1/2"  
- 1 outlet 1/2"  
Rainshower Solo shower set (27273001)  
Rainshower® wall union 1/2" (27 057 000)  
transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m  
**GROHE TurboStat®** digital controlled compact cartridge with wax thermoelement default setting configurable during installation  
- automatic safety shut-off after 20 min  
- GROHE SafeStop at 38°C  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
**min. recommended pressure 1.0 bar**



|            |               |        |          |
|------------|---------------|--------|----------|
| 36 303 000 | 4005176894725 | chrome | 1,099.66 |
|------------|---------------|--------|----------|


**Rainshower Solo F-Digital Shower set**

including digital thermostat unit  
Digital Controller - intuitive multifunctional operating unit  
- Wireless technology  
- Temperature and flow control  
- Pause-function  
- Memory function  
- LED ring incl. warming-up function: visual feedback when preferred temperature is reached  
digital thermostat unit (concealed body)  
- warm/cold-supplies 1/2"  
- 1 outlet 1/2"  
- with pump and build-in power supply 110-240 V / operating voltage 24 V / cable length 400m  
Rainshower Solo shower set (27273001)  
Rainshower® wall union 1/2" (27 057 000)  
transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m  
**GROHE TurboStat®** digital controlled compact cartridge with wax thermoelement default setting configurable during installation  
- automatic safety shut-off after 20 min  
- GROHE SafeStop at 38°C  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
**recommended pressure 0.1 - 1.0 bar**



# GROHE F-DIGITAL

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 36 305 000 | 4005176894749 | chrome | 1,047.21               |



**Rainshower Solo F-Digital Shower set**  
including digital thermostat unit  
Digital Controller - intuitive multifunctional operating unit

- Wireless technology
- Temperature and flow control
- Pause-function
- Memory function
- LED ring incl. warming-up function: visual feedback when preferred temperature is reached

digital thermostat unit (concealed body)


- warm/cold-supplies 1/2"
- 1 outlet 1/2"

Rainshower Solo shower set (27273001)  
with telescoping pipe for ceiling supply  
transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m  
**GROHE TurboStat®** digital controlled compact cartridge with wax thermoelement  
default setting configurable during installation

- automatic safety shut-off after 20 min
- GROHE SafeStop at 38°C

**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
**min. recommended pressure 1.0 bar**

|            |               |        |          |
|------------|---------------|--------|----------|
| 36 307 000 | 4005176894763 | chrome | 1,099.66 |
|------------|---------------|--------|----------|



**Rainshower Solo F-Digital Shower set**  
including digital thermostat unit  
Digital Controller - intuitive multifunctional operating unit

- Wireless technology
- Temperature and flow control
- Pause-function
- Memory function
- LED ring incl. warming-up function: visual feedback when preferred temperature is reached

digital thermostat unit (concealed body)

- warm/cold-supplies 1/2"
- 1 outlet 1/2"

- with pump and build-in power supply 110-240 V / operating voltage 24 V / cable length 400m


Rainshower Solo shower set (27273001)  
with telescoping pipe for ceiling supply  
transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m  
**GROHE TurboStat®** digital controlled compact cartridge with wax thermoelement  
default setting configurable during installation

- automatic safety shut-off after 20 min
- GROHE SafeStop at 38°C

**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
**recommended pressure 0.1 - 1.0 bar**

# GROHE F-DIGITAL

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 36 299 000 | 4005176894718 | chrome | 994.77                 |



**Euphoria F-digital Shower set**  
including digital thermostat unit  
Digital Controller - intuitive multifunctional operating unit

- Wireless technology
- Temperature and flow control
- Pause-function
- Memory function
- LED ring incl. warming-up function: visual feedback when preferred temperature is reached

digital thermostat unit (concealed body)


- warm/cold-supplies 1/2"
- 1 outlet 1/2"

Euphoria shower set Mono (27 269 001)  
Rainshower® wall union 1/2" (27 057 000)  
transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m  
**GROHE TurboStat®** digital controlled compact cartridge with wax thermoelement  
default setting configurable during installation

- automatic safety shut-off after 20 min
- GROHE SafeStop at 38°C

**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
**min. recommended pressure 1.0 bar**

|            |               |        |          |
|------------|---------------|--------|----------|
| 36 304 000 | 4005176894732 | chrome | 1,047.21 |
|------------|---------------|--------|----------|



**Euphoria F-digital Shower set**  
including digital thermostat unit  
Digital Controller - intuitive multifunctional operating unit

- Wireless technology
- Temperature and flow control
- Pause-function
- Memory function
- LED ring incl. warming-up function: visual feedback when preferred temperature is reached

digital thermostat unit (concealed body)

- warm/cold-supplies 1/2"
- 1 outlet 1/2"

- with pump and build-in power supply 110-240 V / operating voltage 24 V / cable length 400m


Euphoria shower set Mono (27 269 001)  
Rainshower® wall union 1/2" (27 057 000)  
transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m  
**GROHE TurboStat®** digital controlled compact cartridge with wax thermoelement  
default setting configurable during installation

- automatic safety shut-off after 20 min
- GROHE SafeStop at 38°C

**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
**recommended pressure 0.1 - 1.0 bar**


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 36 306 000 | 4005176894756 | chrome | 994.77                 |

**Euphoria F-digital Shower set**  
including digital thermostat unit  
Digital Controller - intuitive multifunctional operating unit  
- Wireless technology  
- Temperature and flow control  
- Pause-function  
- Memory function  
- LED ring incl. warming-up function: visual feedback when preferred temperature is reached  
digital thermostat unit (concealed body)  
- warm/cold-supplies 1/2"  
- 1 outlet 1/2"  
Euphoria shower set Mono (27 269 001)  
with telescoping pipe for ceiling supply  
transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m  
**GROHE TurboStat®** digital controlled compact cartridge with wax thermoelement  
default setting configurable during installation  
- automatic safety shut-off after 20 min  
- GROHE SafeStop at 38°C  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
**min. recommended pressure 1.0 bar**



|            |               |        |          |
|------------|---------------|--------|----------|
| 36 308 000 | 4005176894770 | chrome | 1,047.21 |
|------------|---------------|--------|----------|

**Euphoria F-digital Shower set**  
including digital thermostat unit  
Digital Controller - intuitive multifunctional operating unit  
- Wireless technology  
- Temperature and flow control  
- Pause-function  
- Memory function  
- LED ring incl. warming-up function: visual feedback when preferred temperature is reached  
digital thermostat unit (concealed body)  
- warm/cold-supplies 1/2"  
- 1 outlet 1/2"  
- with pump and build-in power supply 110-240 V / operating voltage 24 V / cable length 400m  
Euphoria shower set Mono (27 269 001)  
with telescoping pipe for ceiling supply  
transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m  
**GROHE TurboStat®** digital controlled compact cartridge with wax thermoelement  
default setting configurable during installation  
- automatic safety shut-off after 20 min  
- GROHE SafeStop at 38°C  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
**recommended pressure 0.1 - 1.0 bar**



|            |               |        |       |
|------------|---------------|--------|-------|
| 47 727 000 | 4005176884160 | chrome | 23.00 |
|------------|---------------|--------|-------|

**Connection wire**  
2-pole  
cable length 3 m



# GROHE ALLURE



Wash Basin




Bath / Shower Fittings



Showers




Accessories / Actuators




| Ref.No.                                                                                                                                                                                                                                                                                                                                                                                                        | EAN code      | Colour | Retail Guide Price (£) |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------|------------------------|
| 32 146 000                                                                                                                                                                                                                                                                                                                                                                                                     | 4005176821622 | chrome | 442.31                 |
| <p><b>Allure</b><br/>Basin mixer 1/2"<br/>monobloc installation<br/>28 mm ceramic cartridge<br/>with GROHE SilkMove®<br/>GROHE StarLight® chrome finish<br/>mousseur<br/>pop-up waste set 1 1/4"<br/>flexible connection hoses<br/>rapid installation system<br/>6.0 l/min flow rate<br/><b>min. recommended pressure 1.0 bar</b></p>                                                                          |               |        |                        |
| 23 076 000                                                                                                                                                                                                                                                                                                                                                                                                     | 4005176890505 | chrome | 400.35                 |
| <p><b>ditto</b>, Smooth Body Version</p>                                                                                                                                                                                                                                                                                                                                                                       |               |        |                        |
| 32 757 000                                                                                                                                                                                                                                                                                                                                                                                                     | 4005176870897 | chrome | 400.35                 |
| <p><b>Allure</b><br/>Basin mixer 1/2"<br/>monobloc installation<br/>28 mm ceramic cartridge<br/>with GROHE SilkMove®<br/>GROHE StarLight® chrome finish<br/>pop-up waste set 1 1/4"<br/>flexible connection hoses<br/>rapid installation system<br/>GROHE EcoJoy® technology for less water and perfect flow<br/>6.0 l/min flow rate<br/>mousseur<br/><b>min. recommended pressure 1.0 bar</b></p>             |               |        |                        |
| 32 249 000                                                                                                                                                                                                                                                                                                                                                                                                     | 4005176832383 | chrome | 559.44                 |
| <p><b>Allure</b><br/>Basin mixer 1/2"<br/>for free-standing basins<br/>monobloc installation<br/>28 mm ceramic cartridge<br/>with GROHE SilkMove®<br/>GROHE StarLight® chrome finish<br/>mousseur<br/>pop-up waste set 1 1/4"<br/>flexible connection hoses<br/>rapid installation system<br/>6.0 l/min flow rate<br/><b>min. recommended pressure 1.0 bar</b></p>                                             |               |        |                        |
| 32 760 000                                                                                                                                                                                                                                                                                                                                                                                                     | 4005176870927 | chrome | 559.44                 |
| <p><b>Allure</b><br/>Basin mixer 1/2"<br/>for free-standing basins<br/>monobloc installation<br/>28 mm ceramic cartridge<br/>with GROHE SilkMove®<br/>GROHE EcoJoy® technology for less water and perfect flow<br/>GROHE StarLight® chrome finish<br/>mousseur<br/>pop-up waste set 1 1/4"<br/>flexible connection hoses<br/>rapid installation system<br/><b>min. recommended pressure 1.0 bar</b></p>        |               |        |                        |
| 20 143 000                                                                                                                                                                                                                                                                                                                                                                                                     | 4005176832581 | chrome | 527.97                 |
| <p><b>Allure</b><br/>Three-hole basin mixer 1/2"<br/>with metal plate<br/>ceramic headpart 1/2", 180°<br/>spout with mousseur<br/>GROHE StarLight® chrome finish<br/>pressure-proof, flexible connection hoses<br/>between spout and side valves<br/>pop-up waste set 1 1/4"<br/>flow limiter 8 l/min<br/>ceramic headparts 1/2", 180°<br/>Carbodur® headpart<br/><b>min. recommended pressure 1.0 bar</b></p> |               |        |                        |




Ref.No. EAN code Colour Retail Guide Price (£)




**20 188 000 4005176875724** **chrome 527.97**  
**Allure**  
**Three-hole basin mixer 1/2"**  
 ceramic headparts 1/2", 90°  
**GROHE StarLight®** chrome finish  
 spout with mousseur  
 pressure-proof, flexible connection hoses  
 between spout and side valves  
 pop-up waste set 1 1/4"  
 flow limiter 8 l/min.  
**min. recommended pressure 1.0 bar**




**20 189 000 4005176875731** **chrome 475.53**  
**Allure**  
**Three-hole basin mixer 1/2"**  
 with lever handles  
 wall mounted, with metal plate  
**without concealed body**  
 set for final installation for 29 025 000  
 valves hot/cold  
 with headparts 1/2" - 90°  
 spout with mousseur  
**GROHE StarLight®** chrome finish  
 projection 172 mm, flow limiter 8 l/min.  
**min. recommended pressure 1.0 bar**  
**20 193 000 4005176876004** **chrome 475.53**  
**Ditto**, projection 220mm



**29 025 000 4005176841927** **211.54**  
**Two-handle basin mixer**  
**concealed body, 1/2"**  
 for 3-hole basin mixer  
 wall installation  
**without finishing trim set**  
 DR-brass  
 Installation depth 43 - 85 mm  
**min. recommended pressure 1.0 bar**




**20 190 000 4005176875748** **chrome 475.53**  
**Allure**  
**Three-hole basin mixer 1/2"**  
 wall mounted, with metal plate  
**without concealed body**  
 set for final installation for 32 706 000  
 valves hot/cold with Carbodur ceramic  
 headparts 1/2" - 180°  
 spout with mousseur  
**GROHE StarLight®** chrome finish  
 projection 172 mm, centre distance 200 mm  
 flow limiter 8 l/min.  
**min. recommended pressure 1.0 bar**  
**20 192 000 4005176875991** **chrome 475.53**  
**Ditto**, projection 220mm




**32 706 000 4005176855092** **201.92**  
**Two-handle basin mixer**  
**concealed body, 1/2"**  
 for 3-hole basin mixer  
 wall installation  
**without finishing trim set**  
 DR-brass  
**min. recommended pressure 1.0 bar**


Ref.No. EAN code Colour Retail Guide Price (£)




**19 309 000 4005176820656** **chrome 452.80**  
**Allure**  
**2-hole basin mixer**  
 wall mounted  
**without concealed body**  
 set for final installation for  
 33 769 000  
 with metal plate  
 spout with mousseur  
 projection 172 mm  
 centre distance 110 mm  
**GROHE StarLight®** chrome finish  
 flow limiter 8 l/min.  
**min. recommended pressure 1.0 bar**




**19 386 000 4005176876011** **chrome 486.01**  
**Ditto**, projection 220mm  
**33 769 000 4005176819605** **201.05**  
**Single-lever mixer 1/2", concealed body**  
 for 2 hole basin mixer  
 wall installation  
**without finishing trim set**  
**GROHE SilkMove®** 46 mm ceramic cartridge  
 adjustable flow rate limiter  
**min. recommended pressure 1.0 bar**



**32 147 000 4005176821653** **chrome 400.35**  
**Allure**  
**Bidet mixer 1/2"**  
 monobloc installation  
 28 mm ceramic cartridge  
 with **GROHE SilkMove®**  
**GROHE StarLight®** chrome finish  
 ball-joint mousseur  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
 rapid installation system  
 6.0 l/min flow rate  
**min. recommended pressure 1.0 bar**




**19 316 000 4005176821783** **chrome 1,007.00**  
**Allure**  
**3-hole single-lever bath combination**  
 OHM operating element  
 bath inlet with automatic diverter  
 bath/shower  
 hand shower (28 034 000)  
 metal shower hose 2000 mm  
**without baseframe**  
 trim set for 33 339  
**min recommended pressure 1.0 bar**




**33 339 000 4005176222818** **842.66**  
**3-hole single-lever bath combination**  
**baseframe for installation**  
**under tiled surround**  
**without finishing trim set**  
 mounting plate and base frame  
 46 mm cartridge with **GROHE SilkMove®**  
 and spout fixing pre-assembled  
 flexible connection hoses  
 connection for shower hose  
 drainage box with  
 integrated outlet for splash water  
 protected against backflow  
 this part should be easy to access


Ref.No. EAN code Colour Retail Guide Price (£)




**32 826 000 4005176882425** **chrome** **632.87**  
**Allure**  
**Single-lever bath/shower mixer 1/2"**  
 wall mounted  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 adjustable flow rate limiter  
 automatic diverter: bath/shower  
 mousseur  
 integrated non-return valve  
 in the shower outlet 1/2"  
 flat wall installation with covered unions  
 protected against backflow  
**GROHE QuickFix®** system  
**min. recommended pressure 1.0 bar**




**32 846 000 4005176882432** **chrome** **580.42**  
**Allure**  
**Single-lever shower mixer 1/2"**  
 wall mounted  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 adjustable flow rate limiter  
 shower front outlet 1/2"  
 with integrated non return-valve  
 flat wall installation with covered unions  
**GROHE QuickFix®** system  
 protected against backflow  
**min recommended pressure 1.0 bar**



**19 315 000 4005176821677** **chrome** **307.69**  
**Allure**  
**Single-lever bath/shower mixer trim**  
**without concealed body**  
 set for final installation for  
 35 501 000  
 automatic diverter: bath/shower  
 metal escutcheon  
 escutcheon- and shaft-sealing  
 covered coupling  
**GROHE StarLight®** chrome finish




**19 317 000 4005176821806** **chrome** **297.20**  
**Allure**  
**Single-lever shower mixer trim**  
**without concealed body**  
 set for final installation for  
 35 501 000  
 metal escutcheon  
**GROHE StarLight®** chrome finish  
 escutcheon- and shaft-sealing  
 covered coupling




**35 501 000 4005176833847** **103.15**  
**GROHE Rapido E**  
**Universal Single-lever mixer**  
**for concealed installation**  
**without finishing trim set**  
**GROHE SilkMove®** 46 mm ceramic cartridge  
 adjustable flow rate limiter  
**min. recommended pressure 1.0 bar**


Ref.No. EAN code Colour Retail Guide Price (£)




**19 334 000 4005176823800** **chrome** **113.64**  
**Allure**  
**Concealed stop-valve trim**  
 for concealed valves, 1/2", 3/4"  
 installation depth adjustable  
 20-80 mm  
**without concealed body**  
**GROHE StarLight®** chrome finish




**29 811 000 4005176062711** **44.23**  
**Concealed stop valve 1/2"**  
 pre-assembled ceramic headpart 1/2"  
 180°  
 threaded union 1/2"  
 installation depth adjustable  
 25 - 80 mm  
 DR-brass  
**min recommended pressure 1.0 bar**  
 clockwise closing



**29 813 000 4005176062735** **67.30**  
**Concealed stop valve 3/4"**  
 pre-assembled ceramic headpart 3/4"  
 90°  
 threaded union 3/4"  
 installation depth adjustable  
 25 - 80 mm  
 DR-brass  
**min recommended pressure 1.0 bar**




**19 384 000 4005176875755** **chrome** **113.64**  
**Allure**  
**Concealed stop-valve trim**  
 with lever handle  
**without concealed body**  
 set for final installation for  
**29 032 000**  
 installation depth adjustable  
 43 - 91 mm  
 metal escutcheon  
**GROHE StarLight®** chrome finish




**29 032 000 4005176845277** **21.33**  
**Concealed valve**  
 pre-assembled headpart 1/2"  
 threaded union 1/2"  
 installation depth adjustable  
 43 - 91 mm  
 DR-brass  
**min recommended pressure 1.0 bar**

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|




|            |               |        |        |
|------------|---------------|--------|--------|
| 19 590 000 | 4005176890529 | chrome | 154.49 |
|------------|---------------|--------|--------|

**Allure**  
5-way diverter  
without concealed body  
set for final installation for  
**29 033 000**  
bayonet union escutcheon  
installation depth adjustable  
66 - 113 mm  
only for use with concealed body  
**GROHE StarLight®** chrome finish




|            |               |  |        |
|------------|---------------|--|--------|
| 29 033 000 | 4005176845338 |  | 169.76 |
|------------|---------------|--|--------|

**5-way diverter**  
concealed body  
wall installation  
with ceramic sealing disks  
connection cold and hot 1/2"  
2 outlets 1/2"  
1 bath outlet 3/4"  
installation depth adjustable  
66 - 113 mm  
DR-brass  
**min recommended pressure 1.0 bar**



|            |               |        |        |
|------------|---------------|--------|--------|
| 19 446 000 | 4005176840807 | chrome | 437.07 |
|------------|---------------|--------|--------|


**Allure**  
Thermostat with integrated 2-way diverter  
for bath or shower with more than one outlet  
shut off and flow control  
without concealed body  
set for final installation for  
35 500 000 / 35 050 000  
metal escutcheon, covered coupling  
temperature scale handle with  
**GROHE SafeStop** safety stop at 38°C  
**GROHE StarLight®** chrome finish  
Aquadimmer with multiple function  
- flow control  
- diverter: bath/shower



|            |               |        |        |
|------------|---------------|--------|--------|
| 19 380 000 | 4005176831539 | chrome | 395.11 |
|------------|---------------|--------|--------|

**Allure**  
Thermostatic shower mixer  
without concealed body  
set for final installation for  
GROHE Rapido T 35 500 000 / 35 050 000  
**TMV2 compliant when used with 35 050 000**  
metal handles  
covered fixing  
**GROHE StarLight®** chrome finish  
temperature scale handle with  
**GROHE SafeStop** safety stop at 38°C  
volume handle with **GROHE EcoButton**  
(economy button with individually adjustable economy stop)

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|




|            |               |  |        |
|------------|---------------|--|--------|
| 35 050 000 | 4005176982064 |  | 263.99 |
|------------|---------------|--|--------|

**GROHE Rapido T**  
Universal Thermostatic mixer  
for concealed intallation  
**TMV2 compliant product**  
for use with bath-, shower- and central-mixer  
**without finishing trim set**  
easy to install, premounted and tested unit  
**GROHE TurboStat®** compact cartridge  
with wax thermosteement  
two top outlets 1/2", lockable  
bottom outlet 1/2" - can only be used  
with separate stopvalve  
safe to install, stable built-in-box and  
protective cap  
fixation options for solid walls and dry  
cladding  
wall sealing  
Aquadimmer-diverter for bath mixer or  
stopvalve for shower mixer in finishing  
trim set  
body in DR-brass  
built-in non return valve  
and dirt strainers  
**GROHE EcoJoy®** technology for  
less water and perfect flow  
**min. recommended pressure 1.0 bar**


|            |               |  |        |
|------------|---------------|--|--------|
| 35 500 000 | 4005176831522 |  | 263.99 |
|------------|---------------|--|--------|

**Ditto, Non TMV2 compliant valve**



|            |               |        |        |
|------------|---------------|--------|--------|
| 34 236 000 | 4005176820625 | chrome | 526.23 |
|------------|---------------|--------|--------|

**Allure**  
Thermostatic shower mixer 1/2"  
wall mounted  
**GROHE TurboStat®** compact cartridge  
with wax thermosteement  
**GROHE CoolTouch®** safety housing  
ceramic headpart 1/2", 180°  
volume handle with **GROHE EcoButton**  
(economy button with individually adjustable economy stop)  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop** safety button at 38°C  
shower bottom outlet 1/2"  
built-in non return valves  
protected against backflow  
max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**




|            |               |        |          |
|------------|---------------|--------|----------|
| 13 218 000 | 4005176847110 | chrome | 1,124.13 |
|------------|---------------|--------|----------|

**Allure**  
Bath spout  
floor-mounted  
set for final installation for  
45 984 000  
**without roughing-in-set**  
projection 300 mm  
spout with mousseur  
total height 910 mm  
**GROHE StarLight®** chrome finish  
**min recommended pressure 1.0 bar**


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 32 754 001 | 4005176890079 | chrome | 1,718.55               |

**Allure**  
Single-lever bath/shower mixer 1/2"  
floor-mounted  
set for final installation for  
45 984 000  
**without roughing-in set**  
GROHE SilkMove® 46 mm ceramic cartridge  
GROHE StarLight® chrome finish  
automatic diverter: bath/shower  
swivel spout with mousseur  
and stop limiter  
integrated non-return valve  
in the shower outlet 1/2"  
with shower holder  
Sena handshower  
shower hose 1500 mm  
protected against backflow  
**min. recommended pressure 1.0 bar**




|            |               |  |        |
|------------|---------------|--|--------|
| 45 984 000 | 4005176847127 |  | 438.82 |
|------------|---------------|--|--------|

**Roughing-in set for floor mounted bath spout and bath/shower mixer**  
for floor-mounted bath spout  
**without finishing trim set**  
installation plate for precise fitting  
plug  
fixing material




|            |               |        |        |
|------------|---------------|--------|--------|
| 13 317 000 | 4005176912603 | chrome | 562.95 |
|------------|---------------|--------|--------|

**Allure**  
Cascade spout for bath and shower  
wall mounted  
GROHE StarLight® chrome finish  
projection 180 mm



|            |               |        |        |
|------------|---------------|--------|--------|
| 13 264 000 | 4005176882449 | chrome | 178.32 |
|------------|---------------|--------|--------|

**Allure**  
Bath spout 3/4"  
wall mounted  
projection 172 mm  
mousseur  
GROHE StarLight® chrome finish  
**min recommended pressure 1.0 bar**




| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 28 034 000 | 4005176231810 | chrome | 114.34                 |

**Sena Stick**  
Hand shower 1 spray  
Normal  
SpeedClean anti-limescale system  
GROHE StarLight® chrome finish  
Inner WaterGuide for a longer life  
metal  
**min. recommended pressure 1.0 bar**



|            |               |        |        |
|------------|---------------|--------|--------|
| 27 531 000 | 4005176889486 | chrome | 219.99 |
|------------|---------------|--------|--------|

**Pull-out shower**  
for bath rim installation and under  
tiled surround  
Lead-through for shower hose  
with square escutcheon  
shower hose 1/2" x 3/8",  
2000 mm (28 158 000)  
**The pull-out shower assembly can be  
combined with all hand showers!**  
GROHE StarLight® chrome finish



|            |               |        |       |
|------------|---------------|--------|-------|
| 27 075 000 | 4005176833090 | chrome | 29.37 |
|------------|---------------|--------|-------|

**Wall hand Shower holder**  
not adjustable  
GROHE StarLight® chrome finish  
with square escutcheon




|            |               |        |       |
|------------|---------------|--------|-------|
| 27 076 000 | 4005176833106 | chrome | 45.80 |
|------------|---------------|--------|-------|

**Rainshower®**  
Shower outlet elbow  
male thread  
with square escutcheon  
GROHE StarLight® chrome finish  
protected against backflow



|            |               |        |          |
|------------|---------------|--------|----------|
| 27 286 000 | 4005176860737 | chrome | 1,475.53 |
|------------|---------------|--------|----------|

**Allure**  
Ceiling shower 1 spray  
Rain  
508 x 508 mm  
connection thread 1/2"  
SpeedClean anti-limescale system  
GROHE StarLight® chrome finish  
**min. recommended pressure 1.0 bar**  
GROHE DreamSpray® perfect spray pattern






Ref.No. EAN code Colour Retail Guide Price (£)


27 467 000 4005176882609 chrome 493.01

**Allure**  
**Ceiling shower 1 spray**  
Rain  
254 x 254 mm  
connection thread 1/2"  
**SpeedClean** anti-limescale system  
**GROHE StarLight**® chrome finish  
min. recommended pressure 1.0 bar  
**GROHE DreamSpray**® perfect spray pattern




27 863 000 4005176918155 chrome 512.24

**Rainshower® Allure 210**  
**Ceiling shower 1 spray**  
Rain  
metal  
connection thread 1/2"  
**GROHE DreamSpray**® perfect spray pattern  
**SpeedClean** anti-limescale system  
**GROHE StarLight**® chrome finish  
min. recommended pressure 1.0 bar




27 271 000 4005176860690 chrome 347.03

**Rainshower® F-Series 10"**  
**Head shower 1 spray**  
Rain  
254 x 254 mm  
Ball joint +/- 20° rotatable  
connection thread 1/2"  
**SpeedClean** anti-limescale system  
**GROHE StarLight**® chrome finish  
min. recommended pressure 1.0 bar  
**GROHE DreamSpray**® perfect spray pattern




27 479 000 4005176883309 chrome 374.13

**Rainshower® Allure 210**  
**Head shower 1 spray**  
Rain  
metal  
ball joint with turning angle ± 15°  
connection thread 1/2"  
**GROHE DreamSpray**® perfect spray pattern  
**SpeedClean** anti-limescale system  
**GROHE StarLight**® chrome finish



27 251 000 4005176856327 chrome 83.40


**Allure**  
**Side shower 1 spray**  
Normal  
including concealed body  
also to be used as head shower  
127 x 127 mm  
**GROHE DreamSpray**® perfect spray pattern  
flow straightener with ball joint  
(± 12.5° rotatable)  
**GROHE FlowBalance** flow regulating screw  
connection thread 1/2"  
**SpeedClean** anti-limescale system  
**GROHE StarLight**® chrome finish  
min recommended pressure 1.0 bar



Ref.No. EAN code Colour Retail Guide Price (£)

19 952 000 4005176174230 chrome 169.06


**Talentofill**  
**Inlet-, pop-up and waste-system**  
set for final installation  
escutcheon  
supply part  
waste plug  
fixing set  
**GROHE StarLight**® chrome finish  
min recommended pressure 1.0 bar



in combination with Talentofill  
28 990 000/28 991 000


19 025 000 4005176209154 chrome 37.67

**Talento**  
**Waste and overflow set for baths**  
set for final installation  
escutcheon  
waste plug  
fixing set  
**GROHE StarLight**® chrome finish  
in combination with Talento 28 939 & 28943




27 469 000 4005176882593 chrome 1,236.03

**Rainshower® F-series System 10"**  
**Shower system with thermostat for wall mounting**  
**exposed thermostatic shower**  
with Aquadimmer function  
allows change between:  
head shower Rainshower F-Series 10" (27 285 000)  
horizontal swivable 450 mm projection shower arm  
with ball joint, rotation angle ± 20°  
hand shower Sena (28 341 000)  
adjustable in height with gliding element  
(12 140 000)  
**GROHE EcoJoy**® 9.5 l/min flow rate  
metal shower hose 1750 mm  
**GROHE EcoJoy**® technology for  
less water and perfect flow  
**GROHE StarLight**® chrome finish  
**GROHE CoolTouch**®  
max. pressure differential 5:1  
**Inner WaterGuide** for a longer life  
min. recommended pressure 1.0 bar



38 732 000 4005176836114 chrome 65.91


**Skate Cosmopolitan**  
**WC wall plate**  
for dual flush or start & stop actuation  
for vertical and horizontal installation  
156 x 197 mm  
made of ABS  
for pneumatic drop valve AV1  
**GROHE StarLight**® chrome finish



# GROHE ALLURE


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 40 278 000 | 4005176824081 | chrome | 106.30                 |

**Allure**  
Glass/soap dish holder  
for glass or soap dish  
without glass  
GROHE StarLight® chrome finish




|            |               |  |       |
|------------|---------------|--|-------|
| 40 254 000 | 4005176211065 |  | 36.89 |
|------------|---------------|--|-------|

**Allure**  
Glass  
satin glass




|            |               |  |       |
|------------|---------------|--|-------|
| 40 256 000 | 4005176211089 |  | 45.45 |
|------------|---------------|--|-------|

**Allure**  
Soap dish  
satin glass




|            |               |        |        |
|------------|---------------|--------|--------|
| 40 363 000 | 4005176824920 | chrome | 230.77 |
|------------|---------------|--------|--------|

**Allure**  
Soap dispenser  
GROHE StarLight® chrome finish



|            |               |        |        |
|------------|---------------|--------|--------|
| 40 339 000 | 4005176824111 | chrome | 141.96 |
|------------|---------------|--------|--------|


**Allure**  
Towel ring  
GROHE StarLight® chrome finish



# GROHE ALLURE


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 40 341 000 | 4005176824135 | chrome | 212.41                 |

**Allure**  
Towel rail  
600 mm  
GROHE StarLight® chrome finish




|            |               |        |        |
|------------|---------------|--------|--------|
| 40 342 000 | 4005176824142 | chrome | 208.05 |
|------------|---------------|--------|--------|

**Allure**  
Towel bar  
Two arms  
GROHE StarLight® chrome finish




|            |               |        |        |
|------------|---------------|--------|--------|
| 40 279 000 | 4005176824098 | chrome | 141.96 |
|------------|---------------|--------|--------|

**Allure**  
Toilet roll holder  
without cover  
GROHE StarLight® chrome finish




|            |               |        |       |
|------------|---------------|--------|-------|
| 40 284 000 | 4005176824104 | chrome | 58.39 |
|------------|---------------|--------|-------|


**Allure**  
Robe hook  
GROHE StarLight® chrome finish



|            |               |        |        |
|------------|---------------|--------|--------|
| 40 340 000 | 4005176824128 | chrome | 230.77 |
|------------|---------------|--------|--------|

**Allure**  
Toilet brush set  
GROHE StarLight® chrome finish  
wall model








| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 28 912 000 | 4005176266751 | chrome | 189.69                 |

**Bottle trap, 1 1/4"**  
for basins  
brass  
large sliding escutcheon  
(screw-top for cleaning)  
**GROHE StarLight®** chrome finish

# GROHE ATRIO






| Ref.No.                                                                                                                                                                                                                                                                                                                                                                                   | EAN code      | Colour | Retail Guide Price (£) |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------|------------------------|
| 32 042 001                                                                                                                                                                                                                                                                                                                                                                                | 4005176849404 | chrome | 368.88                 |
| <p><b>Atrio Basin mixer 1/2"</b><br/>monobloc installation<br/>28 mm ceramic cartridge<br/>with GROHE SilkMove®<br/>GROHE StarLight® chrome finish<br/>swivel tubular C-spout with mousseur<br/>stop limiter<br/>pop-up waste set 1 1/4"<br/>flexible connection hoses<br/>rapid installation system<br/><b>min recommended pressure 1.0 bar</b></p>                                      |               |        |                        |
| 32 647 001                                                                                                                                                                                                                                                                                                                                                                                | 4005176849411 | chrome | 486.01                 |
| <p><b>Atrio Basin mixer 1/2"</b><br/><b>for free-standing basins</b><br/>monobloc installation<br/>28 mm ceramic cartridge<br/>with GROHE SilkMove®<br/>GROHE StarLight® chrome finish<br/>swivel tubular C-spout with mousseur<br/>stop limiter<br/>pop-up waste set 1 1/4"<br/>flexible connection hoses<br/>rapid installation system<br/><b>min recommended pressure 1.0 bar</b></p>  |               |        |                        |
| 32 129 001                                                                                                                                                                                                                                                                                                                                                                                | 4005176857348 | chrome | 368.88                 |
| <p><b>Atrio Basin mixer 1/2"</b><br/>monobloc installation<br/>28 mm ceramic cartridge<br/>with GROHE SilkMove®<br/>GROHE StarLight® chrome finish<br/>swivel tubular 7° spout with mousseur<br/>stop limiter<br/>pop-up waste set 1 1/4"<br/>flexible connection hoses<br/>rapid installation system<br/><b>min recommended pressure 1.0 bar</b></p>                                     |               |        |                        |
| 32 130 001                                                                                                                                                                                                                                                                                                                                                                                | 4005176857355 | chrome | 486.01                 |
| <p><b>Atrio Basin mixer 1/2"</b><br/><b>for free-standing basins</b><br/>monobloc installation<br/>28 mm ceramic cartridge<br/>with GROHE SilkMove®<br/>GROHE StarLight® chrome finish<br/>swivel tubular 7° spout with mousseur<br/>stop limiter<br/>pop-up waste set 1 1/4"<br/>flexible connection hoses<br/>rapid installation system<br/><b>min recommended pressure 1.0 bar</b></p> |               |        |                        |
| 19 287 001                                                                                                                                                                                                                                                                                                                                                                                | 4005176849428 | chrome | 421.33                 |
| <p><b>Atrio 2-hole basin mixer</b><br/>wall mounted<br/><b>without concealed body</b><br/>set for final installation for 32 635 000<br/>GROHE StarLight® chrome finish<br/>separate escutcheons Ø 70 mm<br/>projection 180 mm<br/>centre distance 110 mm<br/><b>min recommended pressure 1.0 bar</b></p>                                                                                  |               |        |                        |
| 19 918 000                                                                                                                                                                                                                                                                                                                                                                                | 4005176912566 | chrome | 442.31                 |
| <p><b>Ditto</b>, projection 220mm</p>                                                                                                                                                                                                                                                                                                                                                     |               |        |                        |




# GROHE ATRIO ONE


Ref.No. EAN code Colour Retail Guide Price (£)




**32 635 000 4005176845949**  
**Quadra**  
Single-lever mixer 1/2", concealed body  
for 2 hole basin mixer  
wall installation  
**without finishing trim set**  
installation depth 45 to 75 mm  
**GROHE SilkMove®** 35 mm ceramic cartridge  
installation device  
**min recommended pressure 1.0 bar**




**32 108 001 4005176849435** **chrome** **368.88**  
**Atrio**  
Bidet mixer 1/2"  
monobloc installation  
28 mm ceramic cartridge  
with **GROHE SilkMove®**  
**GROHE StarLight®** chrome finish  
tubular C-spout with ball-joint mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
rapid installation system  
**min recommended pressure 1.0 bar**



**32 134 001 4005176857362** **chrome** **368.88**  
**Atrio**  
Bidet mixer 1/2"  
monobloc installation  
28 mm ceramic cartridge  
with **GROHE SilkMove®**  
**GROHE StarLight®** chrome finish  
tubular 7° spout with ball-joint mousseur  
stop limiter  
pop-up waste set 1 1/4"  
flexible connection hoses  
rapid installation system  
**min recommended pressure 1.0 bar**




**13 216 001 4005176846861** **chrome** **898.60**  
**Atrio**  
Bath spout  
floor-mounted  
set for final installation for  
45 984 000  
**without roughing-in-set**  
projection 300 mm  
swivel tubular C-spout with mousseur  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**




**13 228 001 4005176860058** **chrome** **898.60**  
**Atrio**  
Bath spout  
floor-mounted  
set for final installation for  
45 984 000  
**without roughing-in-set**  
projection 300 mm, swivelling  
mousseur  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**

# GROHE ATRIO ONE


Ref.No. EAN code Colour Retail Guide Price (£)




**32 653 002 4005176890215** **chrome** **1,295.46**  
**Atrio**  
Single-lever bath/shower mixer 1/2"  
floor-mounted, **without roughing-in-set**  
for use with: 45 984 000  
**GROHE StarLight®** chrome finish  
**GROHE SilkMove®** 46 mm ceramic cartridge  
adjustable flow rate limiter  
swivel tubular spout with mousseur and stop limiter  
diverter bath/shower  
integrated non-return valve  
in the shower outlet 1/2"  
with shower holder  
hand shower (28 034 000)  
shower hose 1500 mm  
protected against backflow  
**min. recommended pressure 1.0 bar**



**32 135 002 4005176890192** **chrome** **1,295.46**  
**Atrio**  
Single-lever bath/shower mixer 1/2"  
floor-mounted  
**without roughing-in-set**  
for use with: 45 984 000  
**GROHE StarLight®** chrome finish  
**GROHE SilkMove®** 46 mm ceramic cartridge  
adjustable flow rate limiter  
swivel tubular 7° spout with mousseur  
stop limiter, diverter bath/shower  
integrated non-return valve  
in the shower outlet 1/2"  
with shower holder  
hand shower (28 034 000)  
shower hose 1500 mm  
protected against backflow  
**min. recommended pressure 1.0 bar**



**45 984 000 4005176847127** **438.82**  
**Roughing-in set for floor mounted bath spout and bath/shower mixer**  
for floor-mounted bath spout  
**without finishing trim set**  
installation plate for precise fitting  
plug  
fixing material




**19 459 001 4005176849473** **chrome** **255.24**  
**Atrio**  
Single-lever bath/shower mixer trim  
**without concealed body**  
set for final installation for  
35 501 000  
**GROHE StarLight®** chrome finish  
escutcheon- and shaft-sealings  
metal escutcheon  
covered fixing


# GROHE ATRIO ONE

Ref.No. EAN code Colour Retail Guide Price (£)


**19 463 001** **4005176849459** **chrome** **244.75**  
**Atrio**  
**Single-lever shower mixer trim**  
**without concealed body**  
 set for final installation for  
 35 501 000  
**GROHE StarLight®** chrome finish  
 escutcheon- and shaft-sealings  
 metal escutcheon  
 covered fixing




**35 501 000** **4005176833847** **chrome** **103.15**  
**GROHE Rapido E**  
**Universal Single-lever mixer**  
**for concealed installation**  
**without finishing trim set**  
**GROHE SilkMove®** 46 mm ceramic cartridge  
 adjustable flow rate limiter  
 min. recommended pressure 1.0 bar




**32 652 001** **4005176849466** **chrome** **465.04**  
**Atrio**  
**Single-lever bath/shower mixer 1/2"**  
 wall mounted  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 adjustable flow rate limiter  
 cast spout  
 automatic diverter: bath/shower  
 mousseur  
 shower bottom outlet 1/2" with  
 integrated non return-valve  
 covered S-unions  
 protected against backflow  
 min recommended pressure 1.0 bar



**32 650 001** **4005176849442** **chrome** **442.31**  
**Atrio**  
**Single-lever shower mixer 1/2"**  
 wall mounted  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 adjustable flow rate limiter  
 shower bottom outlet 1/2" with  
 integrated non return-valve  
 covered S-unions  
 protected against backflow  
 min recommended pressure 1.0 bar




**13 139 000** **4005176235856** **chrome** **178.32**  
**Atrio**  
**Bath spout**  
 wall mounted  
 mousseur  
 projection 168 mm  
**GROHE StarLight®** chrome finish  
 min. recommended pressure 1.0 bar




# GROHE ATRIO ONE

Ref.No. EAN code Colour Retail Guide Price (£)


**19 952 000** **4005176174230** **chrome** **169.06**  
**Talentofill**  
**Inlet-, pop-up and waste-system**  
 set for final installation  
 escutcheon  
 supply part  
 waste plug  
 fixing set  
**GROHE StarLight®** chrome finish  
 min recommended pressure 1.0 bar  
 in combination with Talentofill  
 28 990 000/28 991 000




**19 025 000** **4005176209154** **chrome** **37.67**  
**Talento**  
**Waste and overflow set for baths**  
 set for final installation  
 escutcheon  
 waste plug  
 fixing set  
**GROHE StarLight®** chrome finish  
 in combination with Talento 28 939 & 28943



**27 151 000** **4005176837012** **chrome** **101.05**  
**Pull-out shower**  
 for bath rim installation and under  
 tiled surround  
 Lead-through for shower hose  
 shower hose 1/2" x 3/8",  
 2000 mm (28 158 000)  
**The pull-out shower assembly can be  
 combined with all hand showers!**  
**GROHE StarLight®** chrome finish




**28 912 000** **4005176266751** **chrome** **189.69**  
**Bottle trap, 1 1/4"**  
 for basins  
 brass  
 large sliding escutcheon  
 (screw-top for cleaning)  
**GROHE StarLight®** chrome finish




# GROHE ATRIO JOTA


Ref.No. EAN code Colour Retail Guide Price (£)




**21 022 000 4005176235993 chrome 421.33**  
**Atrio Basin mixer, 1/2"**  
 swivel tubular spout with mousseur and stop limiter  
 ceramic headparts 1/2" - 90°  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
 rapid installation system  
 with Jota handle  
**GROHE StarLight® chrome finish**  
**min. recommended pressure 1.0 bar**




**20 009 000 4005176236129 chrome 571.68**  
**Atrio Three-hole basin mixer 1/2"**  
 swivel tubular spout with mousseur and stop limiter  
 ceramic headparts 1/2" - 90°  
 pop-up waste set 1 1/4"  
 pressure-proof, flexible connection hoses  
 between spout and side valves  
 with Jota handle  
**GROHE StarLight® chrome finish**  
**min. recommended pressure 1.0 bar**



**20 382 001 4005176912535 chrome 571.68**  
**Atrio Three-hole basin mixer 1/2"**  
 swivel 7° tubular spout with mousseur and stop limiter  
 ceramic headparts 1/2", 90°  
 pop-up waste set 1 1/4"  
 pressure-proof, flexible connection hoses  
 between spout and side valves  
 union nut with 10.5-mm drilling  
**GROHE StarLight® chrome finish**  
**min. recommended pressure 1.0 bar**





**20 169 000 4005176855207 chrome 475.53**  
**Atrio 3-hole basin mixer**  
 wall mounted  
**without concealed body**  
 set for final installation for 32 706 000  
**GROHE StarLight® chrome finish**  
 valves hot/cold  
 with headparts 1/2" - 90°  
 projection 180 mm  
 centre distance 200 mm  
 with Jota handle  
**min. recommended pressure 1.0 bar**  
**20 386 000 4005176912573 chrome 496.50**  
 Ditto, projection 220mm




**32 706 000 4005176855092 201.92**  
**Two-handle basin mixer**  
**concealed body, 1/2"**  
 for 3-hole basin mixer  
 wall installation  
**without finishing trim set**  
 DR-brass  
 installation device

# GROHE ATRIO JOTA


Ref.No. EAN code Colour Retail Guide Price (£)




**24 026 000 4005176820359 chrome 421.33**  
**Atrio Bidet mixer 1/2"**  
 ceramic headparts 1/2" - 90°  
 bow spout  
 ball-joint mousseur  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
 rapid installation system  
 with Jota handle  
**GROHE StarLight® chrome finish**  
**min. recommended pressure 1.0 bar**




**25 011 000 4005176236365 chrome 496.50**  
**Atrio Bath / shower mixer 1/2"**  
 wall mounted  
**Non-thermostatic**  
 ceramic headparts 1/2" - 90°  
 automatic diverter: bath/shower  
 swivel tubular spout with stop limiter  
 mousseur  
 covered S-unions  
 protected against backflow  
 with Jota handle  
 without shower set  
**GROHE StarLight® chrome finish**  
**min. recommended pressure 1.0 bar**



**34 062 000 4005176237423 chrome 842.66**  
**Atrio Thermostatic bath/shower mixer 1/2"**  
 wall mounted, wax thermoelement  
 Aquadimmer with multiple function  
 diverter bath/shower  
 temperature scale handle with  
**GROHE SafeStop** safety stop at 38°C  
 swivel tubular spout with mousseur and stop limiter  
 covered S-unions  
 protected against backflow  
 with Jota handle  
 without shower set  
**GROHE StarLight® chrome finish**  
 max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**



**25 046 000 4005176237331 chrome 1,370.63**  
**Atrio Bath / shower mixer 1/2"**  
 floor-mounted installation  
 with high pillar unions (765 mm)  
 swivel tubular spout with mousseur and stop limiter  
 Sena handshower  
 with shower holder  
 shower hose 1500 mm  
 protected against backflow  
 with Jota handle  
**must be used with**  
**45 473 000 floor installation plate**  
**GROHE StarLight® chrome finish**  
**min. recommended pressure 1.0 bar**




**45 473 000 4005176257742 403.84**  
**Roughing-in-set for**  
**stand-alone bath mixer**  
 (for 25 044/25 046)  
**without finishing trim set**  
 installation plate for precise fitting  
 floor equalization 80 - 160 mm  
 1/2" connections (hot/cold-supplies)  
 plug  
 fixing material

# GROHE ATRIO JOTA


Ref.No. EAN code Colour Retail Guide Price (£)

19 142 000 4005176237591 chrome 895.11





**Atrio**  
**4-hole bath combination trim set**  
for installation under tiled surround  
**without baseframe**  
set for final installation (for 34 086)  
bath inlet with mousseur  
Sena handshower  
metal shower hose 2000 mm  
Aquadimmer handle  
temperature scale handle with  
**GROHE SafeStop** safety stop at 38°C  
with Jota handle  
**GROHE StarLight®** chrome finish  
hand shower Sena Stick (28 034 000)  
**min. recommended pressure 1.0 bar**

34 086 000 4005176249679 1,860.15





**Four-hole bath combination 3/4"**  
**baseframe for installation**  
**under tiled surround**  
**without finishing trim set**  
with thermostat and Aquadimmer  
concealed installation box with support  
legs and mounting plate  
consisting of:  
thermostat  
Aquadimmer and low part of the spout  
(pre-assembled on the mounting plate)  
wax thermoelement with non-rising spindle  
connection hoses  
shower connection  
built-in non return valve  
and dirt strainers  
drainage box with  
integrated outlet for splash water  
protected against backflow  
**GROHE EcoJoy®** technology for  
less water and perfect flow  
this part should be easy to access

19 398 000 4005176831317 chrome 312.94



**Atrio**  
**Thermostatic shower mixer**  
**without concealed body**  
set for final installation for  
GROHE Rapido T 35 500 000 / 35 050 000  
**TMV2 compliant when used with 35 050 000**  
**GROHE StarLight®** chrome finish  
volume handle with **GROHE EcoButton**  
(economy button with individually  
adjustable economy stop)  
**GROHE SafeStop** safety button at 38°C  
covered fixing  
with Jota handle

19 399 000 4005176831324 chrome 344.41





**Atrio**  
**Thermostat with integrated 2-way diverter**  
**for bath or shower with more than one outlet**  
**without concealed body**  
set for final installation for  
35 500 000 / 35 050 000  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop** safety button at 38°C  
Aquadimmer with multiple function  
diverter for 2 outlets  
- diverter: bath/shower, covered fixing  
with Jota handle


# GROHE ATRIO JOTA

Ref.No. EAN code Colour Retail Guide Price (£)

19 396 000 4005176831294 chrome 292.18



**Atrio**  
**Trim for thermostatic shower valve**  
**without concealed body**  
set for final installation for  
35 500 000 / 35 050 000  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop** safety button at 38°C  
covered fixing  
with Jota handle





35 050 000 4005176982064 263.99

**GROHE Rapido T**  
**Universal Thermostatic mixer**  
**for concealed installation**  
**TMV2 compliant product**  
for use with bath-, shower- and central-mixer  
**without finishing trim set**  
easy to install, pre-mounted and tested unit  
**GROHE TurboStat®** compact cartridge  
with wax thermoelement  
two top outlets 1/2", lockable  
bottom outlet 1/2" - can only be used  
with separate stopvalve  
safe to install, stable built-in-box and  
protective cap  
fixation options for solid walls and dry  
cladding  
wall sealing  
Aquadimmer-diverter for bath mixer or  
stopvalve for shower mixer in finishing  
trim set  
body in DR-brass  
built-in non return valve  
and dirt strainers  
**GROHE EcoJoy®** technology for  
less water and perfect flow  
**min. recommended pressure 1.0 bar**


35 500 000 4005176831522 263.99  
Ditto, Non TMV2 compliant valve

19 088 000 4005176236600 chrome 95.28



**Atrio**  
**Concealed stop-valve trim**  
**Trim set for 29 811 000/29 813 000**  
for concealed valves, 1/2", 3/4"  
installation depth adjustable  
20-80 mm  
with Jota handle  
**GROHE StarLight®** chrome finish

29 811 000 4005176062711 44.23



**Concealed stop valve 1/2"**  
preassembled ceramic headpart 1/2"  
180°  
threaded union 1/2"  
installation depth adjustable  
25 - 80 mm  
DR-brass  
**min recommended pressure 1.0 bar**  
clockwise closing




# GROHE ATRIO JOTA

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|


|            |               |  |       |
|------------|---------------|--|-------|
| 29 813 000 | 4005176062735 |  | 67.30 |
|------------|---------------|--|-------|

**Concealed stop valve 3/4"**  
pre-assembled ceramic headpart 3/4"  
90°  
threaded union 3/4"  
installation depth adjustable  
25 - 80 mm  
DR-brass




|            |               |        |        |
|------------|---------------|--------|--------|
| 26 004 000 | 4005176236426 | chrome | 442.31 |
|------------|---------------|--------|--------|

**Atrio Shower mixer 1/2"**  
**Non-thermostatic**  
wall mounted  
ceramic headparts 1/2" - 90°  
shower outlet 1/2"  
integrated non-return valves in the shower outlet 1/2"  
covered S-unions  
protected against backflow  
with Jota handle  
**min. recommended pressure 1.0 bar**




|            |               |        |        |
|------------|---------------|--------|--------|
| 34 011 000 | 4005176236730 | chrome | 737.77 |
|------------|---------------|--------|--------|

**Atrio Thermostatic shower mixer 1/2"**  
wall mounted  
wax thermoelement  
ceramic headpart 1/2", 180°  
volume handle with **GROHE EcoButton**  
(economy button with individually adjustable economy stop)  
temperature scale handle with **GROHE SafeStop** safety stop at 38°C  
shower outlet 1/2"  
dirt strainers  
covered S-unions  
protected against backflow  
with Jota handle  
**GROHE StarLight®** chrome finish  
max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**



|            |               |        |        |
|------------|---------------|--------|--------|
| 19 134 000 | 4005176235900 | chrome | 115.03 |
|------------|---------------|--------|--------|

**Atrio 5-way diverter without concealed body**  
set for final installation (for 29 708)  
with Jota handle  
**GROHE StarLight®** chrome finish




# GROHE ATRIO JOTA

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|


|            |               |  |        |
|------------|---------------|--|--------|
| 29 708 000 | 4005176102653 |  | 246.50 |
|------------|---------------|--|--------|

**5-way diverter concealed body, 1/2"**  
**without finishing trim set**  
19 905  
wall installation  
with ceramic sealing disks  
connection cold and hot 1/2"  
2 outlets 1/2"  
bath outlet 3/4"




|            |               |        |        |
|------------|---------------|--------|--------|
| 19 133 000 | 4005176235870 | chrome | 115.03 |
|------------|---------------|--------|--------|

**Atrio 4-way diverter without concealed body**  
set for final installation (for 29 707)  
with Jota handle




|            |               |  |        |
|------------|---------------|--|--------|
| 29 707 000 | 4005176102646 |  | 243.01 |
|------------|---------------|--|--------|

**4-way diverter concealed body, 1/2"**  
**without finishing trim set**  
wall installation  
DR-brass  
ceramic discs  
connection cold and hot 1/2"  
shower outlet 1/2"  
bath outlet 3/4"  
protection sleeve




|            |               |        |        |
|------------|---------------|--------|--------|
| 13 139 000 | 4005176235856 | chrome | 178.32 |
|------------|---------------|--------|--------|

**Atrio Bath spout**  
wall mounted  
mousseur  
projection 168 mm  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**




|            |               |        |        |
|------------|---------------|--------|--------|
| 19 952 000 | 4005176174230 | chrome | 169.06 |
|------------|---------------|--------|--------|

**Talentofill Inlet, pop-up and waste-system**  
set for final installation  
escutcheon  
supply part  
waste plug  
fixing set  
**GROHE StarLight®** chrome finish  
**min recommended pressure 1.0 bar**  
  
**in combination with Talentofill**  
28 990 000/28 991 000




# GROHE ATRIO YPSILON

Ref.No. EAN code Colour Retail Guide Price (£)




**21 019 000** **4005176235979** **chrome** **421.33**

**Atrio Basin mixer, 1/2"**  
swivel tubular spout with mousseur and stop limiter  
ceramic headparts 1/2" - 90°  
pop-up waste set 1 1/4"  
flexible connection hoses  
rapid installation system  
with Ypsilon handle  
**GROHE StarLight®** chrome finish  
min. recommended pressure 1.0 bar




**21 044 000** **4005176270468** **chrome** **496.50**

**Atrio Basin mixer, 1/2"**  
**for free-standing basins**  
swivel tubular spout with mousseur and stop limiter  
ceramic headparts 1/2" - 90°  
height 419 mm  
without lift rod and without pop up waste  
rapid installation system  
flexible connection hoses  
with Ypsilon handle  
**GROHE StarLight®** chrome finish  
min. recommended pressure 1.0 bar



**20 008 000** **4005176236099** **chrome** **571.68**

**Atrio Three-hole basin mixer 1/2"**  
swivel tubular spout with mousseur and stop limiter  
ceramic headparts 1/2" - 90°  
pop-up waste set 1 1/4"  
pressure-proof, flexible connection hoses  
between spout and side valves  
with Ypsilon handle  
**GROHE StarLight®** chrome finish  
min. recommended pressure 1.0 bar




**20 164 000** **4005176855191** **chrome** **475.53**

**Atrio 3-hole basin mixer**  
wall mounted  
**without concealed body**  
set for final installation for 32 706 000  
**GROHE StarLight®** chrome finish  
valves hot/cold  
with headparts 1/2" - 90°  
projection 180 mm  
centre distance 200 mm  
with Ypsilon handle  
min. recommended pressure 1.0 bar

**20 387 000** **4005176912580** **chrome** **496.50**

**Ditto**, projection 220mm




**32 706 000** **4005176855092** **chrome** **201.92**

**Two-handle basin mixer concealed body, 1/2"**  
for 3-hole basin mixer  
wall installation  
**without finishing trim set**  
min. recommended pressure 1.0 bar


# GROHE ATRIO YPSILON

Ref.No. EAN code Colour Retail Guide Price (£)




**20 021 000** **4005176286957** **chrome** **210.67**

**Atrio Basin tap 1/2"**  
fixed spout  
mousseur  
headpart 1/2" - 90°  
flexible connection hoses  
rapid installation system  
with Ypsilon handle  
**GROHE StarLight®** chrome finish  
min. recommended pressure 1.0 bar




**24 027 000** **4005176820366** **chrome** **421.33**

**Atrio Bidet mixer 1/2"**  
ceramic headparts 1/2" - 90°  
bow spout  
ball-joint mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
rapid installation system  
with Ypsilon handle  
**GROHE StarLight®** chrome finish  
min. recommended pressure 1.0 bar




**25 010 000** **4005176236334** **chrome** **496.50**

**Atrio Bath / shower mixer 1/2"**  
**Non-thermostatic**  
wall mounted  
ceramic headparts 1/2" - 90°  
automatic diverter: bath/shower  
swivel tubular spout with stop limiter  
mousseur  
covered S-unions  
protected against backflow  
with Ypsilon handle  
without shower set  
**GROHE StarLight®** chrome finish  
min. recommended pressure 1.0 bar



**34 061 000** **4005176237393** **chrome** **803.30**

**Atrio Thermostatic bath/shower mixer 1/2"**  
wall mounted, wax thermoelement  
Aquadimmer with multiple function  
diverter bath/shower  
temperature scale handle with  
**GROHE SafeStop** safety stop at 38°C  
integrated non-return valves  
and dirt strainers  
swivel tubular spout with mousseur and stop limiter  
covered S-unions, protected against backflow  
with Ypsilon handle  
**GROHE StarLight®** chrome finish  
max. pressure differential 5:1  
min. recommended pressure 1.0 bar




**25 044 000** **4005176237324** **chrome** **1,370.63**


**Atrio Bath / shower mixer 1/2"**  
floor-mounted installation  
with high pillar unions (765 mm)  
ceramic headparts 1/2" - 90°  
automatic diverter: bath/shower  
swivel tubular spout with mousseur and stop limiter  
integrated non-return valve  
in the shower outlet 1/2"  
Sena handshower, with shower holder  
shower hose 1500 mm  
protected against backflow, with Ypsilon handle  
**must be used with**  
**45 473 000 floor installation plate**  
**GROHE StarLight®** chrome finish  
min. recommended pressure 1.0 bar

# GROHE ATRIO YPSILON


Ref.No. EAN code Colour Retail Guide Price (£)




**45 473 000 4005176257742 chrome 403.84**  
**Atrio**  
**Roughing-in-set for stand-alone bath mixer**  
 (for 25 044/25 046)  
**without finishing trim set**  
 installation plate for precise fitting  
 floor equalization 80 - 160 mm  
 1/2" connections (hot/cold-supplies)



**19 141 000 4005176237577 chrome 895.11**  
**Atrio**  
**4-hole bath combination trim set**  
 for installation under tiled surround  
**without baseframe**  
 set for final installation (for 34 086)  
 bath inlet with mousseur  
 Sena handshower  
 metal shower hose 2000 mm  
 Aquadimmer handle  
 temperature scale handle with  
**GROHE SafeStop** safety stop at 38°C  
 with Ypsilon handle  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**




**34 086 000 4005176249679 1,860.15**  
**Four-hole bath combination 3/4"**  
**baseframe for installation under tiled surround**  
**without finishing trim set**  
 with thermostat and Aquadimmer  
 concealed installation box with support legs and mounting plate  
 consisting of:  
 thermostat  
 Aquadimmer and low part of the spout (pre-assembled on the mounting plate)  
 wax thermoelement with non-rising spindle  
 connection hoses  
 shower connection  
 built-in non return valve and dirt strainers  
 drainage box with integrated outlet for splash water protected against backflow  
**GROHE EcoJoy®** technology for less water and perfect flow  
 this part should be easy to access




**19 394 000 4005176831270 chrome 312.94**  
**Atrio**  
**Thermostatic shower mixer without concealed body**  
 set for final installation for GROHE Rapido T 35 500 000 / 35 050 000  
**TMV2 compliant when used with 35 050 000**  
**GROHE StarLight®** chrome finish  
 volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)  
**GROHE SafeStop** safety button at 38°C  
 covered fixing with Ypsilon handle

# GROHE ATRIO YPSILON


Ref.No. EAN code Colour Retail Guide Price (£)



**19 395 000 4005176831287 chrome 344.41**  
**Atrio**  
**Thermostat with integrated 2-way diverter for bath or shower with more than one outlet**  
**without concealed body**  
 set for final installation for 35 500 000 / 35 050 000  
**GROHE StarLight®** chrome finish  
 Aquadimmer with multiple function shut off and flow control diverter for 2 outlets  
**GROHE SafeStop** safety button at 38°C  
 covered fixing with Ypsilon handle




**19 392 000 4005176831256 chrome 286.71**  
**Atrio**  
**Trim for thermostatic shower valve without concealed body**  
 set for final installation for 35 500 000 / 35 050 000  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop** safety button at 38°C  
 covered fixing with Ypsilon handle



**35 050 000 4005176982064 263.99**  
**GROHE Rapido T**  
**Universal Thermostatic mixer for concealed installation**  
 for use with bath-, shower- and central-mixer  
**without finishing trim set**  
 easy to install, premounted and tested unit  
**GROHE TurboStat®** compact cartridge with wax thermoelement  
 high flow rate up to 53 l/min by use of three outlets at the same time  
 two top outlets 1/2", lockable  
 bottom outlet 1/2" - can only be used with separate stopvalve  
 safe to install, stable built-in-box and protective cap  
 fixation options for solid walls and dry cladding  
 wall sealing  
 Aquadimmer-diverter for bath mixer or stopvalve for shower mixer in finishing trim set  
 body in DR-brass  
 built-in non return valve and dirt strainers  
**GROHE EcoJoy®** technology for less water and perfect flow  
**min. recommended pressure 1.0 bar**  
**TMV2 compliant product**


**35 500 000 4005176831522 263.99**  
 Ditto, Non TMV2 compliant valve



**19 069 000 4005176236570 chrome 95.28**  
**Atrio**  
**Concealed stop-valve trim**  
**Trim set for 29 811 000/29 813 000**  
 for concealed valves, 1/2", 3/4"  
 installation depth adjustable 20-80 mm  
 with Ypsilon handle  
**GROHE StarLight®** chrome finish


# GROHE ATRIO YPSILON

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 29 811 000 | 4005176062711 |        | 44.23                  |




**Concealed stop valve 1/2"**  
preassembled ceramic headpart 1/2"  
180°  
threaded union 1/2"  
installation depth adjustable  
25 - 80 mm  
DR-brass  
**min recommended pressure 1.0 bar**  
clockwise closing

|            |               |  |       |
|------------|---------------|--|-------|
| 29 813 000 | 4005176062735 |  | 67.30 |
|------------|---------------|--|-------|





**Concealed stop valve 3/4"**  
pre-assembled ceramic headpart 3/4"  
90°  
threaded union 3/4"  
installation depth adjustable  
25 - 80 mm  
DR-brass

|            |               |        |        |
|------------|---------------|--------|--------|
| 26 003 000 | 4005176236396 | chrome | 442.31 |
|------------|---------------|--------|--------|



**Atrio Shower mixer 1/2"**  
**Non-thermostatic**  
wall mounted  
ceramic headparts 1/2" - 90°  
shower outlet 1/2"  
integrated non-return valves in the shower outlet 1/2"  
covered S-unions  
protected against backflow with Ypsilon handle  
**min. recommended pressure 1.0 bar**  
max. pressure differential 5:1



|            |               |        |        |
|------------|---------------|--------|--------|
| 34 010 000 | 4005176236709 | chrome | 703.31 |
|------------|---------------|--------|--------|





**Atrio Thermostatic shower mixer 1/2"**  
wall mounted  
wax thermoelement  
integrated mixed water shut off  
ceramic headpart 1/2", 180°  
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)  
temperature scale handle with **GROHE SafeStop** safety stop at 38°C  
shower outlet 1/2"  
built-in non return valves  
covered S-unions  
protected against backflow with Ypsilon handle  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**  
max. pressure differential 5:1

# GROHE ATRIO YPSILON

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 13 139 000 | 4005176235856 | chrome | 178.32                 |



**Atrio Bath spout**  
wall mounted  
mousseur  
projection 168 mm  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**




|            |               |        |        |
|------------|---------------|--------|--------|
| 19 952 000 | 4005176174230 | chrome | 169.06 |
|------------|---------------|--------|--------|

**Talentofill Inlet-, pop-up and waste-system**  
set for final installation  
escutcheon  
supply part  
waste plug  
fixing set  
**GROHE StarLight®** chrome finish  
**min recommended pressure 1.0 bar**  
  
in combination with Talentofill  
28 990 000/28 991 000




# GROHE ATRIO ACCESSORIES

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|




|            |               |        |        |
|------------|---------------|--------|--------|
| 40 304 000 | 4005176236921 | chrome | 106.82 |
|------------|---------------|--------|--------|

**Atrio**  
Glass holder  
without glass  
GROHE StarLight® chrome finish




|            |               |  |       |
|------------|---------------|--|-------|
| 40 254 000 | 4005176211065 |  | 36.89 |
|------------|---------------|--|-------|

**Glass**  
satin glass




|            |               |        |        |
|------------|---------------|--------|--------|
| 40 305 000 | 4005176236952 | chrome | 109.87 |
|------------|---------------|--------|--------|

**Atrio**  
Glass/soap dish holder  
GROHE StarLight® chrome finish  
for soap dish  
without soap dish



|            |               |  |       |
|------------|---------------|--|-------|
| 40 256 000 | 4005176211089 |  | 45.45 |
|------------|---------------|--|-------|

**Soap dish**  
satin glass




|            |               |        |        |
|------------|---------------|--------|--------|
| 40 306 000 | 4005176237133 | chrome | 136.01 |
|------------|---------------|--------|--------|

**Atrio**  
Soap dispenser  
GROHE StarLight® chrome finish


# GROHE ATRIO ACCESSORIES

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|




|            |               |        |        |
|------------|---------------|--------|--------|
| 40 307 000 | 4005176236969 | chrome | 117.13 |
|------------|---------------|--------|--------|

**Atrio**  
Towel ring  
GROHE StarLight® chrome finish




|            |               |        |        |
|------------|---------------|--------|--------|
| 40 308 000 | 4005176236990 | chrome | 146.68 |
|------------|---------------|--------|--------|

**Atrio**  
Towel bar  
Two arms  
GROHE StarLight® chrome finish




|            |               |        |        |
|------------|---------------|--------|--------|
| 40 309 000 | 4005176237003 | chrome | 146.68 |
|------------|---------------|--------|--------|

**Atrio**  
Towel rail  
600 mm  
GROHE StarLight® chrome finish



|            |               |        |       |
|------------|---------------|--------|-------|
| 40 312 000 | 4005176237072 | chrome | 99.13 |
|------------|---------------|--------|-------|


**Atrio**  
Robe hook  
GROHE StarLight® chrome finish



|            |               |        |        |
|------------|---------------|--------|--------|
| 40 313 000 | 4005176237089 | chrome | 104.38 |
|------------|---------------|--------|--------|

**Atrio**  
Toilet roll holder  
GROHE StarLight® chrome finish

# GROHE ATRIO ACCESSORIES



| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 40 314 000 | 4005176237102 | chrome | 157.17                 |

Atrio  
Toilet brush set

# GROHE GRANDERA



07



GROHE  
EcoJoy™




GROHE  
StarLight®



# GROHE GRANDERA


| Ref.No.    | EAN code      | Colour      | Retail Guide Price (£) |
|------------|---------------|-------------|------------------------|
| 21 107 000 | 4005176930393 | chrome      | 331.30                 |
| 21 107 IGO | 4005176930409 | chrome/gold | 430.07                 |

**Grandera**  
Two-handle basin mixer, 1/2"  
monobloc installation  
GROHE StarLight® chrome finish  
GROHE EcoJoy® technology for less water and perfect flow  
valves hot/cold with headparts 1/2" - 90°  
GROHE AquaGuide® adjustable mousseur 5.7 l/min  
swivel spout  
pop-up waste set 1 1/4"  
flexible connection hoses  
**min. recommended pressure 1.0 bar**




|            |               |             |        |
|------------|---------------|-------------|--------|
| 23 303 000 | 4005176924088 | chrome      | 267.48 |
| 23 303 IGO | 4005176924095 | chrome/gold | 349.65 |

**Grandera**  
Basin mixer 1/2"  
monobloc installation  
28 mm ceramic cartridge with GROHE SilkMove®  
GROHE StarLight® chrome finish  
GROHE EcoJoy® technology for less water and perfect flow  
GROHE AquaGuide® adjustable mousseur 5.7 l/min  
pop-up waste set 1 1/4"  
flexible connection hoses  
temperature limiter  
GROHE QuickFix® installation system  
**min. recommended pressure 1.0 bar**




|            |               |             |        |
|------------|---------------|-------------|--------|
| 23 310 000 | 4005176930331 | chrome      | 251.75 |
| 23 310 IGO | 4005176930348 | chrome/gold | 333.92 |

**Grandera**  
Basin mixer 1/2"  
monobloc installation  
28 mm ceramic cartridge with GROHE SilkMove®  
GROHE StarLight® chrome finish  
GROHE EcoJoy® technology for less water and perfect flow  
GROHE AquaGuide® adjustable mousseur 5.7 l/min  
smooth body  
flexible connection hoses  
temperature limiter  
GROHE QuickFix® installation system  
**min. recommended pressure 1.0 bar**



|            |               |             |        |
|------------|---------------|-------------|--------|
| 23 313 000 | 4005176930614 | chrome      | 349.65 |
| 23 313 IGO | 4005176930621 | chrome/gold | 459.80 |


**Grandera**  
Basin mixer 1/2"  
for free-standing basins  
GROHE StarLight® chrome finish  
28 mm ceramic cartridge with GROHE SilkMove®  
GROHE EcoJoy® technology for less water and perfect flow  
GROHE AquaGuide® adjustable mousseur 5.7 l/min  
smooth body  
flexible connection hoses  
temperature limiter  
GROHE QuickFix® installation system  
**min. recommended pressure 1.0 bar**



# GROHE GRANDERA

| Ref.No.    | EAN code      | Colour      | Retail Guide Price (£) |
|------------|---------------|-------------|------------------------|
| 19 929 000 | 4005176930430 | chrome      | 331.30                 |
| 19 929 IGO | 4005176930447 | chrome/gold | 430.07                 |

**Grandera**  
2-hole basin mixer  
wall mounted  
**without concealed body**  
set for final installation for 23 319 000  
GROHE StarLight® chrome finish  
GROHE EcoJoy® technology for less water and perfect flow  
GROHE AquaGuide® adjustable mousseur 5.7 l/min  
projection 177 mm  
**min. recommended pressure 1.0 bar**




|            |               |             |        |
|------------|---------------|-------------|--------|
| 19 930 000 | 4005176930454 | chrome      | 365.39 |
| 19 930 IGO | 4005176930461 | chrome/gold | 475.53 |

Ditto, projection 234 mm


|            |               |  |        |
|------------|---------------|--|--------|
| 23 319 000 | 4005176931192 |  | 177.45 |
|------------|---------------|--|--------|

**Grandera**  
Single-lever mixer 1/2", concealed body  
for 2 hole basin mixer  
wall installation  
**without finishing trim set**  
installation depth 45 to 75 mm  
GROHE SilkMove® 35 mm ceramic cartridge  
adjustable flow rate limiter  
installation device  
**min. recommended pressure 1.0 bar**




|            |               |             |        |
|------------|---------------|-------------|--------|
| 20 417 000 | 4005176930553 | chrome      | 388.12 |
| 20 417 IGO | 4005176930560 | chrome/gold | 505.25 |

**Grandera**  
Three-hole basin mixer 1/2"  
valves hot/cold with headparts 1/2" - 90°  
GROHE StarLight® chrome finish  
GROHE EcoJoy® technology for less water and perfect flow  
GROHE AquaGuide® adjustable mousseur 5.7 l/min  
low spout  
pressure-proof, flexible connection hoses between spout and side valves  
pop-up waste set 1 1/4"  
**min. recommended pressure 1.0 bar**




|            |               |             |        |
|------------|---------------|-------------|--------|
| 20 389 000 | 4005176924101 | chrome      | 430.07 |
| 20 389 IGO | 4005176924118 | chrome/gold | 559.44 |

**Grandera**  
Three-hole basin mixer 1/2"  
valves hot/cold with headparts 1/2" - 90°  
GROHE StarLight® chrome finish  
GROHE EcoJoy® technology for less water and perfect flow  
GROHE AquaGuide® adjustable mousseur 5.7 l/min  
high spout  
pressure-proof, flexible connection hoses between spout and side valves  
pop-up waste set 1 1/4"  
**min. recommended pressure 1.0 bar**



| Ref.No.    | EAN code      | Colour      | Retail Guide Price (£) |
|------------|---------------|-------------|------------------------|
| 20 414 000 | 4005176930492 | chrome      | 321.68                 |
| 20 414 IGO | 4005176930508 | chrome/gold | 417.84                 |

**Grandera**  
**Three-hole basin mixer 1/2"**  
wall mounted  
**without concealed body**  
set for final installation for 29 025 000  
valves hot/cold  
with headparts 1/2" - 90°  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
**GROHE AquaGuide®** adjustable mousseur 5.7 l/min  
projection 177 mm  
**min. recommended pressure 1.0 bar**




|            |               |             |        |
|------------|---------------|-------------|--------|
| 20 415 000 | 4005176930515 | chrome      | 356.65 |
| 20 415 IGO | 4005176930522 | chrome/gold | 463.29 |

Ditto, projection 234 mm


|            |               |  |        |
|------------|---------------|--|--------|
| 29 025 000 | 4005176841927 |  | 211.54 |
|------------|---------------|--|--------|

**Two-handle basin mixer**  
**concealed body, 1/2"**  
for 3-hole basin mixer  
wall installation  
**without finishing trim set**  
Installation depth 43 - 85 mm  
DR-brass  
installation device




|            |               |             |        |
|------------|---------------|-------------|--------|
| 23 315 000 | 4005176930652 | chrome      | 303.45 |
| 23 315 IGO | 4005176930669 | chrome/gold | 361.01 |

**Grandera**  
**Bidet mixer 1/2"**  
monobloc installation  
28 mm ceramic cartridge  
with **GROHE SilkMove®**  
**GROHE StarLight®** chrome finish  
ball-joint mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
temperature limiter  
**GROHE QuickFix®** installation system  
**min. recommended pressure 1.0 bar**




|            |               |        |        |
|------------|---------------|--------|--------|
| 25 167 000 | 4005176942310 | chrome | 494.98 |
|------------|---------------|--------|--------|

**Grandera**  
**Two-handed Bath/Shower mixer 1/2"**  
deck mounted  
metal handles  
Longlife headpart 3/4"  
automatic diverter: bath/shower  
integrated non-return valve  
in the shower outlet 1/2"  
**GROHE StarLight®** chrome finish  
**recommended pressure 0.2 - 5.0 bar**  
available February 2014




| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 25 165 000 | 4005176942303 | chrome | 416.65                 |

**Grandera**  
**Two-handed Bath Filler 1/2"**  
deck mounted  
metal handles  
Longlife headpart 3/4"  
**GROHE StarLight®** chrome finish  
**recommended pressure 0.2 - 5.0 bar**  
available February 2014




|            |               |             |        |
|------------|---------------|-------------|--------|
| 23 317 000 | 4005176930799 | chrome      | 384.62 |
| 23 317 IGO | 4005176930805 | chrome/gold | 505.25 |

**Grandera**  
**Single-lever bath/shower mixer 1/2"**  
wall mounted  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
adjustable flow rate limiter  
integrated hand shower holder  
automatic diverter: bath/shower  
integrated non-return valve  
in the shower outlet 1/2"  
mousseur  
covered S-unions  
protected against backflow  
**min. recommended pressure 1.0 bar**




|            |               |             |        |
|------------|---------------|-------------|--------|
| 23 316 000 | 4005176930690 | chrome      | 321.68 |
| 23 316 IGO | 4005176930706 | chrome/gold | 417.84 |

**Grandera**  
**Single-lever shower mixer 1/2"**  
wall mounted  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
adjustable flow rate limiter  
integrated hand shower holder  
shower outlet 1/2"  
integrated non-return valve  
covered S-unions  
protected against backflow  
**min. recommended pressure 1.0 bar**




|            |               |  |       |
|------------|---------------|--|-------|
| 18 651 000 | 4005176931413 |  | 52.97 |
|------------|---------------|--|-------|

**Grandera**  
**EasyReach Tray**  
material: ceramic  
including mounting set  
for 23 316 000 / 23 316 IGO  
23 317 000 / 23 317 IGO



|            |               |             |          |
|------------|---------------|-------------|----------|
| 19 936 000 | 4005176930812 | chrome      | 851.40   |
| 19 936 IGO | 4005176930829 | chrome/gold | 1,106.65 |


**Grandera**  
**4-hole bath combination trim set**  
**GROHE StarLight®** chrome finish  
consisting of  
**GROHE SilkMove®** 46 mm ceramic cartridge  
pre-assembled spout fixing  
OHM operating element  
bath spout with mousseur and diverter bath/shower  
Grandera hand shower 7.6 l/min  
metal shower hose  
flexible connection hoses  
protected against backflow  
can be used with 29 037 000  
**min. recommended pressure 1.0 bar**






| Ref.No.    | EAN code      | Colour      | Retail Guide Price (£) |
|------------|---------------|-------------|------------------------|
| 19 919 000 | 4005176924125 | chrome      | 909.09                 |
| 19 919 IGO | 4005176924132 | chrome/gold | 1,181.82               |

**Grandera**  
**5-hole bath/shower combination**  
**GROHE StarLight®** chrome finish  
consisting of  
ceramic headparts 1/2", 90°  
pre-assembled spout fixing  
OHM operating element  
bath spout with mousseur and diverter bath/shower  
Grandera hand shower 7.6 l/min  
metal shower hose  
flexible connection hoses  
protected against backflow  
can be used with 29 037 000  
**min. recommended pressure 1.0 bar**




|            |               |  |        |
|------------|---------------|--|--------|
| 29 037 000 | 4005176865749 |  | 699.31 |
|------------|---------------|--|--------|

**4/5-hole bath combination (optional)**  
**baseframe for installation**  
**under tiled surround**  
base frame  
drainage box with  
integrated outlet for splash water




|            |               |             |          |
|------------|---------------|-------------|----------|
| 23 318 000 | 4005176930874 | chrome      | 1,290.22 |
| 23 318 IGO | 4005176930881 | chrome/gold | 1,678.34 |

**Grandera**  
**Single-lever bath/shower mixer 1/2"**  
floor-mounted  
**without roughing-in set**  
set for final installation for  
45 984 000  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
automatic diverter: bath/shower  
spout with mousseur  
integrated non-return valves in the  
shower outlet 1/2"  
with shower holder  
Grandera hand shower 7.6 l/min  
metal shower hose  
1250 mm  
protected against backflow  
**min. recommended pressure 1.0 bar**




|            |               |  |        |
|------------|---------------|--|--------|
| 45 984 000 | 4005176847127 |  | 438.82 |
|------------|---------------|--|--------|

**Roughing-in set for floor mounted bath spout and bath/shower mixer**  
for floor-mounted bath spout and bath mixer  
**without finishing trim set**  
installation plate for precise fitting  
floor equalization 0-80 mm  
1/2" mixed water connection  
plug  
fixing material




| Ref.No.    | EAN code      | Colour      | Retail Guide Price (£) |
|------------|---------------|-------------|------------------------|
| 13 341 000 | 4005176931000 | chrome      | 184.45                 |
| 13 341 IGO | 4005176931017 | chrome/gold | 239.51                 |

**Grandera**  
**Bath spout**  
wall mounted  
**GROHE StarLight®** chrome finish  
mousseur  
projection 177 mm  
**min. recommended pressure 1.0 bar**




|            |               |             |        |
|------------|---------------|-------------|--------|
| 19 920 000 | 4005176924149 | chrome      | 251.75 |
| 19 920 IGO | 4005176924156 | chrome/gold | 330.42 |

**Grandera**  
**Single-lever bath/shower mixer trim**  
**without concealed body**  
set for final installation for  
35 501 000  
**GROHE StarLight®** chrome finish  
automatic diverter: bath/shower  
escutcheon- and shaft-sealing  
metal escutcheon  
covered fixing  
**min. recommended pressure 1.0 bar**




|            |               |             |        |
|------------|---------------|-------------|--------|
| 19 932 000 | 4005176930713 | chrome      | 234.97 |
| 19 932 IGO | 4005176930720 | chrome/gold | 313.81 |

**Grandera**  
**Single-lever shower mixer trim**  
**without concealed body**  
set for final installation for  
35 501 000  
**GROHE StarLight®** chrome finish  
escutcheon- and shaft-sealing  
metal escutcheon  
covered fixing  
**min. recommended pressure 1.0 bar**




|            |               |  |        |
|------------|---------------|--|--------|
| 35 501 000 | 4005176833847 |  | 103.15 |
|------------|---------------|--|--------|

**GROHE Rapido E**  
**Universal Single-lever mixer**  
**for concealed installation**  
for use with bath- and shower-mixer  
**without finishing trim set**  
flat installation depth 70 mm - 100 mm  
easy to install, premounted and tested unit  
**GROHE SilkMove®** 46 mm ceramic cartridge  
adjustable flow rate limiter  
safe to install, stable built-in-box and  
protective cap  
fixation options for solid walls and dry  
cladding  
wall sealing  
all connectors 1/2", with identification  
marking  
diverter for bath-mixer in finishing trim set  
body in DR-brass  
noise classification 1 in accordance  
with DIN4109  
**min. recommended pressure 1.0 bar**




| Ref.No.    | EAN code      | Colour      | Retail Guide Price (£) |
|------------|---------------|-------------|------------------------|
| 19 948 000 | 4005176935220 | chrome      | 356.65                 |
| 19 948 IGO | 4005176935237 | chrome/gold | 463.29                 |

**Grandera**  
**Thermostatic bath mixer with integrated 2-way diverter**  
 set for final installation  
 for 35 500 000 / 35 050 000 Rapido T  
**without concealed body**  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop Plus®** safety stop at 38 C and additionally adjustable max. temperature limiter at 43 C  
**GROHE AquaDimmer Eco** with multiple function:  
 shut off and flow control  
 diverter: shower head/bath tub  
 Integrated Eco-Button with Eco-Stop for shower  
 wall escutcheon with **GROHE SmartFix**  
 (covered escutcheon- and shaft sealing,  
 covered fixing)  
 metal handles  
**min. recommended pressure 1.0 bar**




| Ref.No.    | EAN code      | Colour      | Retail Guide Price (£) |
|------------|---------------|-------------|------------------------|
| 19 934 000 | 4005176930751 | chrome      | 333.92                 |
| 19 934 IGO | 4005176930768 | chrome/gold | 433.57                 |

**Grandera**  
**Thermostatic shower mixer without concealed body**  
 set for final installation  
 for 35 500 000 / 35 050 000  
**TMV2 compliant when used with 35 050 000**  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop Plus®** safety stop at 38 C and additionally adjustable max. temperature limiter at 43 C  
 volume handle with **GROHE EcoButton**  
 (economy button with individually adjustable economy stop)  
 ceramic headparts 1/2", 180°  
 wall escutcheon with **GROHE SmartFix**  
 (covered escutcheon- and shaft sealing,  
 covered fixing)  
 metal handles  
**min. recommended pressure 1.0 bar**




|            |               |             |        |
|------------|---------------|-------------|--------|
| 19 937 000 | 4005176930904 | chrome      | 356.65 |
| 19 937 IGO | 4005176930911 | chrome/gold | 463.29 |

**Grandera**  
**Thermostatic shower mixer with integrated 2-way diverter**  
 set for final installation  
 for 35 500 000 / 35 050 000 Rapido T  
**without concealed body**  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop Plus®** safety stop at 38 C and additionally adjustable max. temperature limiter at 43 C  
**GROHE AquaDimmer Eco** with multiple function:  
 shut off and flow control  
 diverter: shower head/hand shower  
 Integrated Eco-Button with Eco-Stop for shower  
 wall escutcheon with **GROHE SmartFix**  
 (covered escutcheon- and shaft sealing,  
 covered fixing)  
 metal handles  
**min. recommended pressure 1.0 bar**



|            |               |             |        |
|------------|---------------|-------------|--------|
| 19 941 000 | 4005176930980 | chrome      | 298.95 |
| 19 941 IGO | 4005176930997 | chrome/gold | 388.12 |


**Grandera**  
**Trim for thermostatic shower valve**  
 set for final installation  
 for 35 500 000 / 35 050 000 Rapido T  
**without concealed body**  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop Plus®** safety stop at 38 C and additionally adjustable max. temperature limiter at 43 C  
 wall escutcheon with **GROHE SmartFix**  
 (covered escutcheon- and shaft sealing,  
 covered fixing)  
 metal handles



NEW

|            |               |  |        |
|------------|---------------|--|--------|
| 35 050 000 | 4005176982064 |  | 263.99 |
|------------|---------------|--|--------|


**GROHE Rapido T**  
**Universal Thermostatic mixer for concealed intallation**  
**TMV2 compliant product**  
 for use with bath-, shower- and central-mixer  
**without finishing trim set**  
 easy to install, premounted and tested unit  
**GROHE TurboStat®** compact cartridge  
 with wax thermoelement  
 two top outlets 1/2", lockable  
 bottom outlet 1/2" - can only be used  
 with separate stopvalve  
 safe to install, stable built-in-box and  
 protective cap  
 fixation options for solid walls and dry  
 cladding  
 wall sealing  
 Aquadimmer-diverter for bath mixer or  
 stopvalve for shower mixer in finishing  
 trim set  
 body in DR-brass  
 built-in non return valve  
 and dirt strainers  
**GROHE EcoJoy®** technology for  
 less water and perfect flow  
**min. recommended pressure 1.0 bar**



|                                        |               |  |        |
|----------------------------------------|---------------|--|--------|
| 35 500 000                             | 4005176831522 |  | 263.99 |
| <b>Ditto, Non TMV2 compliant valve</b> |               |  |        |


| Ref.No.    | EAN code      | Colour      | Retail Guide Price (£) |
|------------|---------------|-------------|------------------------|
| 19 942 000 | 4005176931048 | chrome      | 115.03                 |
| 19 942 IGO | 4005176931055 | chrome/gold | 149.47                 |

**Grandera**  
**5-way diverter**  
set for final installation for  
29 708 000  
**GROHE StarLight®** chrome finish  
installation depth adjustable  
66 - 113 mm  
**min. recommended pressure 1.0 bar**




|            |               |  |        |
|------------|---------------|--|--------|
| 29 708 000 | 4005176102653 |  | 246.50 |
|------------|---------------|--|--------|

**5-way diverter**  
**concealed body, 1/2"**  
**without finishing trim set**  
wall installation  
DR-brass  
with ceramic sealing disks  
connection cold and hot 1/2"  
2 outlets 1/2"  
bath outlet 3/4"  
protection sleeve




|            |               |             |        |
|------------|---------------|-------------|--------|
| 19 944 000 | 4005176931086 | chrome      | 82.87  |
| 19 944 IGO | 4005176931093 | chrome/gold | 107.69 |

**Grandera**  
**Concealed stop-valve trim**  
set for final installation for  
29 032 000 (preassembled headpart 1/2")  
**GROHE StarLight®** chrome finish  
installation depth adjustable  
43 - 91 mm  
**min. recommended pressure 1.0 bar**




|            |               |  |        |
|------------|---------------|--|--------|
| 35 028 000 | 4005176908316 |  | 107.17 |
|------------|---------------|--|--------|

**Rapido C**  
**Rough-in for single volume control 27 623**  
for grid installation of Grotherm Custom Shower system  
build-in box with removable protection cover  
waterproof membrane base for wall sealing  
fixing points for front and back wall  
body of DR brass  
pre-assembled ceramic headpart 3/4"  
connection threads 1/2"  
flow rate:  
55 l/min. at 3 bar  
installation depth 70 - 95 mm




|            |               |  |       |
|------------|---------------|--|-------|
| 29 032 000 | 4005176845277 |  | 21.33 |
|------------|---------------|--|-------|

**GROHE Ondus**  
**Concealed valve**  
pre-assembled headpart 1/2"  
threaded union 1/2"  
installation depth adjustable  
43 - 91 mm  
DR-brass




| Ref.No.    | EAN code      | Colour      | Retail Guide Price (£) |
|------------|---------------|-------------|------------------------|
| 26 037 000 | 4005176935381 | chrome      | 83.04                  |
| 26 037 IGO | 4005176936210 | chrome/gold | 109.26                 |

**Grandera™ Stick**  
**Hand shower 1 spray**  
spray pattern rain  
metal  
**GROHE EcoJoy® 7.6l flow limiter**  
**GROHE DreamSpray®** perfect spray pattern  
**Inner WaterGuide** for a longer life  
**GROHE CoolTouch®** prevents scalding from hot surfaces  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
Universal Mounting System. Fitting all  
standard shower hoses  
**min. recommended pressure 1.0 bar**




|            |               |             |        |
|------------|---------------|-------------|--------|
| 27 970 000 | 4005176931154 | chrome      | 94.41  |
| 27 970 IGO | 4005176931161 | chrome/gold | 123.63 |

**Grandera**  
**Shower outlet elbow, 1/2"**  
male thread  
protected against backflow  
**GROHE StarLight®** chrome finish




|            |               |             |       |
|------------|---------------|-------------|-------|
| 27 969 000 | 4005176931123 | chrome      | 62.94 |
| 27 969 IGO | 4005176931130 | chrome/gold | 44.93 |

**Grandera**  
**Wall hand Shower holder**  
**GROHE StarLight®** chrome finish




|            |               |             |        |
|------------|---------------|-------------|--------|
| 27 993 000 | 4005176933080 | chrome      | 119.59 |
| 27 993 IGO | 4005176933585 | chrome/gold | 155.42 |

**Grandera™ Stick**  
**Wall holder set 1 spray**  
consisting of:  
Stick hand shower (26 037 000)  
Wall hand shower holder (27 969 000)  
Rotaflex shower hose 1500 mm (28 417 000)  
**GROHE EcoJoy® 7.6l flow limiter**  
**GROHE DreamSpray®** perfect spray pattern  
**Inner WaterGuide** for a longer life  
**GROHE CoolTouch®** prevents scalding from hot surfaces  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**min. recommended pressure 1.0 bar**



|            |               |             |        |
|------------|---------------|-------------|--------|
| 27 974 000 | 4005176932793 | chrome      | 345.28 |
| 27 974 IGO | 4005176933486 | chrome/gold | 449.31 |

**Grandera 210**  
metal  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system




|            |               |        |        |
|------------|---------------|--------|--------|
| 27 976 000 | 4005176932816 | chrome | 345.28 |
|------------|---------------|--------|--------|

Ditto, with **GROHE EcoJoy® 9.5 l/min** flow limiter

# GROHE GRANDERA


| Ref.No.    | EAN code      | Colour      | Retail Guide Price (£) |
|------------|---------------|-------------|------------------------|
| 27 986 000 | 4005176933011 | chrome      | 78.15                  |
| 27 986 IGO | 4005176933547 | chrome/gold | 101.75                 |

**Rainshower® Grandera™ Shower arm 285 mm**  
 metal  
 projection 286 mm  
 connection thread 1/2"  
 Grandera™ escutcheon  
**GROHE StarLight®** chrome finish  
 suitable for all Grandera™ head showers




|            |               |             |       |
|------------|---------------|-------------|-------|
| 27 982 000 | 4005176932878 | chrome      | 69.06 |
| 27 982 IGO | 4005176933523 | chrome/gold | 89.69 |

**Rainshower® Grandera™ Shower arm 292 mm**  
 metal  
 connection thread 1/2"  
 Grandera™ escutcheon  
**GROHE StarLight®** chrome finish  
 suitable for all Grandera™ head showers




|            |               |             |       |
|------------|---------------|-------------|-------|
| 27 978 000 | 4005176932830 | chrome      | 57.52 |
| 27 978 IGO | 4005176933509 | chrome/gold | 74.83 |

**Rainshower® Grandera™ Shower arm ceiling 142 mm**  
 metal  
 length 142 mm  
 connection thread 1/2"  
 Grandera™ escutcheon  
**GROHE StarLight®** chrome finish  
 suitable for all Grandera™ head showers




|            |               |             |        |
|------------|---------------|-------------|--------|
| 40 626 000 | 4005176927737 | chrome      | 149.47 |
| 40 626 IGO | 4005176927744 | chrome/gold | 194.05 |

**Grandera holder with ceramic tumbler**  
**GROHE StarLight®** chrome finish



|            |               |             |        |
|------------|---------------|-------------|--------|
| 40 627 000 | 4005176927768 | chrome      | 195.81 |
| 40 627 IGO | 4005176927775 | chrome/gold | 254.37 |


**Grandera holder with ceramic soap dispenser**  
**GROHE StarLight®** chrome finish



# GROHE GRANDERA


| Ref.No.    | EAN code      | Colour      | Retail Guide Price (£) |
|------------|---------------|-------------|------------------------|
| 40 628 000 | 4005176927898 | chrome      | 184.45                 |
| 40 628 IGO | 4005176927904 | chrome/gold | 239.51                 |

**Grandera soap dish with holder**  
**GROHE StarLight®** chrome finish




|            |               |             |        |
|------------|---------------|-------------|--------|
| 40 625 000 | 4005176927706 | chrome      | 156.47 |
| 40 625 IGO | 4005176927713 | chrome/gold | 203.67 |

**Grandera Toilet roll holder**  
**GROHE StarLight®** chrome finish




|            |               |             |        |
|------------|---------------|-------------|--------|
| 40 629 000 | 4005176927928 | chrome      | 207.17 |
| 40 629 IGO | 4005176927935 | chrome/gold | 269.24 |

**Grandera Towel rail**  
 600 mm  
**GROHE StarLight®** chrome finish




|            |               |             |        |
|------------|---------------|-------------|--------|
| 40 630 000 | 4005176927959 | chrome      | 126.57 |
| 40 630 IGO | 4005176927966 | chrome/gold | 164.51 |

**Grandera Towel ring**  
**GROHE StarLight®** chrome finish




|            |               |             |       |
|------------|---------------|-------------|-------|
| 40 631 000 | 4005176927980 | chrome      | 59.79 |
| 40 631 IGO | 4005176927997 | chrome/gold | 77.79 |

**Grandera Robe hook**  
**GROHE StarLight®** chrome finish





# GROHE GRANDERA



| Ref.No.    | EAN code      | Colour      | Retail Guide Price (£) |
|------------|---------------|-------------|------------------------|
| 40 632 000 | 4005176928017 | chrome      | 218.54                 |
| 40 632 IG0 | 4005176928024 | chrome/gold | 284.09                 |

Grandera  
Toilet brush set  
GROHE StarLight® chrome finish

|            |               |             |        |
|------------|---------------|-------------|--------|
| 40 633 000 | 4005176928048 | chrome      | 137.12 |
| 40 633 IG0 | 4005176928055 | chrome/gold | 149.47 |

Grandera  
Bath grip  
GROHE StarLight® chrome finish

# GROHE QUADRA




08



# GROHE QUADRA


Ref.No. EAN code Colour Retail Guide Price (£)

**23 297 000** **4005176922718** **chrome** **277.10**  
**Quadra**  
**Basin mixer 1/2"**  
 monobloc installation  
**GROHE StarLight®** chrome finish  
**GROHE SilkMove®** 35 mm ceramic cartridge  
 adjustable flow rate limiter  
 cast spout with mousseur  
 flexible connection hoses  
 pop-up waste set 1 1/4"  
 covered lever fixing  
**min. recommended pressure 1.0 bar**




NEW

**23 441 000** **4005176998645** **chrome** **233.32**  
**Quadra**  
**Basin mixer 1/2"**  
 monobloc installation  
 medium height  
 metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove®**  
 with temperature limiter  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** mousseur 5.7 l/min  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
**GROHE QuickFix™ Plus** installation system  
**min. recommended pressure 1.0 bar**  
 available April 2014




**32 631 00L** **4005176917042** **chrome** **224.65**  
**Quadra**  
**Basin mixer 1/2"**  
 for low pressure  
 monobloc installation  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 adjustable flow rate limiter  
 mousseur  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
 rapid installation system  
**min. recommended pressure 0.2 bar**



**23 105 00L** **4005176917059** **chrome** **209.79**  
**Ditto**, smooth body

**32 631 000** **4005176845901** **chrome** **224.65**  
**Quadra**  
**Basin mixer 1/2"**  
 monobloc installation  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 pop-up waste set 1 1/4"  
 mousseur  
 flexible connection hoses  
 rapid installation system  
**min recommended pressure 1.0 bar**  
**GROHE QuickFix™ Plus** installation system



**32 631 00E** **4005176866845** **chrome** **238.64**  
**Ditto**, with **GROHE Ecojoy** 5.7 l/min flow limiter


**23 105 000** **4005176894312** **chrome** **209.79**  
**Ditto**, smooth body

# GROHE QUADRA

Ref.No. EAN code Colour Retail Guide Price (£)


**32 632 000** **4005176845918** **chrome** **214.16**  
**32 632 LSO** **4005176873430** **moon white** **310.32**  
**32 632 KSO** **4005176847554** **velvet black** **310.32**

**Quadra**  
**Basin mixer 1/2"**  
 monobloc installation  
 small version  
 28 mm ceramic cartridge  
 with **GROHE SilkMove®**  
**GROHE StarLight®** chrome finish  
 pop-up waste set 1 1/4"  
 mousseur  
 flexible connection hoses  
 rapid installation system  
**min recommended pressure 1.0 bar**




**32 633 000** **4005176845925** **chrome** **298.95**

**Quadra**  
**Basin mixer 1/2"**  
**for free-standing basins**  
 monobloc installation  
 28 mm ceramic cartridge  
 with **GROHE SilkMove®**  
**GROHE StarLight®** chrome finish  
 mousseur  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
 rapid installation system  
**min recommended pressure 1.0 bar**



**19 479 000** **4005176852152** **chrome** **277.10**


**Quadra**  
**2-hole basin mixer**  
 wall mounted  
**without concealed body**  
 set for final installation for  
 32 635 000  
**GROHE StarLight®** chrome finish  
 with metal plate  
 mousseur  
 projection 153 mm  
 centre distance 110 mm



**23 442 000** **4005176998669** **chrome** **301.65**  
**Ditto**, projection 210 mm  
 available April 2014


**32 635 000** **4005176845949** **chrome** **217.66**

**Quadra**  
**Single-lever mixer 1/2", concealed body**  
 for 2 hole basin mixer  
 wall installation  
**without finishing trim set**  
 installation depth 45 to 75 mm  
**GROHE SilkMove®** 35 mm ceramic cartridge  
 installation device  
**min recommended pressure 1.0 bar**




**11 522 1** **4005176910081** **chrome** **30.60**

**Click Waste**  
**1 1/4"**  
 for basins mixers without Pop Up Waste  
 removable cover




Ref.No. EAN code Colour Retail Guide Price (£)

20 306 000 4005176896491 chrome 311.19




**Quadra**  
**Three-hole basin mixer 1/2"**  
spout with mousseur  
GROHE StarLight® chrome finish  
ceramic headparts 1/2", 90°  
pop-up waste set 1 1/4"  
GROHE QuickFix™ installation system  
with centering support  
pressure-proof, flexible connection hoses  
between spout and side valves  
**min. recommended pressure 1.0 bar**

20 307 000 4005176896507 chrome 339.16




**Quadra**  
**Three-hole basin mixer 1/2"**  
high spout  
mousseur  
GROHE StarLight® chrome finish  
ceramic headparts 1/2", 90°  
pop-up waste set 1 1/4"  
GROHE QuickFix™ installation system  
with centering support  
pressure-proof, flexible connection hoses  
between spout and side valves  
**min. recommended pressure 1.0 bar**

32 636 000 4005176845956 chrome 224.65  
32 636 LSO 4005176873492 moon white 310.32  
32 636 KSO 4005176847585 velvet black 310.32




**Quadra**  
**Bidet mixer 1/2"**  
monobloc installation  
GROHE SilkMove® 35 mm ceramic cartridge  
GROHE StarLight® chrome finish  
ball-joint mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
rapid installation system  
**min recommended pressure 1.0 bar**

25 131 000 4005176905230 chrome 496.50



**Quadra**  
**Two-handed Bath/Shower mixer 1/2"**  
deck mounted  
metal handles  
Longlife headpart 3/4"  
automatic diverter: bath/shower  
integrated non-return valve  
in the shower outlet 1/2"  
GROHE StarLight® chrome finish  
**recommended pressure 0.2 - 5.0 bar**


25 130 000 4005176905223 chrome 417.84



**Quadra**  
**Two-handed Bath Filler 1/2"**  
deck mounted  
metal handles  
Longlife headpart 3/4"  
GROHE StarLight® chrome finish  
**recommended pressure 0.2 - 5.0 bar**


Ref.No. EAN code Colour Retail Guide Price (£)

19 579 000 4005176889813 chrome 842.66




**Quadra**  
**4-hole single-lever bath combination**  
GROHE StarLight® chrome finish  
GROHE SilkMove® 46 mm ceramic cartridge  
pre-assembled spout fixing  
OHM operating element  
diverter bath/shower  
hand shower Sena (28 341 000)  
metal shower hose 2000 mm  
flexible connection hoses  
**without baseframe**  
connection for shower hose  
protected against backflow  
fixed spout  
**min. recommended pressure 1.0 bar**

29 037 000 4005176865749 699.31




**4/5-hole bath combination (optional)**  
**baseframe for installation**  
**under tiled surround**  
base frame  
drainage box with  
integrated outlet for splash water

19 456 000 4005176846007 chrome 178.32




**Quadra**  
**Single-lever bath/shower mixer trim**  
**without concealed body**  
set for final installation for  
35 501 000  
GROHE StarLight® chrome finish  
automatic diverter: bath/shower  
escutcheon- and shaft-sealings  
metal escutcheon  
covered coupling

19 455 000 4005176845994 chrome 167.83




**Quadra**  
**Single-lever shower mixer trim**  
**without concealed body**  
set for final installation for  
35 501 000  
GROHE StarLight® chrome finish  
escutcheon- and shaft-sealings  
metal escutcheon  
covered coupling

35 501 000 4005176833847 103.15



**GROHE Rapido E**  
**Universal Single-lever mixer**  
**for concealed installation**  
**without finishing trim set**  
GROHE SilkMove® 46 mm ceramic cartridge  
adjustable flow rate limiter  
**min. recommended pressure 1.0 bar**



| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 32 639 000 | 4005176845987 | chrome | 325.18                 |

**Quadra**  
Single-lever bath/shower mixer 1/2"  
wall mounted  
GROHE SilkMove® 46 mm ceramic cartridge  
GROHE StarLight® chrome finish  
automatic diverter: bath/shower  
shower bottom outlet 1/2" with  
integrated non return-valve  
mousseur  
covered S-unions, with shower set  
hand shower (28 034 000), wall shower holder  
shower hose 1500 mm (28 151)  
protected against backflow  
**min recommended pressure 1.0 bar**

|            |               |              |        |
|------------|---------------|--------------|--------|
| 32 638 000 | 4005176845970 | chrome       | 272.73 |
| 32 638 LSO | 4005176873461 | moon white   | 417.84 |
| 32 638 KSO | 4005176847608 | velvet black | 417.84 |

**Quadra**  
Single-lever bath/shower mixer 1/2"  
wall mounted  
GROHE SilkMove® 46 mm ceramic cartridge  
GROHE StarLight® chrome finish  
adjustable flow rate limiter  
automatic diverter: bath/shower  
mousseur  
shower bottom outlet 1/2" with  
integrated non return-valve  
covered S-unions  
protected against backflow  
**min recommended pressure 1.0 bar**

|            |               |              |        |
|------------|---------------|--------------|--------|
| 32 637 000 | 4005176845963 | chrome       | 224.65 |
| 32 637 LSO | 4005176873485 | moon white   | 318.18 |
| 32 637 KSO | 4005176847592 | velvet black | 318.18 |

**Quadra**  
Single-lever shower mixer 1/2"  
wall mounted  
GROHE SilkMove® 46 mm ceramic cartridge  
GROHE StarLight® chrome finish  
shower bottom outlet 1/2" with  
integrated non return-valve  
covered S-unions  
protected against backflow  
**min recommended pressure 1.0 bar**

|            |               |        |        |
|------------|---------------|--------|--------|
| 28 912 000 | 4005176266751 | chrome | 189.69 |
|------------|---------------|--------|--------|

**Bottle trap, 1 1/4"**  
for basins  
brass  
large sliding escutcheon  
(screw-top for cleaning)  
GROHE StarLight® chrome finish

# GROHE LINEARE






Ref.No. EAN code Colour Retail Guide Price (£)


23 296 000 4005176922701 chrome 266.61

**Lineare**  
**Basin mixer 1/2"**  
monobloc installation  
**GROHE StarLight®** chrome finish  
28 mm ceramic cartridge  
with **GROHE SilkMove®**  
adjustable flow rate limiter  
cast spout with mousseur  
flexible connection hoses  
pop-up waste set 1 1/4"  
rapid installation system  
covered lever fixing  
**min. recommended pressure 1.0 bar**




23 443 000 4005176998676 chrome 221.66

**Lineare**  
**Basin mixer 1/2"**  
monobloc installation  
medium height  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove®**  
with temperature limiter  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** mousseur 5.7 l/min  
pop-up waste set 1 1/4"  
flexible connection hoses  
**GROHE QuickFix™ Plus** installation system  
**min. recommended pressure 1.0 bar**  
available April 2014




32 114 00L 4005176890673 chrome 214.16

**Lineare**  
**Basin mixer 1/2"**  
monobloc installation  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
adjustable flow rate limiter  
mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
rapid installation system




32 114 000 4005176820694 chrome 214.16

**Lineare**  
**Basin mixer 1/2"**  
monobloc installation  
**GROHE SilkMove®** 35 mm ceramic cartridge  
adjustable flow rate limiter  
mousseur, pop-up waste set 1 1/4"  
flexible connection hoses  
rapid installation system  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**



23 106 000 4005176894329 chrome 199.30

**Ditto**, smooth body




32 109 000 4005176820687 chrome 203.67

**Lineare**  
**Basin mixer 1/2"**  
small version  
monobloc installation  
28 mm ceramic cartridge  
with **GROHE SilkMove®**  
mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
rapid installation system  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**

Ref.No. EAN code Colour Retail Guide Price (£)


32 250 000 4005176832390 chrome 294.58

**Lineare**  
**Basin mixer 1/2"**  
**for free-standing basins**  
monobloc installation  
28 mm ceramic cartridge  
with **GROHE SilkMove®**  
**GROHE StarLight®** chrome finish  
mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
rapid installation system  
**min. recommended pressure 1.0 bar**




19 409 000 4005176876936 chrome 251.75

**Lineare**  
**2-hole basin mixer**  
wall mounted  
**without concealed body**  
set for final installation for  
32 635 000  
**GROHE StarLight®** chrome finish  
with metal plate  
integrated mousseur  
projection 153 mm  
centre distance 110 mm  
**23 444 000 4005176998690**  
**Ditto**, projection 210 mm  
available April 2014



32 635 000 4005176845949 217.66

**Quadra**  
**Single-lever mixer 1/2", concealed body**  
for 2 hole basin mixer  
wall installation  
**without finishing trim set**  
installation depth 45 to 75 mm  
**GROHE SilkMove®** 35 mm ceramic cartridge  
installation device  
**min recommended pressure 1.0 bar**




11 522 1 4005176910081 30.60

**Click Waste**  
**1 1/4"**  
for basins mixers without Pop Up Waste  
removable cover




20 304 000 4005176896453 chrome 311.19


**Lineare**  
**Three-hole basin mixer 1/2"**  
spout with mousseur  
**GROHE StarLight®** chrome finish  
ceramic headparts 1/2", 90°  
pop-up waste set 1 1/4"  
**GROHE QuickFix™** installation system  
with centering support  
pressure-proof, flexible connection hoses  
between spout and side valves  
**min. recommended pressure 1.0 bar**




Ref.No. EAN code Colour Retail Guide Price (£)




**20 305 000 4005176896460 chrome 339.16**  
**Lineare**  
**Three-hole basin mixer 1/2"**  
 high spout  
 mousseur  
**GROHE StarLight®** chrome finish  
 ceramic headparts 1/2", 90°  
 pop-up waste set 1 1/4"  
**GROHE QuickFix™** installation system  
 with centering support  
 pressure-proof, flexible connection hoses  
 between spout and side valves  
**min. recommended pressure 1.0 bar**




**33 848 000 4005176820717 chrome 214.16**  
**Lineare**  
**Bidet mixer 1/2"**  
 monobloc installation  
**GROHE SilkMove®** 35 mm ceramic cartridge  
 adjustable flow rate limiter  
 ball-joint mousseur  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
 rapid installation system  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**



**28 912 000 4005176266751 chrome 189.69**  
**Bottle trap, 1 1/4"**  
 for basins  
 brass  
 (screw-top for cleaning)  
 large sliding escutcheon  
**GROHE StarLight®** chrome finish




**25 113 000 4005176881862 chrome 445.80**  
**Lineare**  
**Two-handed Bath/Shower mixer 1/2"**  
 deck mounted  
 metal handles  
 Longlife headpart 3/4"  
 automatic diverter: bath/shower  
 integrated non-return valves in the  
 shower outlet 1/2"  
**GROHE StarLight®** chrome finish  
**recommended pressure 0.2-5.0 bar**




**25 104 000 4005176881794 chrome 379.37**  
**Lineare**  
**Two-handed Bath Filler 1/2"**  
 deck mounted  
 metal handles  
 Longlife headpart 3/4"  
**GROHE StarLight®** chrome finish  
**recommended pressure 0.2-5.0 bar**


Ref.No. EAN code Colour Retail Guide Price (£)




**19 577 000 4005176889790 chrome 842.66**  
**Lineare**  
**4-hole single-lever bath combination**  
**GROHE StarLight®** chrome finish  
**GROHE SilkMove®** 46 mm ceramic cartridge  
 pre-assembled spout fixing  
 OHM operating element  
 diverter bath/shower  
 hand shower Sena (28 341 000)  
 metal shower hose 2000 mm  
 flexible connection hoses  
 connection for shower hose  
 protected against backflow  
**without baseframe**  
 fixed spout  
**min. recommended pressure 1.0 bar**




**29 037 000 4005176865749 699.31**  
**4/5-hole bath combination (optional)**  
**baseframe for installation**  
**under tiled surround**  
 base frame  
 drainage box with  
 integrated outlet for splash water



**19 297 000 4005176820762 chrome 178.32**  
**Lineare**  
**Single-lever bath/shower mixer trim**  
**without concealed body**  
 set for final installation for  
 35 501 000  
 automatic diverter: bath/shower  
 metal escutcheon  
 covered coupling  
**GROHE StarLight®** chrome finish




**19 296 000 4005176820755 chrome 167.83**  
**Lineare**  
**Single-lever shower mixer trim**  
**without concealed body**  
 set for final installation for  
 35 501 000  
 metal escutcheon  
 covered coupling  
**GROHE StarLight®** chrome finish



**35 501 000 4005176833847 103.15**  
**GROHE Rapido E**  
**Universal Single-lever mixer**  
**for concealed installation**  
**without finishing trim set**  
**GROHE SilkMove®** 46 mm ceramic cartridge  
 adjustable flow rate limiter  
**min. recommended pressure 1.0 bar**


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 33 850 000 | 4005176820731 | chrome | 320.81                 |

**Lineare**  
Single-lever bath/shower mixer 1/2"  
wall mounted  
GROHE SilkMove® 46 mm ceramic cartridge  
adjustable flow rate limiter  
automatic diverter: bath/shower  
mousseur  
integrated non-return valves in the  
shower outlet 1/2"  
covered S-unions  
with shower set  
optional temperature limiter ref. no.  
46 505 000  
hand shower (28 034 000)  
wall shower holder (28 622 000)  
GROHE StarLight® chrome finish  
protected against backflow  
**min. recommended pressure 1.0 bar**




|            |               |        |        |
|------------|---------------|--------|--------|
| 33 849 000 | 4005176820724 | chrome | 272.73 |
|------------|---------------|--------|--------|

**Lineare**  
Single-lever bath/shower mixer 1/2"  
wall mounted  
GROHE SilkMove® 46 mm ceramic cartridge  
adjustable flow rate limiter  
automatic diverter: bath/shower  
mousseur  
integrated non-return valves in the  
shower outlet 1/2", covered S-unions  
protected against backflow  
optional temperature limiter ref. no.  
46 505 000  
GROHE StarLight® chrome finish  
**min. recommended pressure 1.0 bar**



|            |               |        |        |
|------------|---------------|--------|--------|
| 19 952 000 | 4005176174230 | chrome | 169.06 |
|------------|---------------|--------|--------|

**Talentofill**  
Inlet-, pop-up and waste-system  
set for final installation  
escutcheon  
supply part  
waste plug  
fixing set  
GROHE StarLight® chrome finish  
**min recommended pressure 1.0 bar**  
  
in combination with Talentofill  
28 990 000/28 991 000




# GROHE EUROCUBE



# GROHE EUROCUBE


| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|



**23 135 000**    **4005176901027**    **chrome**    **238.64**

**Eurocube**  
Single-lever **Basin mixer 1/2"**  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove®**  
**GROHE StarLight®** chrome finish  
swivel tubular spout with stop limiter  
mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
**GROHE QuickFix™ Plus** installation system  
temperature limiter  
**min. recommended pressure 1.0 bar**

**23 135 00E**    **4005176906732**    **chrome**    **238.64**  
**Ditto**, with **GROHE EcoJoy** 5.7 l/min flow limiter




**23 445 000**    **4005176998706**    **chrome**    **199.99**

**Eurocube**  
**Basin mixer 1/2"**  
monobloc installation  
medium height  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove®**  
with temperature limiter  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** mousseur 5.7 l/min  
pop-up waste set 1 1/4"  
flexible connection hoses  
**GROHE QuickFix™ Plus** installation system  
**min. recommended pressure 1.0 bar**  
available April 2014

**23 446 000**    **4005176998720**    **chrome**    **189.99**  
**Ditto**, smooth body  
available April 2014

# GROHE EUROCUBE

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|



**23 127 000**    **4005176900341**    **chrome**    **185.32**

**Eurocube**  
**Basin mixer 1/2"**  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove®**  
**GROHE StarLight®** chrome finish  
mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
**GROHE QuickFix™ Plus** installation system  
temperature limiter  
**min. recommended pressure 1.0 bar**


**23 127 00E**    **4005176901591**    **chrome**    **185.32**  
**Ditto**, with **GROHE EcoJoy** 5.7 l/min flow limiter

**23 132 000**    **4005176900990**    **chrome**    **178.32**  
**Ditto**, smooth body

**23 132 00E**    **4005176906725**    **chrome**    **178.32**  
**Ditto**, smooth body with **GROHE EcoJoy®** 5.7 l/min flowrate


**23 390 00E**    **4005176938436**    **chrome**    **185.32**  
**Ditto**, with **GROHE SilkMove® ES**

**23 392 00E**    **4005176938450**    **chrome**    **178.32**  
**Ditto**, smooth body with **GROHE SilkMove® ES**



**23 136 000**    **4005176901065**    **chrome**    **276.22**


**Eurocube**  
Single-lever **Basin mixer 1/2"**  
**for free-standing basins**  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove®**  
**GROHE StarLight®** chrome finish  
mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
**GROHE QuickFix™ Plus** installation system  
temperature limiter  
**min. recommended pressure 1.0 bar**



**19 895 000**    **4005176901072**    **chrome**    **249.13**

**Eurocube**  
**2-hole basin mixer**  
wall mounted  
**without concealed body**  
set for final installation for 32635000  
metal lever  
**GROHE StarLight®** chrome finish  
metal escutcheon  
**GROHE AquaGuide** adjustable mousseur  
centre distance 110 mm  
projection 171 mm

**23 447 000**    **4005176998737**    **chrome**    **269.99**  
**Ditto**, projection 210 mm  
available April 2014




**32 635 000**    **4005176845949**    **chrome**    **217.66**


**Single-lever mixer 1/2", concealed body**  
for 2 hole basin mixer  
wall installation  
**without finishing trim set**  
installation depth 45 to 75 mm  
**GROHE SilkMove®** 35 mm ceramic cartridge  
adjustable flow rate limiter  
installation device  
**min. recommended pressure 1.0 bar**




Ref.No. EAN code Colour Retail Guide Price (£)




**20 351 000 4005176901041 chrome 291.09**  
**Eurocube 3-hole basin mixer**  
 metal lever  
 spout with mousseur  
**GROHE StarLight®** chrome finish  
 ceramic headparts 1/2", 90°  
 pop-up waste set 1 1/4"  
**GROHE QuickFix™ Plus** installation system  
 union nut 1/2" x 10.5 mm  
 pressure-proof, flexible connection hoses  
 between spout and side valves  
**min. recommended pressure 1.0 bar**




**23 137 000 4005176901096 chrome 136.36**  
**Eurocube Pillar tap**  
 monobloc installation  
 metal lever  
 ceramic headpart  
**GROHE StarLight®** chrome finish  
**SpeedClean** mousseur  
**GROHE QuickFix™ Plus** installation system  
 union nut 1/2" x 10.5 mm  
**min. recommended pressure 1.0 bar**



**23 138 000 4005176901133 chrome 185.32**  
**Eurocube Bidet mixer 1/2"**  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove®**  
**GROHE StarLight®** chrome finish  
 ball-joint mousseur  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
**GROHE QuickFix™ Plus** installation system  
 temperature limiter  
**min. recommended pressure 1.0 bar**




**40 564 000 4005176912740 chrome 180.83**  
**Bottle trap for wash basin**  
**GROHE StarLight®** chrome finish  
 brass body




**40 565 000 4005176912757 chrome 68.19**  
**Plug incl. cup**  
 for standard pop-up waste set 1 3/4"  
**GROHE StarLight®** chrome finish


Ref.No. EAN code Colour Retail Guide Price (£)




**22 012 000 4005176906343 chrome 37.94**  
**Eurocube Angle valve 1/2"**  
 outlet thread 3/8"  
 metal handle




**25 137 000 4005176906770 chrome 346.65**  
**Eurocube Two-handed Bath/Shower mixer 1/2"**  
 deck mounted  
 metal handles  
 Longlife headpart 3/4"  
 automatic diverter: bath/shower  
 integrated non-return valve  
 in the shower outlet 1/2"  
**GROHE StarLight®** chrome finish  
**recommended pressure 0.2 - 5.0 bar**  
 available February 2014



**25 136 000 4005176906763 chrome 298.32**  
**Eurocube Two-handed Bath Filler 1/2"**  
 deck mounted  
 metal handles  
 Longlife headpart 3/4"  
**GROHE StarLight®** chrome finish  
**recommended pressure 0.2 - 5.0 bar**  
 available February 2014




**19 897 000 4005176901263 chrome 830.43**  
**Eurocube 4-hole single-lever bath combination**  
**GROHE SilkMove®** 46 mm ceramic cartridge  
 metal lever  
 pre-assembled spout fixing  
 bath inlet with mousseur  
 diverter bath/shower  
 hand shower Euphoria Cube (27 699 000) 9.5 l/min.  
 metal shower hose 2000 mm (48 018)  
 flexible connection hoses  
 protected against backflow  
**GROHE StarLight®** chrome finish  
**GROHE DreamSpray®** perfect spray pattern  
**min. recommended pressure 1.0 bar**



**29 037 000 4005176865749 699.31**  
**4/5-hole bath combination (optional) baseframe for installation under tiled surround**  
 base frame  
 drainage box with  
 integrated outlet for splash water


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 13 303 000 | 4005176906350 | chrome | 104.38                 |

**Eurocube**  
**Bath spout**  
wall mounted  
**GROHE StarLight®** chrome finish  
mousseur  
male thread 1/2"  
projection 170 mm




|            |               |        |        |
|------------|---------------|--------|--------|
| 19 896 000 | 4005176901201 | chrome | 167.83 |
|------------|---------------|--------|--------|

**Eurocube**  
**Single-lever bath/shower mixer trim without concealed body**  
set for final installation for 35 501 000  
**GROHE StarLight®** chrome finish  
automatic diverter: bath/shower  
metal lever  
escutcheon- and shaft-sealing  
metal escutcheon  
covered fixing





|            |               |        |        |
|------------|---------------|--------|--------|
| 19 898 000 | 4005176901300 | chrome | 157.34 |
|------------|---------------|--------|--------|

**Eurocube**  
**Single-lever shower mixer trim without concealed body**  
set for final installation for 35 501 000  
**GROHE StarLight®** chrome finish  
metal lever  
escutcheon- and shaft-sealing  
metal escutcheon, covered fixing




|            |               |  |        |
|------------|---------------|--|--------|
| 35 501 000 | 4005176833847 |  | 103.15 |
|------------|---------------|--|--------|

**GROHE Rapido E**  
**Universal Single-lever mixer for concealed installation**  
for use with bath- and shower-mixer  
**without finishing trim set**  
flat installation depth 70 mm - 100 mm  
easy to install, premounted and tested unit  
**GROHE SilkMove®** 46 mm ceramic cartridge  
adjustable flow rate limiter  
safe to install, stable built-in-box and protective cap  
fixation options for solid walls and dry cladding  
wall sealing  
all connectors 1/2", with identification marking  
diverter for bath-mixer in finishing trim set  
**min. recommended pressure 1.0 bar**




| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 19 910 000 | 4005176906602 | chrome | 52.27                  |

**Eurocube**  
**Concealed stop-valve trim**  
for concealed valves, 1/2", 3/4"  
without concealed body  
installation depth adjustable  
16-80 mm  
metal handle  
Sliding escutcheon with wall sealing  
20-80 mm




|            |               |  |       |
|------------|---------------|--|-------|
| 29 800 000 | 4005176504839 |  | 25.70 |
|------------|---------------|--|-------|

**Concealed stop-valve, 1/2"**  
pre-assembled headpart 1/2"  
short spindle  
protection sleeve  
threaded union 1/2"  
DR-brass




|            |               |  |       |
|------------|---------------|--|-------|
| 29 806 000 | 4005176504891 |  | 73.60 |
|------------|---------------|--|-------|

**Concealed valve 1"**  
with pre-installed headpart 1"  
short spindle  
protection sleeve  
soldered connection Ø28 mm  
DR-brass




|            |               |        |        |
|------------|---------------|--------|--------|
| 23 141 000 | 4005176901164 | chrome | 280.60 |
|------------|---------------|--------|--------|

**Eurocube**  
**Single-lever bath/shower mixer 1/2"**  
wall mounted  
metal lever  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
**GROHE DreamSpray®** perfect spray pattern  
adjustable flow rate limiter  
automatic diverter: bath/shower  
integrated non-return valve  
in the shower outlet 1/2"  
mousseur  
optional temperature limiter ref. no. 46 375 000  
covered S-unions  
with shower set  
wall shower holder (27 693 000)  
Hand shower (27 698 000)  
shower hose 1500 mm (28 151)  
protected against backflow  
**min. recommended pressure 1.0 bar**




| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 23 140 000 | 4005176901157 | chrome | 238.64                 |

**Eurocube**  
**Single-lever bath/shower mixer 1/2"**  
 wall mounted, metal lever  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 adjustable flow rate limiter  
 automatic diverter: bath/shower  
 integrated non-return valve  
 in the shower outlet 1/2"  
 mousseur, covered S-unions  
 optional temperature limiter ref. no. 46 375 000  
 protected against backflow  
**min. recommended pressure 1.0 bar**




|            |               |        |        |
|------------|---------------|--------|--------|
| 23 145 000 | 4005176901270 | chrome | 217.66 |
|------------|---------------|--------|--------|

**Eurocube**  
**Single-lever shower mixer 1/2"**  
 wall mounted  
 metal lever  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 adjustable flow rate limiter  
 shower bottom outlet 1/2" with  
 integrated non return-valve  
 covered S-unions  
 optional temperature limiter ref. no. 46 375 000  
 protected against backflow  
**min. recommended pressure 1.0 bar**



|            |               |  |       |
|------------|---------------|--|-------|
| 18 541 000 | 4005176910869 |  | 26.23 |
|------------|---------------|--|-------|


**Eurocube**  
**Shelf**  
 for shower mixer 23 145 000  
 for shower mixer 23 193 000



# GROHE EUROPLUS



| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|




|            |               |        |        |
|------------|---------------|--------|--------|
| 32 612 20L | 4005176917066 | chrome | 186.19 |
|------------|---------------|--------|--------|

**Europlus Basin mixer 1/2"**  
for low pressure  
monobloc installation  
metal lever  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
adjustable flow rate limiter  
adjustable minimum flow rate 2.5 l/min  
**SpeedClean** mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
temperature limiter  
**GROHE QuickFix™** Plus installation system with centering support  
**Min. recommended pressure 0.1 bar**

|            |               |        |        |
|------------|---------------|--------|--------|
| 33 163 20L | 4005176917073 | chrome | 160.32 |
|------------|---------------|--------|--------|

**Ditto**, smooth body



|            |               |        |        |
|------------|---------------|--------|--------|
| 32 612 002 | 4005176865886 | chrome | 185.32 |
|------------|---------------|--------|--------|

**Europlus Basin mixer 1/2"**  
monobloc installation  
metal lever  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
adjustable minimum flow rate 2.5 l/min  
**SpeedClean** mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
optional temperature limiter ref. no. 08 791  
**GROHE QuickFix™** Plus installation system with centering support  
**min. recommended pressure 1.0 bar**

|            |               |        |        |
|------------|---------------|--------|--------|
| 32 612 00E | 4005176860102 | chrome | 185.32 |
|------------|---------------|--------|--------|

**Ditto**, with **GROHE Ecojoy** 5.7 l/min flow limiter

|            |               |        |        |
|------------|---------------|--------|--------|
| 33 163 002 | 4005176865909 | chrome | 160.32 |
|------------|---------------|--------|--------|


**Ditto**, smooth body



|          |               |  |       |
|----------|---------------|--|-------|
| 11 522 1 | 4005176910081 |  | 30.60 |
|----------|---------------|--|-------|


**Click Waste 1 1/4"**  
for basins mixers without Pop Up Waste  
removable cover

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|




|            |               |        |        |
|------------|---------------|--------|--------|
| 33 156 002 | 4005176865930 | chrome | 174.83 |
|------------|---------------|--------|--------|

**Europlus Basin mixer 1/2"**  
small version  
monobloc installation  
metal lever  
28 mm ceramic cartridge with **GROHE SilkMove®**  
**GROHE StarLight®** chrome finish  
adjustable mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
rapid installation system  
**min recommended pressure 1.0 bar**




|            |               |        |        |
|------------|---------------|--------|--------|
| 33 155 002 | 4005176865947 | chrome | 265.73 |
|------------|---------------|--------|--------|

**Europlus Basin mixer 1/2"**  
monobloc installation  
metal lever  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
adjustable minimum flow rate 2.5 l/min  
pull out spout with mousseur  
integrated non-return valve  
pop-up waste set 1 1/4"  
flexible connection hoses  
temperature limiter  
rapid installation system  
**min recommended pressure 1.0 bar**




|            |               |        |        |
|------------|---------------|--------|--------|
| 32 618 002 | 4005176866029 | chrome | 265.73 |
|------------|---------------|--------|--------|

**Europlus Basin mixer 1/2"**  
**for free-standing basins**  
monobloc installation  
metal lever  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
adjustable minimum flow rate 2.5 l/min  
**SpeedClean** mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
temperature limiter  
**GROHE QuickFix™** Plus installation system with centering support  
**min recommended pressure 1.0 bar**



|            |               |        |        |
|------------|---------------|--------|--------|
| 20 301 000 | 4005176896422 | chrome | 265.73 |
|------------|---------------|--------|--------|

**Europlus Three-hole basin mixer 1/2"**  
spout with mousseur  
**GROHE StarLight®** chrome finish  
ceramic headparts 1/2", 90°  
pop-up waste set 1 1/4"  
**GROHE QuickFix™** installation system with centering support  
pressure-proof, flexible connection hoses between spout and side valves  
**min. recommended pressure 1.0 bar**




|            |               |        |        |
|------------|---------------|--------|--------|
| 33 241 002 | 4005176865954 | chrome | 185.32 |
|------------|---------------|--------|--------|

**Europlus Bidet mixer 1/2"**  
monobloc installation  
metal lever  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
adjustable minimum flow rate 2.5 l/min  
ball-joint mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
temperature limiter  
**GROHE QuickFix™** Plus installation system with centering support  
**min. recommended pressure 1.0 bar**




| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|




|            |               |        |        |
|------------|---------------|--------|--------|
| 25 133 002 | 4005176905254 | chrome | 335.67 |
|------------|---------------|--------|--------|

**Europlus**  
Two-handed Bath/Shower mixer 1/2"  
deck mounted  
metal handles  
Longlife headpart 3/4"  
automatic diverter: bath/shower  
integrated non-return valve  
in the shower outlet 1/2"  
**GROHE StarLight®** chrome finish  
recommended pressure 0.2 - 5.0 bar





|            |               |        |        |
|------------|---------------|--------|--------|
| 25 132 002 | 4005176905247 | chrome | 287.73 |
|------------|---------------|--------|--------|

**Europlus**  
Two-handed Bath Filler 1/2"  
deck mounted  
metal handles  
Longlife headpart 3/4"  
**GROHE StarLight®** chrome finish  
recommended pressure 0.2 - 5.0 bar





|            |               |        |        |
|------------|---------------|--------|--------|
| 19 536 002 | 4005176866067 | chrome | 157.34 |
|------------|---------------|--------|--------|

**Europlus**  
Single-lever bath/shower mixer trim  
without concealed body  
set for final installation for  
35 501 000  
**GROHE StarLight®** chrome finish  
automatic diverter: bath/shower  
metal lever  
escutcheon- and shaft-sealing  
wall escutcheon  
covered fixing



|            |               |        |        |
|------------|---------------|--------|--------|
| 19 537 002 | 4005176868412 | chrome | 146.85 |
|------------|---------------|--------|--------|


**Europlus**  
Single-lever shower mixer trim  
without concealed body  
set for final installation for  
35 501 000  
**GROHE StarLight®** chrome finish  
metal lever  
escutcheon- and shaft-sealing  
wall escutcheon  
covered fixing



|            |               |  |        |
|------------|---------------|--|--------|
| 35 501 000 | 4005176833847 |  | 103.15 |
|------------|---------------|--|--------|


**GROHE Rapido E**  
Universal Single-lever mixer  
for concealed installation  
without finishing trim set  
**GROHE SilkMove®** 46 mm ceramic cartridge  
adjustable flow rate limiter  
min. recommended pressure 1.0 bar

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|



|            |               |        |        |
|------------|---------------|--------|--------|
| 33 547 002 | 4005176866081 | chrome | 276.22 |
|------------|---------------|--------|--------|

**Europlus**  
Single-lever bath/shower mixer 1/2"  
wall mounted  
metal lever  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
adjustable flow rate limiter  
automatic diverter: bath/shower  
integrated non-return valve  
in the shower outlet 1/2"  
**SpeedClean** mousseur  
S-unions  
protected against backflow  
temperature limiter  
with shower set  
hand shower euphoria 110 Champagne (27 222 000)  
wall shower holder (28 622 000)  
Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151 000)  
min recommended pressure 1.0 bar




|            |               |        |        |
|------------|---------------|--------|--------|
| 33 553 002 | 4005176865978 | chrome | 213.29 |
|------------|---------------|--------|--------|

**Europlus**  
Single-lever bath/shower mixer 1/2"  
wall mounted  
metal lever  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
adjustable flow rate limiter  
automatic diverter: bath/shower  
integrated non-return valve  
in the shower outlet 1/2"  
**SpeedClean** mousseur  
S-unions, temperature limiter  
protected against backflow  
min recommended pressure 1.0 bar  
without shower set


|            |               |        |        |
|------------|---------------|--------|--------|
| 32 625 002 | 4005176866050 | chrome | 192.31 |
|------------|---------------|--------|--------|

Ditto, without s-unions



|            |               |        |        |
|------------|---------------|--------|--------|
| 33 577 002 | 4005176866074 | chrome | 192.31 |
|------------|---------------|--------|--------|

**Europlus**  
Single-lever shower mixer 1/2"  
wall mounted  
metal lever  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
adjustable flow rate limiter  
shower bottom outlet 1/2" with  
integrated non return-valve  
S-unions  
temperature limiter  
protected against backflow  
without shower set  
min recommended pressure 1.0 bar



| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 18 121 000 | 4005176815812 | chrome | 62.16                  |

**Pillar union**  
180 mm centres  
GROHE StarLight® chrome finish

# GROHE ESSENCE



GROHE EcoJoy™




GROHE Silk-Move®



GROHE StarLight®




| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|



|            |               |        |        |
|------------|---------------|--------|--------|
| 32 628 000 | 4005176845796 | chrome | 222.90 |
|------------|---------------|--------|--------|


**Essence**  
Basin mixer 1/2"  
monobloc installation  
GROHE SilkMove® 35 mm ceramic cartridge  
adjustable flow rate limiter  
swivel tubular spout with stop limiter  
integrated mousseur  
flexible connection hoses  
pop-up waste set 1 1/4"  
rapid installation system  
covered lever fixing  
optional temperature limiter ref. no. 46 375 000  
GROHE StarLight® chrome finish  
min. recommended pressure 1.0 bar

|            |               |        |        |
|------------|---------------|--------|--------|
| 33 532 000 | 4005176816369 | chrome | 169.93 |
|------------|---------------|--------|--------|



|                                            |               |        |        |
|--------------------------------------------|---------------|--------|--------|
| 33 562 00E                                 | 4005176866852 | chrome | 169.93 |
| Ditto, flow rate 5.0 l/min                 |               |        |        |
| 34 294 000                                 | 4005176852749 | chrome | 144.58 |
| Ditto, smooth body                         |               |        |        |
| 23 368 00E                                 | 4005176936517 | chrome | 169.93 |
| Ditto, with GROHE SilkMove® ES             |               |        |        |
| 23 369 00E                                 | 4005176936524 | chrome | 144.58 |
| Ditto, smooth body with GROHE SilkMove® ES |               |        |        |


|            |               |        |        |
|------------|---------------|--------|--------|
| 32 898 000 | 4005176879395 | chrome | 159.27 |
|------------|---------------|--------|--------|



**Essence**  
Basin mixer 1/2"  
monobloc installation, small version, metal lever  
28 mm ceramic cartridge  
with GROHE SilkMove®  
GROHE StarLight® chrome finish  
integrated mousseur, pop-up waste set 1 1/4"  
flexible connection hoses  
GROHE QuickFix™ installation system  
with centering support  
with temperature limiter  
min. recommended pressure 1.0 bar


|                                |               |        |        |
|--------------------------------|---------------|--------|--------|
| 32 898 00E                     | 4005176879456 | chrome | 159.27 |
| Ditto, flow rate 5.0 l/min     |               |        |        |
| 23 379 00E                     | 4005176938221 | chrome | 159.27 |
| Ditto, with GROHE SilkMove® ES |               |        |        |

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|





|            |               |        |        |
|------------|---------------|--------|--------|
| 32 247 000 | 4005176832260 | chrome | 306.82 |
|------------|---------------|--------|--------|

**Essence**  
Basin mixer 1/2"  
for free-standing basins  
GROHE SilkMove® 35 mm ceramic cartridge  
mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
rapid installation system  
GROHE StarLight® chrome finish  
min. recommended pressure 1.0 bar



|            |               |        |        |
|------------|---------------|--------|--------|
| 32 901 000 | 4005176879418 | chrome | 292.49 |
|------------|---------------|--------|--------|


**Essence**  
Basin mixer 1/2"  
for free-standing basins  
monobloc installation, metal lever  
28 mm ceramic cartridge  
with GROHE SilkMove®  
GROHE StarLight® chrome finish  
integrated mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
GROHE QuickFix™ installation system  
with centering support  
with temperature limiter  
min. recommended pressure 1.0 bar



|            |               |        |        |
|------------|---------------|--------|--------|
| 19 408 000 | 4005176876929 | chrome | 233.39 |
|------------|---------------|--------|--------|

**Essence**  
2-hole basin mixer  
wall mounted  
without concealed body  
set for final installation for 33 769 000  
GROHE StarLight® chrome finish  
with metal plate  
integrated mousseur  
projection 149 mm  
centre distance 110 mm

|                          |               |        |        |
|--------------------------|---------------|--------|--------|
| 19 967 000               | 4005176986963 | chrome | 253.99 |
| Ditto, projection 200 mm |               |        |        |



|            |               |  |        |
|------------|---------------|--|--------|
| 33 769 000 | 4005176819605 |  | 201.05 |
|------------|---------------|--|--------|


**Single-lever mixer 1/2", concealed body**  
for 2 hole basin mixer  
wall installation  
without finishing trim set  
GROHE SilkMove® 46 mm ceramic cartridge  
adjustable flow rate limiter  
min. recommended pressure 1.0 bar




|          |               |  |       |
|----------|---------------|--|-------|
| 11 522 1 | 4005176910081 |  | 30.60 |
|----------|---------------|--|-------|

**Click Waste**  
1 1/4"  
for basins mixers without Pop Up Waste  
removable cover


Ref.No. EAN code Colour Retail Guide Price (£)




**20 296 000 4005176896385 chrome 285.84**  
**Essence**  
**Three-hole basin mixer 1/2"**  
 tubular spout  
 integrated mousseur  
**GROHE StarLight®** chrome finish  
 ceramic headparts 1/2", 90°  
 pop-up waste set 1 1/4"  
 rapid installation system  
 pressure-proof, flexible connection hoses  
 between spout and side valves  
**min. recommended pressure 1.0 bar**




**20 299 000 4005176896415 chrome 306.82**  
**Essence**  
**Three-hole basin mixer 1/2"**  
 high tubular spout  
 integrated mousseur  
**GROHE StarLight®** chrome finish  
 ceramic headparts 1/2", 90°  
 pop-up waste set 1 1/4"  
 rapid installation system  
 pressure-proof, flexible connection hoses  
 between spout and side valves  
**min. recommended pressure 1.0 bar**



**33 603 000 4005176816499 chrome 159.27**  
**Essence**  
**Bidet mixer 1/2"**  
 monobloc installation  
**GROHE SilkMove®** 35 mm ceramic cartridge  
 adjustable flow rate limiter  
 ball-joint mousseur  
 flexible connection hoses  
 pop-up waste set 1 1/4"  
 rapid installation system  
 covered lever fixing  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**




**32 935 000 4005176879449 chrome 169.93**  
**Essence**  
**Bidet mixer 1/2"**  
 monobloc installation  
 small version, metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove®**  
**GROHE StarLight®** chrome finish  
 ball-joint mousseur  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
**GROHE QuickFix™** installation system  
 with centering support  
 with temperature limiter  
**min. recommended pressure 1.0 bar**




**19 578 000 4005176889806 chrome 737.77**  
**Essence**  
**4-hole single-lever bath combination**  
**GROHE StarLight®** chrome finish  
**GROHE SilkMove®** 46 mm ceramic cartridge  
 pre-assembled spout fixing  
 OHM operating element  
 diverter bath/shower  
 hand shower 27 400 000, metal shower hose 2000 mm  
 flexible connection hoses  
 connection for shower hose  
 protected against backflow  
**without baseframe**  
 max. pressure differential 5:1  
 fixed spout  
**min. recommended pressure 1.0 bar**


Ref.No. EAN code Colour Retail Guide Price (£)




**29 037 000 4005176865749 699.31**  
**4/5-hole bath combination (optional)**  
**baseframe for installation**  
**under tiled surround**  
 base frame  
 drainage box with  
 integrated outlet for splash water



**19 285 000 4005176816543 chrome 131.13**  
**Essence**  
**Single-lever bath/shower mixer trim**  
**without concealed body**  
 set for final installation for  
 35 501 000  
 automatic diverter: bath/shower  
**GROHE StarLight®** chrome finish



**19 286 000 4005176816550 chrome 131.13**  
**Essence**  
**Single-lever shower mixer trim**  
**without concealed body**  
 set for final installation for  
 35 501 000  
**GROHE StarLight®** chrome finish




**35 501 000 4005176833847 103.15**  
**GROHE Rapido E**  
**Universal Single-lever mixer**  
**for concealed installation**  
**without finishing trim set**  
**GROHE SilkMove®** 46 mm ceramic cartridge  
 adjustable flow rate limiter  
**min. recommended pressure 1.0 bar**




| Ref.No.    | EAN code      | Colour | Retail Guide Price (€) |
|------------|---------------|--------|------------------------|
| 33 628 000 | 4005176816529 | chrome | 264.86                 |

**Essence**  
Single-lever bath/shower mixer 1/2"  
wall mounted  
GROHE SilkMove® 46 mm ceramic cartridge  
adjustable flow rate limiter  
cast spout  
automatic diverter: bath/shower  
integrated mousseur  
integrated non-return valve  
S-unions  
covered lever fixing  
hand shower New Tempesta Cosmopolitan 100, 3 sprays 9.5 l (27 574 000)  
wall shower holder (28 605 000)  
shower hose (28 151 000)  
optional temperature limiter ref. no. 46 308 000  
GROHE StarLight® chrome finish  
min. recommended pressure 1.0 bar




|            |               |        |        |
|------------|---------------|--------|--------|
| 33 624 000 | 4005176816512 | chrome | 233.39 |
|------------|---------------|--------|--------|

**Essence**  
Single-lever bath/shower mixer 1/2"  
wall mounted  
GROHE SilkMove® 46 mm ceramic cartridge  
adjustable flow rate limiter  
cast spout  
automatic diverter: bath/shower  
integrated mousseur  
integrated non-return valve  
S-unions  
covered lever fixing  
GROHE StarLight® chrome finish  
min. recommended pressure 1.0 bar




|            |               |        |        |
|------------|---------------|--------|--------|
| 33 636 000 | 4005176816536 | chrome | 212.41 |
|------------|---------------|--------|--------|

**Essence**  
Single-lever shower mixer 1/2"  
wall mounted  
GROHE SilkMove® 46 mm ceramic cartridge  
adjustable flow rate limiter  
shower bottom outlet 1/2"  
integrated non-return valve  
S-unions  
covered lever fixing  
GROHE StarLight® chrome finish  
min. recommended pressure 1.0 bar



|            |               |        |        |
|------------|---------------|--------|--------|
| 19 952 000 | 4005176174230 | chrome | 169.06 |
|------------|---------------|--------|--------|

**Talentofill**  
Inlet, pop-up and waste-system  
set for final installation  
escutcheon  
supply part  
waste plug  
fixing set  
GROHE StarLight® chrome finish  
min recommended pressure 1.0 bar




in combination with Talentofill  
28 990 000/28 991 000

# GROHE EURODISC COSMOPOLITAN



# GROHE EURODISC COSMOPOLITAN

Ref.No. EAN code Colour Retail Guide Price (£)




**23 054 002 4005176887642 chrome 217.66**  
**Eurodisc Cosmopolitan Basin mixer 1/2"**  
 monobloc installation  
 pop-up waste set 1 1/4"  
**GROHE StarLight®** chrome finish  
**GROHE SilkMove®** 35 mm ceramic cartridge  
 adjustable flow rate limiter  
 swivel tubular spout with stop limiter  
 mousseur  
 flexible connection hoses  
**GROHE QuickFix™ Plus** installation system  
 covered lever fixing  
 optional temperature limiter ref. no. 46 375 000  
**min. recommended pressure 1.0 bar**



**23 448 002 4005176998744 chrome 178.33**  
**Eurodisc Cosmopolitan Basin mixer 1/2"**  
 monobloc installation  
 medium height  
 metal lever  
**GROHE SilkMove®** 35 mm ceramic cartridge  
 with temperature limiter  
 adjustable flow rate limiter  
 adjustable minimum flow rate 2.5 l/min  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** mousseur 5.7 l/min  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
**GROHE QuickFix™ Plus** installation system  
**min. recommended pressure 1.0 bar**  
 available April 2014

**23 449 002 4005176998768 chrome 168.33**  
**Ditto, smooth body**  
 available April 2014




**33 190 20L 4005176917103 chrome 164.51**  
**Eurodisc Cosmopolitan Basin mixer 1/2"**  
 for low pressure  
 monobloc installation  
 metal lever  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 adjustable flow rate limiter  
 mousseur  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
**GROHE QuickFix™ Plus** installation system with centering support  
 optional temperature limiter ref. no. 46 375 000  
**min. recommended pressure 0.2 bar**

**32 469 20L 4005176917110 chrome 149.83**  
**Ditto, smooth body**

# GROHE EURODISC COSMOPOLITAN

Ref.No. EAN code Colour Retail Guide Price (£)




**33 190 002 4005176887475 chrome 164.51**  
**Eurodisc Cosmopolitan Basin mixer 1/2"**  
 monobloc installation  
 metal lever  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 adjustable flow rate limiter  
 adjustable minimum flow rate 2.5 l/min  
 mousseur  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
**GROHE QuickFix™ Plus** installation system with centering support  
 optional temperature limiter ref. no. 46 375 000  
 noise classification 1 in accordance with DIN4109

**33 190 20E 4005176887482 164.51**  
**Ditto, with GROHE EcoJoy 5.7 l/min flow limiter**

**32 469 002 4005176887604 chrome 149.83**  
**Ditto, smooth body**


**32 469 20E 4005176908835 149.83**  
**Ditto, smooth body with GROHE EcoJoy® 5.7 l/min flowrate**



**23 049 002 4005176887536 chrome 164.51**  
**Eurodisc Cosmopolitan Basin mixer 1/2"**  
 monobloc installation  
 small version  
 metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove®**  
**GROHE StarLight®** chrome finish  
 mousseur  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
**GROHE QuickFix™ Plus** installation system with centering support  
**min. recommended pressure 1.0 bar**

**23 389 20E 4005176938412 164.51**  
**Ditto, with GROHE SilkMove® ES**


**23 382 20E 4005176936708 149.83**  
**Ditto, smooth body with GROHE SilkMove® ES**



**23 055 002 4005176887680 chrome 243.32**  
**Eurodisc Cosmopolitan Basin mixer 1/2"**  
 for free-standing basins  
 monobloc installation  
 metal lever  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 adjustable flow rate limiter  
 adjustable minimum flow rate 2.5 l/min  
 mousseur  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
**GROHE QuickFix™ Plus** installation system with centering support  
 optional temperature limiter ref. no. 46 375 000  
**min. recommended pressure 1.0 bar**


# GROHE EURODISC COSMOPOLITAN

Ref.No. EAN code Colour Retail Guide Price (£)



**19 573 002 4005176887659** **chrome 217.49**

**Eurodisc Cosmopolitan 2-hole basin mixer**  
wall mounted  
**without concealed body**  
set for final installation for 32 635 000  
**GROHE StarLight®** chrome finish  
metal escutcheon  
**GROHE AquaGuide NEW**  
centre distance 110 mm  
projection 170 mm




**32 635 000 4005176845949** **217.66**

**Quadra Single-lever mixer 1/2", concealed body**  
for 2 hole basin mixer  
wall installation  
**without finishing trim set**  
installation depth 45 to 75 mm  
**GROHE SilkMove®** 35 mm ceramic cartridge  
installation device  
**min recommended pressure 1.0 bar**




**11 522 1 4005176910081** **30.60**

**Click Waste 1 1/4"**  
for basins mixers without Pop Up Waste  
removable cover



**20 214 002 4005176887666** **chrome 255.24**

**Eurodisc Cosmopolitan Three-hole basin mixer 1/2"**  
spout with mousseur  
**GROHE StarLight®** chrome finish  
ceramic headparts 1/2", 90°  
pop-up waste set 1 1/4"  
**GROHE QuickFix™** Plus installation system with centering support  
pressure-proof, flexible connection hoses between spout and side valves  
**min. recommended pressure 1.0 bar**




**23 051 002 4005176887567** **chrome 97.03**

**Eurodisc Cosmopolitan Pillar tap**  
**GROHE EcoJoy®** technology for less water and perfect flow  
monobloc installation  
metal lever  
ceramic headpart  
**GROHE StarLight®** chrome finish  
**SpeedClean** mousseur  
union nut 1/2" x 10.5 mm  
**min. recommended pressure 1.0 bar**


# GROHE EURODISC COSMOPOLITAN

Ref.No. EAN code Colour Retail Guide Price (£)




**33 244 002 4005176888779** **chrome 164.51**

**Eurodisc Cosmopolitan Bidet mixer 1/2"**  
monobloc installation  
metal lever  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
adjustable flow rate limiter  
adjustable minimum flow rate 2.5 l/min  
ball-joint mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
**GROHE QuickFix™** Plus installation system with centering support  
optional temperature limiter ref. no. 46 375 000  
**min. recommended pressure 1.0 bar**




**25 141 002 4005176906817** **chrome 336.54**

**Eurodisc Cosmopolitan Two-handed Bath/Shower mixer 1/2"**  
deck mounted  
metal handles  
Longlife headpart 3/4"  
automatic diverter: bath/shower  
integrated non-return valve in the shower outlet 1/2"  
**GROHE StarLight®** chrome finish  
**recommended pressure 0.2 - 5.0 bar**




**25 140 002 4005176906800** **chrome 278.85**

**Eurodisc Cosmopolitan Two-handed Bath Filler 1/2"**  
deck mounted  
metal handles  
Longlife headpart 3/4"  
**GROHE StarLight®** chrome finish  
**recommended pressure 0.2 - 5.0 bar**



**19 574 002 4005176887833** **chrome 703.31**

**Eurodisc Cosmopolitan 4-hole single-lever bath combination**  
**GROHE StarLight®** chrome finish  
**GROHE SilkMove®** 46 mm ceramic cartridge  
OHM operating element  
pre-assembled spout fixing  
optional swivel bath inlet with mousseur  
diverter bath/shower  
Euphoria Cosmopolitan hand shower (27 400 000)  
metal shower hose 2000 mm, flexible connection hoses  
connection for shower hose, protected against backflow  
**without baseframe**  
fixed spout  
**min. recommended pressure 1.0 bar**



**29 037 000 4005176865749** **699.31**


**4/5-hole bath combination (optional) baseframe for installation under tiled surround**  
base frame  
drainage box with integrated outlet for splash water

# GROHE EURODISC COSMOPOLITAN

Ref.No. EAN code Colour Retail Guide Price (£)


13 278 002 4005176887871 chrome 115.39

**Eurodisc Cosmopolitan**  
**Bath spout**  
wall mounted  
**GROHE StarLight®** chrome finish  
mousseur  
male thread 1/2"  
projection 170 mm  
**min. recommended pressure 1.0 bar**




19 549 002 4005176887758 chrome 138.11

**Eurodisc Cosmopolitan**  
**Single-lever shower mixer trim**  
**without concealed body**  
set for final installation for 35 501 000  
**GROHE StarLight®** chrome finish  
metal lever  
escutcheon- and shaft-sealing  
wall escutcheon  
covered fixing




19 548 002 4005176887840 chrome 148.60

**Eurodisc Cosmopolitan**  
**Single-lever bath/shower mixer trim**  
**without concealed body**  
set for final installation for 35 501 000  
**GROHE StarLight®** chrome finish  
automatic diverter: bath/shower  
metal lever  
escutcheon- and shaft-sealing  
wall escutcheon  
covered fixing




35 501 000 4005176833847 103.15

**GROHE Rapido E**  
**Universal Single-lever mixer**  
**for concealed installation**  
**without finishing trim set**  
**GROHE SilkMove®** 46 mm ceramic cartridge  
adjustable flow rate limiter  
**min. recommended pressure 1.0 bar**



33 390 002 4005176887796 chrome 202.80

**Eurodisc Cosmopolitan**  
**Single-lever bath/shower mixer 1/2"**  
wall mounted, metal lever  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
adjustable flow rate limiter  
adjustable minimum flow rate 2.5 l/min  
automatic diverter: bath/shower  
integrated non-return valve  
in the shower outlet 1/2"  
mousseur, S-unions  
optional temperature limiter ref. no. 46 308 000  
protected against backflow  
**min. recommended pressure 1.0 bar**




# GROHE EURODISC COSMOPOLITAN

Ref.No. EAN code Colour Retail Guide Price (£)


33 569 002 4005176887734 chrome 181.82

**Eurodisc Cosmopolitan**  
**Single-lever shower mixer 1/2"**  
wall mounted, metal lever  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
adjustable flow rate limiter  
adjustable minimum flow rate 2.5 l/min  
shower bottom outlet 1/2"  
integrated non-return valve, S-unions  
optional temperature limiter ref. no. 46 308 000  
protected against backflow  
**min. recommended pressure 1.0 bar**




18 349 L02 4005176894336 63.83

**Eurodisc Cosmopolitan**  
**Plastic tray**  
for 33 569 002



23 058 002 4005176887741 chrome 580.42

**Eurodisc Cosmopolitan System 180**  
**Shower system with single lever for wall mounting**  
horizontal swivable 450 mm projection shower arm  
exposed single-lever shower mixer  
with diverter  
allows change between:  
head shower Euphoria Cosmopolitan (27 492 000)  
with ball joint, rotation angle ± 15°  
Euphoria Cosmopolitan hand shower (27 400 000)  
adjustable in height with gliding element (12 140 000)  
Silverflex shower hose 1750 mm (28 388 000)  
minimum flow rate 7 l/min.  
**GROHE EcoJoy®** technology for less water and perfect flow  
**GROHE SilkMove**  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish, **min. recommended pressure 1.0 bar**





# GROHE CONCETTO



GROHE  
EcoJoy™



GROHE  
Silk-Move®



GROHE  
StarLight®




GROHE  
QuickFix®




# GROHE CONCETTO

Ref.No. EAN code Colour Retail Guide Price (£)



**32 629 001** 4005176888847 **chrome** 166.61

**Concetto**  
Basin mixer 1/2"  
monobloc installation  
**GROHE StarLight®** chrome finish  
**GROHE SilkMove®** 35 mm ceramic cartridge  
adjustable flow rate limiter  
swivel tubular spout with stop limiter  
mousseur  
flexible connection hoses  
pop-up waste set 1 1/4"  
**GROHE QuickFix®** installation system  
covered lever fixing  
optional temperature limiter ref. no. 46 375 000  
**min. recommended pressure 1.0 bar**




**23 450 001** 4005176998775 **chrome** 134.99

**Concetto**  
Basin mixer 1/2"  
monobloc installation  
medium height  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove®**  
with temperature limiter  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** mousseur 5.7 l/min  
pop-up waste set 1 1/4"  
flexible connection hoses  
**GROHE QuickFix®** rapid installation system  
**min. recommended pressure 1.0 bar**  
available April 2014

**23 451 001** 4005176998799 **chrome** 125.00

**Ditto**, smooth body  
available April 2014



**32 202 10L** 4005176903960 **chrome** 124.47


**Concetto**  
Basin mixer 1/2"  
monobloc installation  
metal lever  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
**GROHE QuickFix®** installation system  
optional temperature limiter ref. no. 46 375 000  
**min. recommended pressure 0.2 bar**

**32 240 10L** 4005176903977 **chrome** 112.94

**Ditto**, smooth body

# GROHE CONCETTO

Ref.No. EAN code Colour Retail Guide Price (£)



**32 204 001** 4005176887338 **chrome** 124.47

**Concetto**  
Basin mixer 1/2"  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with **GROHE SilkMove®**  
**GROHE StarLight®** chrome finish  
mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
**GROHE QuickFix™** installation system  
with centering support  
with temperature limiter  
**min. recommended pressure 1.0 bar**

**32 204 10E** 4005176887345 **chrome** 124.47

**Ditto**, with **GROHE EcoJoy** 5.7 l/min flow limiter

**32 240 001** 4005176888809 **chrome** 112.94

**Ditto**, smooth body

**32 240 10E** 4005176906794 **chrome** 112.94


**Ditto**, smooth body with **GROHE EcoJoy®** 5.7 l/min flowrate

**23 380 10E** 4005176938245 **chrome** 124.47

**Ditto**, with **GROHE SilkMove®** ES


**23 385 10E** 4005176938269 **chrome** 112.94

**Ditto**, smooth body with **GROHE SilkMove®** ES



**19 575 001** 4005176888366 **chrome** 177.45

**Concetto**  
2-hole basin mixer  
wall mounted  
**without concealed body**  
set for final installation for  
32 635 000  
**GROHE StarLight®** chrome finish  
metal escutcheon  
**GROHE AquaGuide NEW**  
centre distance 110 mm  
projection 170 mm



**32 635 000** 4005176845949 217.66


**Quadra**  
Single-lever mixer 1/2", concealed body  
for 2 hole basin mixer  
wall installation  
**without finishing trim set**  
installation depth 45 to 75 mm  
**GROHE SilkMove®** 35 mm ceramic cartridge  
installation device  
**min recommended pressure 1.0 bar**




**11 522 1** 4005176910081 30.60

**Click Waste**  
1 1/4"  
for basins mixers without Pop Up Waste  
removable cover


Ref.No. EAN code Colour Retail Guide Price (£)




**20 216 001 4005176888373 chrome 229.90**  
**Concetto**  
**Three-hole basin mixer 1/2"**  
 spout with mousseur  
**GROHE StarLight®** chrome finish  
 ceramic headpart  
 pop-up waste set 1 1/4"  
**GROHE QuickFix™** installation system  
 with centering support  
 pressure-proof, flexible connection hoses  
 between spout and side valves  
**min. recommended pressure 1.0 bar**




**32 208 001 4005176888908 chrome 124.47**  
**Concetto**  
**Bidet mixer 1/2"**  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove®**  
**GROHE StarLight®** chrome finish  
 ball-joint mousseur  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
**GROHE QuickFix™** installation system  
 with centering support  
 with temperature limiter  
**min. recommended pressure 1.0 bar**



**25 109 000 4005176881848 chrome 296.33**  
**Concetto**  
**Two-handled Bath/Shower mixer 1/2"**  
 deck mounted  
 metal handles  
 Longlife headpart 3/4"  
 automatic diverter: bath/shower  
 integrated non-return valve  
 in the shower outlet 1/2"  
**GROHE StarLight®** chrome finish  
**recommended pressure 0.2-5.0 bar**




**25 102 000 4005176881671 chrome 250.00**  
**Concetto**  
**Two-handled Bath Filler 1/2"**  
 deck mounted  
 metal handles  
 Longlife headpart 3/4"  
**GROHE StarLight®** chrome finish  
**recommended pressure 0.2-5.0 bar**




**19 576 001 4005176888625 chrome 578.67**  
**Concetto**  
**4-hole single-lever bath combination**  
**GROHE StarLight®** chrome finish  
**GROHE SilkMove®** 46 mm ceramic cartridge  
 OHM operating element  
 pre-assembled spout fixing  
 diverter bath/shower  
 Euphoria Cosmopolitan hand shower (27 400 000)  
 metal shower hose 2000 mm  
 flexible connection hoses  
 connection for shower hose  
 protected against backflow  
**without baseframe**  
 fixed spout, **min. recommended pressure 1.0 bar**


Ref.No. EAN code Colour Retail Guide Price (£)




**13 280 001 4005176888687 chrome 87.41**  
**Concetto**  
**Bath spout**  
 wall mounted  
**GROHE StarLight®** chrome finish  
 mousseur  
 male thread 1/2"  
 projection 170 mm




**19 346 001 4005176889080 chrome 131.13**  
**Concetto**  
**Single-lever bath/shower mixer trim**  
**without concealed body**  
 set for final installation for  
 35 501 000  
**GROHE StarLight®** chrome finish  
 automatic diverter: bath/shower  
 escutcheon- and shaft-sealing  
 wall escutcheon  
 covered coupling



**19 345 001 4005176888953 chrome 120.64**  
**Concetto**  
**Single-lever shower mixer trim**  
**without concealed body**  
 set for final installation for  
 35 501 000  
**GROHE StarLight®** chrome finish  
 metal lever  
 escutcheon- and shaft-sealing  
 wall escutcheon  
 covered fixing




**35 501 000 4005176833847 103.15**  
**GROHE Rapido E**  
**Universal Single-lever mixer**  
**for concealed installation**  
**without finishing trim set**  
**GROHE SilkMove®** 46 mm ceramic cartridge  
 adjustable flow rate limiter  
**min. recommended pressure 1.0 bar**



**32 701 001 4005176889042 chrome 162.94**  
**Concetto**  
**Single-lever bath/shower mixer 1/2"**  
 monobloc installation  
 metal lever  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 adjustable flow rate limiter  
 adjustable minimum flow rate 2.5 l/min  
 automatic diverter: bath/shower  
 integrated non-return valve  
 in the shower outlet 1/2"  
 mousseur  
 flexible connection hoses  
 optional temperature limiter ref. no. 46 308 000  
 protected against backflow  
**min. recommended pressure 1.0 bar**


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 32 212 001 | 4005176889035 | chrome | 208.92                 |

**Concetto**  
Single-lever bath/shower mixer 1/2"  
wall mounted  
metal lever  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
adjustable flow rate limiter  
automatic diverter: bath/shower  
integrated non-return valve  
in the shower outlet 1/2"  
mousseur, S-unions  
shower set  
consisting of:  
Euphoria Cosmopolitan hand shower (27 400 000)  
wall shower holder (27 056 000)  
Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151 000)  
optional temperature limiter ref. no. 46 308 000  
protected against backflow  
**min. recommended pressure 1.0 bar**



|            |               |        |        |
|------------|---------------|--------|--------|
| 32 211 001 | 4005176889028 | chrome | 177.45 |
|------------|---------------|--------|--------|

**Concetto**  
Single-lever bath/shower mixer 1/2"  
wall mounted  
metal lever  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
adjustable flow rate limiter  
automatic diverter: bath/shower  
integrated non-return valve  
in the shower outlet 1/2"  
mousseur  
S-unions  
optional temperature limiter ref. no. 46 308 000  
protected against backflow  
**min. recommended pressure 1.0 bar**




|            |               |        |        |
|------------|---------------|--------|--------|
| 32 702 001 | 4005176889059 | chrome | 229.90 |
|------------|---------------|--------|--------|

Ditto, with pillar unions


|            |               |        |        |
|------------|---------------|--------|--------|
| 32 210 001 | 4005176888939 | chrome | 156.12 |
|------------|---------------|--------|--------|

**Concetto**  
Single-lever shower mixer 1/2"  
wall mounted, metal lever  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
adjustable flow rate limiter  
adjustable minimum flow rate 2.5 l/min  
shower bottom outlet 1/2" with  
integrated non return-valve, S-unions  
optional temperature limiter ref. no. 46 308 000  
protected against backflow  
noise classification 1 in accordance  
with DIN4109  
**min. recommended pressure 1.0 bar**





| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 18 391 001 | 4005176888533 | chrome | 42.31                  |

**Concetto**  
Plastic tray  
for 32 210 001





|            |               |        |       |
|------------|---------------|--------|-------|
| 18 121 000 | 4005176815812 | chrome | 62.16 |
|------------|---------------|--------|-------|

**Pillar union**  
**GROHE StarLight®** chrome finish



|            |               |        |        |
|------------|---------------|--------|--------|
| 19 952 000 | 4005176174230 | chrome | 169.06 |
|------------|---------------|--------|--------|

**Talentofill**  
Inlet-, pop-up and waste-system  
set for final installation  
consisting of:  
escutcheon  
supply part  
waste plug  
fixing set  
**GROHE StarLight®** chrome finish  
**min recommended pressure 1.0 bar**  
  
in combination with Talentofill  
28 990 000/28 991 000





# GROHE EUROSTYLE COSMOPOLITAN



15



GROHE  
EcoJoy™



GROHE  
Silk-Move®



GROHE  
StarLight®





GROHE  
QuickFix®




# GROHE EUROSTYLE COSMOPOLITAN

Ref.No. EAN code Colour Retail Guide Price (£)



**23 043 002** 4005176886966 **chrome** **185.32**

**Eurostyle Cosmopolitan Basin mixer 1/2"**  
 monobloc installation  
**GROHE StarLight®** chrome finish  
**GROHE SilkMove®** 35 mm ceramic cartridge  
 adjustable flow rate limiter  
 swivel tubular spout with stop limiter  
 mousseur  
 flexible connection hoses  
 pop-up waste set 1 1/4"  
**GROHE QuickFix®** installation system  
 covered lever fixing  
 optional temperature limiter ref. no. 46 375 000  
**min. recommended pressure 1.0 bar**




**33 552 20L** 4005176917080 **chrome** **154.02**

**Eurostyle Cosmopolitan Basin mixer 1/2"**  
 for low pressure  
 monobloc installation  
 metal lever  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 adjustable flow rate limiter  
 adjustable minimum flow rate 2.5 l/min  
 mousseur, pop-up waste set 1 1/4"  
 flexible connection hoses  
**GROHE QuickFix™** installation system  
 with centering support  
 optional temperature limiter ref. no. 46 375 000  
**min. recommended pressure 0.2 bar**

**32 468 20L** 4005176917097 **chrome** **139.34**

**Ditto, smooth body**



**33 552 002** 4005176886294 **chrome** **154.02**

**Eurostyle Cosmopolitan Basin mixer 1/2"**  
 monobloc installation, metal lever  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 adjustable flow rate limiter  
 adjustable minimum flow rate 2.5 l/min  
 mousseur, pop-up waste set 1 1/4"  
 flexible connection hoses  
**GROHE QuickFix™** installation system  
 with centering support  
 optional temperature limiter ref. no. 46 375 000  
**min. recommended pressure 1.0 bar**

**33 552 20E** 4005176886300 **154.02**

**Ditto, with GROHE EcoJoy 5.7 l/min flow limiter**

**32 468 002** 4005176886928 **chrome** **139.34**

**Ditto, smooth body**

**32 468 20E** 4005176906886 **139.34**


**Ditto, smooth body with GROHE EcoJoy® 5.7 l/min flowrate**

**23 374 20E** 4005176936678 **154.02**

**Ditto, with GROHE SilkMove® ES**

# GROHE EUROSTYLE COSMOPOLITAN

Ref.No. EAN code Colour Retail Guide Price (£)




**23 037 002** 4005176886355 **chrome** **143.53**

**Eurostyle Cosmopolitan Basin mixer 1/2"**  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge  
 with **GROHE SilkMove®**  
**GROHE StarLight®** chrome finish  
 mousseur  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
**GROHE QuickFix™** installation system  
 with centering support  
**min. recommended pressure 1.0 bar**


**23 387 20E** 4005176938382 **143.53**

**Ditto, with GROHE SilkMove® ES**



**19 571 002** 4005176886973 **chrome** **195.81**

**Eurostyle Cosmopolitan 2-hole basin mixer**  
 wall mounted  
**without concealed body**  
 set for final installation for 32 635 000  
**GROHE StarLight®** chrome finish  
 metal escutcheon  
**GROHE AquaGuide NEW**  
 centre distance 150 mm  
 projection 170 mm



**32 635 000** 4005176845949 **217.66**


**Quadra Single-lever mixer 1/2", concealed body**  
 for 2 hole basin mixer  
 wall installation  
**without finishing trim set**  
 installation depth 45 to 75 mm  
**GROHE SilkMove®** 35 mm ceramic cartridge  
 installation device  
**min recommended pressure 1.0 bar**

15



**11 522 1** 4005176910081 **30.60**

**Click Waste 1 1/4"**  
 for basins mixers without Pop Up Waste  
 removable cover




**20 208 002** 4005176886980 **chrome** **249.13**


**Eurostyle Cosmopolitan 3-hole basin mixer**  
 spout with mousseur  
**GROHE StarLight®** chrome finish  
 ceramic headparts 1/2", 90°  
 pop-up waste set 1 1/4"  
**GROHE QuickFix™** installation system  
 with centering support  
 pressure-proof, flexible connection hoses  
 between spout and side valves  
**min. recommended pressure 1.0 bar**

# GROHE EUROSTYLE COSMOPOLITAN


Ref.No. EAN code Colour Retail Guide Price (£)




**33 565 002 4005176887000**  
**Eurostyle Cosmopolitan Bidet mixer 1/2"**  
monobloc installation  
metal lever  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
adjustable flow rate limiter  
adjustable minimum flow rate 2.5 l/min  
ball-joint mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
**GROHE QuickFix™** installation system  
with centering support  
optional temperature limiter ref. no. 46 375 000  
**min. recommended pressure 1.0 bar**




**23 039 002 4005176886881**  
**Eurostyle Cosmopolitan Pillar tap**  
**GROHE EcoJoy®** technology for less water and perfect flow  
monobloc installation  
metal lever  
ceramic headpart  
**GROHE StarLight®** chrome finish  
**SpeedClean** mousseur  
**min. recommended pressure 1.0 bar**



**25 107 002 4005176887222**  
**Eurostyle Cosmopolitan Two-handed Bath/Show mixer 1/2"**  
deck mounted  
metal handles  
automatic diverter: bath/shower  
integrated non-return valve in the shower outlet 1/2"  
**GROHE StarLight®** chrome finish  
without shower set  
**recommended pressure 0.2 - 5.0 bar**




**25 100 002 4005176887215**  
**Eurostyle Cosmopolitan Two-handed Bath Filler 1/2"**  
deck mounted  
metal handles  
Longlife headpart 3/4"  
**GROHE StarLight®** chrome finish  
**Recommended pressure 0.2-5.0 bar**




**13 276 002 4005176887246**  
**Eurostyle Cosmopolitan Bath spout**  
wall mounted  
**GROHE StarLight®** chrome finish  
mousseur  
male thread 1/2"  
projection 170 mm  
**min. recommended pressure 1.0 bar**

# GROHE EUROSTYLE COSMOPOLITAN


Ref.No. EAN code Colour Retail Guide Price (£)




**23 048 002 4005176887178**  
**Eurostyle Cosmopolitan 4-hole single-lever bath combination**  
**GROHE StarLight®** chrome finish  
**GROHE SilkMove®** 46 mm ceramic cartridge  
OHM operating element  
pre-assembled spout fixing, diverter bath/shower  
Euphoria Cosmopolitan hand shower (27 400 000)  
metal shower hose 2000 mm  
flexible connection hoses  
connection for shower hose  
protected against backflow  
**without baseframe**  
fixed spout  
**min. recommended pressure 1.0 bar**



**19 507 002 4005176887079**  
**Eurostyle Cosmopolitan Single-lever shower mixer trim without concealed body**  
set for final installation for 35 501 000  
**GROHE StarLight®** chrome finish  
metal lever  
escutcheon- and shaft-sealing  
wall escutcheon  
covered fixing



**19 506 002 4005176887185**  
**Eurostyle Cosmopolitan Single-lever bath/shower mixer trim without concealed body**  
set for final installation for 35 501 000  
**GROHE StarLight®** chrome finish  
automatic diverter: bath/shower  
metal lever  
escutcheon- and shaft-sealing  
wall escutcheon  
covered fixing




**35 501 000 4005176833847**  
**GROHE Rapido E Universal Single-lever mixer for concealed installation without finishing trim set**  
**GROHE SilkMove®** 46 mm ceramic cartridge  
adjustable flow rate limiter  
**min. recommended pressure 1.0 bar**

# GROHE EUROSTYLE COSMOPOLITAN


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 33 592 002 | 4005176887147 | chrome | 238.64                 |

**Eurostyle Cosmopolitan**  
Single-lever bath/shower mixer 1/2"  
wall mounted  
metal lever  
GROHE SilkMove® 46 mm ceramic cartridge  
GROHE StarLight® chrome finish  
adjustable flow rate limiter  
adjustable minimum flow rate 2.5 l/min  
automatic diverter: bath/shower  
integrated non-return valve  
in the shower outlet 1/2"  
mousseur  
S-unions  
optional temperature limiter ref. no. 46 308 000  
hand shower New Tempesta Cosmopolitan 100, 2 sprays, 9.5 l (27 571 000)  
shower set  
Euphoria hand shower (27 222 000)  
wall shower holder (27 056 000)  
Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151 000)  
protected against backflow  
**min. recommended pressure 1.0 bar**




|            |               |        |        |
|------------|---------------|--------|--------|
| 33 591 002 | 4005176887123 | chrome | 195.81 |
|------------|---------------|--------|--------|

**Eurostyle Cosmopolitan**  
Single-lever bath/shower mixer 1/2"  
wall mounted, metal lever  
GROHE SilkMove® 46 mm ceramic cartridge  
GROHE StarLight® chrome finish  
adjustable flow rate limiter  
adjustable minimum flow rate 2.5 l/min  
automatic diverter: bath/shower  
integrated non-return valve  
in the shower outlet 1/2"  
mousseur, S-unions  
optional temperature limiter ref. no. 46 308 000  
protected against backflow  
without shower set  
**min. recommended pressure 1.0 bar**




|            |               |        |        |
|------------|---------------|--------|--------|
| 33 590 002 | 4005176887048 | chrome | 174.83 |
|------------|---------------|--------|--------|

**Eurostyle Cosmopolitan**  
Single-lever shower mixer 1/2"  
wall mounted, metal lever  
GROHE SilkMove® 46 mm ceramic cartridge  
GROHE StarLight® chrome finish  
adjustable flow rate limiter  
adjustable minimum flow rate 2.5 l/min  
shower bottom outlet 1/2"  
integrated non-return valve, S-unions  
optional temperature limiter ref. no. 46 308 000  
protected against backflow  
without shower set  
**min. recommended pressure 1.0 bar**



|            |               |  |       |
|------------|---------------|--|-------|
| 18 383 002 | 4005176887109 |  | 40.56 |
|------------|---------------|--|-------|

**Eurostyle Cosmopolitan**  
Plastic tray  
for 33 590 002




# GROHE EUROSMART COSMOPOLITAN






# GROHE EUROSMART COSMOPOLITAN

Ref.No. EAN code Colour Retail Guide Price (£)




**32 830 000 4005176874666** **chrome 200.18**  
**Eurosmart Cosmopolitan**  
 Single-lever **Basin mixer 1/2"**  
 monobloc installation  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 swivel tubular spout with stop limiter  
 mousseur  
 flexible connection hoses  
 pop-up waste set 1 1/4"  
**GROHE QuickFix®** installation system  
 covered lever fixing  
 optional temperature limiter ref. no. 46 375 000  
**min. recommended pressure 1.0 bar**



**23 325 000 4005176933974** **chrome 130.77**  
**Eurosmart Cosmopolitan**  
**Basin mixer 1/2"**  
 monobloc installation  
 medium height  
 metal lever  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** mousseur  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
**GROHE QuickFix®** rapid installation system  
 optional temperature limiter ref. no. 46 375 000  
**min. recommended pressure 1.0 bar**

**23 327 000 4005176934094** **chrome 119.06**  
 Ditto, smooth body

**23 396 00E 4005176938504** **chrome 130.77**  
 Ditto, with **GROHE SilkMove® ES**




**32 825 00L 4005176917028** **chrome 113.98**  
**Eurosmart Cosmopolitan**  
 Single-lever **Basin mixer 1/2"**  
 for low pressure  
 monobloc installation  
 metal lever  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 adjustable flow rate limiter  
 adjustable minimum flow rate 2.5 l/min  
 mousseur  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
**GROHE QuickFix™** installation system  
 with centering support  
 optional temperature limiter ref. no. 46 375 000  
**min. recommended pressure 0.2 bar**

**32 824 00L 4005176917035** **chrome 102.28**  
 Ditto, smooth body

# GROHE EUROSMART COSMOPOLITAN

Ref.No. EAN code Colour Retail Guide Price (£)




**32 825 000 4005176874611** **chrome 113.98**  
**Eurosmart Cosmopolitan**  
 Single-lever **Basin mixer 1/2"**  
 monobloc installation  
 metal lever  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 adjustable flow rate limiter  
 adjustable minimum flow rate 2.5 l/min  
 mousseur  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
**GROHE QuickFix™** installation system  
 with centering support  
 optional temperature limiter ref. no. 46 375 000  
 max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**


**32 825 00E 4005176874628** **chrome 113.98**  
 Ditto, with **GROHE EcoJoy** 5.7 l/min flow limiter

**32 824 000 4005176874604** **chrome 102.28**  
 Ditto, smooth body

**23 377 00E 4005176936630** **chrome 113.98**  
 Ditto, with **GROHE SilkMove® ES**



**19 381 000 4005176874673** **chrome 166.61**  
**Eurosmart Cosmopolitan**  
**2-hole basin mixer**  
 wall mounted  
**without concealed body**  
 set for final installation for 32 635 000  
**GROHE StarLight®** chrome finish  
 metal escutcheon  
 centre distance 110 mm  
 projection 170 mm  
**GROHE AquaGuide** adjustable mousseur




**32 635 000 4005176845949** **217.66**  
**Quadra**  
**Single-lever mixer 1/2", concealed body**  
 for 2 hole basin mixer  
 wall installation  
**without finishing trim set**  
 installation depth 45 to 75 mm  
**GROHE SilkMove®** 35 mm ceramic cartridge  
 installation device  
**min recommended pressure 1.0 bar**



**11 522 1 4005176910081** **30.60**  
**Click Waste**  
**1 1/4"**  
 for basins mixers without Pop Up Waste  
 removable cover


# GROHE EUROSMART COSMOPOLITAN

Ref.No. EAN code Colour Retail Guide Price (£)




**20 187 000 4005176874680** **chrome 219.41**

**Eurosmart Cosmopolitan Three-hole basin mixer 1/2" spout with mousseur**  
**GROHE StarLight®** chrome finish ceramic headparts 1/2", 90°  
**GROHE QuickFix™** installation system with centering support  
 pressure-proof, flexible connection hoses between spout and side valves  
 pop-up waste set 1 1/4"  
 union nut with 10.5-mm drilling  
**min. recommended pressure 1.0 bar**




**32 839 000 4005176874802** **chrome 113.98**

**Eurosmart Cosmopolitan Bidet mixer 1/2"**  
 monobloc installation  
 metal lever  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish adjustable minimum flow rate 2.5 l/min  
 ball-joint mousseur  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
**GROHE QuickFix™** installation system with centering support  
 optional temperature limiter ref. no. 46 375 000  
**min. recommended pressure 1.0 bar**




**25 129 000 4005176905216** **chrome 312.07**

**Eurosmart Cosmopolitan Two-handled Bath/Shower mixer 1/2"**  
 deck mounted  
 metal handles  
 Longlife headpart 3/4"  
 automatic diverter: bath/shower  
 integrated non-return valve in the shower outlet 1/2"  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 0.2 bar**



**25 128 000 4005176905209** **chrome 263.11**

**Eurosmart Cosmopolitan Two-handled Bath Filler 1/2"**  
 deck mounted  
 metal handles  
 Longlife headpart 3/4"  
**GROHE StarLight®** chrome finish  
**recommended pressure 0.2 - 5.0 bar**




**13 261 000 4005176877384** **chrome 78.15**

**Eurosmart Cosmopolitan Bath spout**  
 wall mounted  
**GROHE StarLight®** chrome finish  
 mousseur  
 male thread 1/2"  
 projection 170 mm  
**min. recommended pressure 1.0 bar**


# GROHE EUROSMART COSMOPOLITAN

Ref.No. EAN code Colour Retail Guide Price (£)




**19 382 000 4005176874697** **chrome 104.02**

**Eurosmart Cosmopolitan Single-lever bath/shower mixer trim without concealed body**  
 set for final installation for 35 501 000  
**GROHE StarLight®** chrome finish automatic diverter: bath/shower  
 metal lever  
 escutcheon- and shaft-sealing  
 wall escutcheon  
 covered fixing




**19 383 000 4005176874765** **chrome 93.53**

**Eurosmart Cosmopolitan Single-lever shower mixer trim without concealed body**  
 set for final installation for 35 501 000  
**GROHE StarLight®** chrome finish metal lever  
 escutcheon- and shaft-sealing  
 wall escutcheon  
 covered fixing



**35 501 000 4005176833847** **103.15**

**GROHE Rapido E Universal Single-lever mixer for concealed installation without finishing trim set**  
**GROHE SilkMove®** 46 mm ceramic cartridge  
 adjustable flow rate limiter  
 max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**




**32 832 000 4005176874710** **chrome 198.43**

**Eurosmart Cosmopolitan Single-lever bath/shower mixer 1/2"**  
 wall mounted  
 metal lever  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE StarLight®** chrome finish adjustable flow rate limiter  
 automatic diverter: bath/shower  
 integrated non-return valve in the shower outlet 1/2"  
 mousseur  
 S-unions  
 optional temperature limiter ref. no. 46 308 000  
 shower set  
 Euphoria Cosmopolitan hand shower (27 367 000)  
 hand shower 27 400 000  
 wall shower holder (27 056 000)  
 Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151 000)  
 protected against backflow  
**min. recommended pressure 1.0 bar**


# GROHE EUROSMART COSMOPOLITAN

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 32 831 000 | 4005176874703 | chrome | 166.61                 |




**Eurosmart Cosmopolitan**  
**Single-lever bath/shower mixer 1/2"**  
 wall mounted, metal lever  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 adjustable flow rate limiter  
 automatic diverter: bath/shower  
 integrated non-return valve  
 in the shower outlet 1/2"  
 mousseur, S-unions  
 optional temperature limiter ref. no. 46 308 000  
 protected against backflow  
**min. recommended pressure 1.0 bar**

|            |               |        |        |
|------------|---------------|--------|--------|
| 32 837 000 | 4005176874772 | chrome | 145.63 |
|------------|---------------|--------|--------|



**Eurosmart Cosmopolitan**  
**Single-lever shower mixer 1/2"**  
 wall mounted, metal lever  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 adjustable flow rate limiter  
 shower bottom outlet 1/2" with  
 integrated non return-valve  
 S-unions  
 optional temperature limiter ref. no. 46 308 000  
 protected against backflow  
**min. recommended pressure 1.0 bar**

|            |               |  |       |
|------------|---------------|--|-------|
| 18 349 000 | 4005176874796 |  | 26.40 |
|------------|---------------|--|-------|




**Eurosmart Cosmopolitan**  
**Plastic tray**  
 for 32 837 000, 32 838 000

# GROHE EUROSMART



NEW



| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 23 322 001 | 4005176934506 | chrome | 117.83                 |

**Eurosmart**  
**Basin mixer 1/2"**  
monobloc installation  
medium height  
metal lever  
28 mm ceramic cartridge  
with GROHE SilkMove®  
with temperature limiter  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
**GROHE QuickFix®** rapid installation system  
**min. recommended pressure 1.0 bar**

|            |               |        |        |
|------------|---------------|--------|--------|
| 23 324 001 | 4005176934520 | chrome | 106.12 |
|------------|---------------|--------|--------|


Ditto, smooth body

|            |               |        |        |
|------------|---------------|--------|--------|
| 23 393 10E | 4005176938467 | chrome | 117.83 |
|------------|---------------|--------|--------|

Ditto, with GROHE SilkMove® ES

|            |               |        |        |
|------------|---------------|--------|--------|
| 23 395 10E | 4005176938481 | chrome | 106.12 |
|------------|---------------|--------|--------|

Ditto, smooth body with GROHE SilkMove® ES




|            |               |        |        |
|------------|---------------|--------|--------|
| 33 265 00L | 4005176890611 | chrome | 109.79 |
|------------|---------------|--------|--------|

**Eurosmart**  
**Basin mixer 1/2"**  
metal lever  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
rapid installation system  
Balance hot and cold supplies recommended  
**min. recommended pressure 0.2 bar**

|            |               |        |       |
|------------|---------------|--------|-------|
| 32 467 00L | 4005176890628 | chrome | 98.08 |
|------------|---------------|--------|-------|

Ditto, smooth body



|            |               |        |        |
|------------|---------------|--------|--------|
| 32 925 001 | 4005176827297 | chrome | 109.79 |
|------------|---------------|--------|--------|


**Eurosmart**  
**Basin mixer 1/2"**  
monobloc installation  
metal lever  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
adjustable flow rate limiter  
adjustable minimum flow rate 2.5 l/min  
mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
rapid installation system  
optional temperature limiter ref. no. 46 375 000  
**min. recommended pressure 1.0 bar**

|            |               |        |        |
|------------|---------------|--------|--------|
| 32 925 00E | 4005176866890 | chrome | 109.79 |
|------------|---------------|--------|--------|

Ditto, with GROHE Ecojoy 5.7 l/min flow limiter

|            |               |        |       |
|------------|---------------|--------|-------|
| 32 467 001 | 4005176827570 | chrome | 98.08 |
|------------|---------------|--------|-------|

Ditto, smooth body




| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 33 284 001 | 4005176827723 | chrome | 104.38                 |

**Eurosmart**  
**Basin mixer 1/2"**  
monobloc installation  
retractable chain  
metal lever  
**GROHE SilkMove®** 35 mm ceramic cartridge  
adjustable minimum flow rate 2.5 l/min  
mousseur  
flexible connection hoses  
rapid installation system  
optional temperature limiter ref. no. 46 375 000  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**




|          |               |  |       |
|----------|---------------|--|-------|
| 11 522 1 | 4005176910081 |  | 30.60 |
|----------|---------------|--|-------|

**Click Waste**  
**1 1/4"**  
for basins mixers without Pop Up Waste  
removable cover




|            |               |        |        |
|------------|---------------|--------|--------|
| 20 293 000 | 4005176896354 | chrome | 215.03 |
|------------|---------------|--------|--------|

**Eurosmart**  
**Three-hole basin mixer 1/2"**  
spout with mousseur  
**GROHE StarLight®** chrome finish  
ceramic headparts 1/2", 90°  
pop-up waste set 1 1/4"  
**GROHE QuickFix™** installation system  
with centering support  
pressure-proof, flexible connection hoses  
between spout and side valves  
**min. recommended pressure 1.0 bar**



|            |               |        |        |
|------------|---------------|--------|--------|
| 32 929 001 | 4005176827303 | chrome | 109.79 |
|------------|---------------|--------|--------|

**Eurosmart**  
**Bidet mixer 1/2"**  
monobloc installation  
metal lever  
**GROHE SilkMove®** 35 mm ceramic cartridge  
adjustable minimum flow rate 2.5 l/min  
ball-joint mousseur  
pop-up waste set 1 1/4"  
flexible connection hoses  
rapid installation system  
optional temperature limiter ref. no. 46 375 000  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**




|            |               |        |        |
|------------|---------------|--------|--------|
| 25 105 000 | 4005176881800 | chrome | 290.22 |
|------------|---------------|--------|--------|


**Eurosmart**  
**Single-lever bath/shower mixer 1/2"**  
deck mounted  
**GROHE SilkMove®** 56 mm ceramic cartridge  
metal handle  
adjustable flow rate limiter  
automatic diverter: bath/shower  
integrated non-return valve  
in the shower outlet 1/2"  
**GROHE StarLight®** chrome finish  
**recommended pressure 0.2-5.0 bar**



| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|




**Eurosmart**  
**Bath filler**  
deck mounted  
**GROHE SilkMove®** 56 mm ceramic cartridge  
metal handle  
adjustable flow rate limiter  
**GROHE StarLight®** chrome finish  
**recommended pressure 0.2-5.0 bar**




**33 412 001**    **4005176827358**    **chrome**    **162.42**

**Eurosmart**  
**Single-lever bath/shower mixer 1/2"**  
monobloc installation  
metal lever  
46 mm ceramic cartridge with Eco-Override-Stop, with **GROHE SilkMove®**  
adjustable minimum flow rate 2.5 l/min  
automatic diverter: bath/shower  
integrated non-return valve in the shower outlet 1/2"  
mousseur  
flexible connection hoses  
protected against backflow  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**




**19 450 001**    **4005176827464**    **chrome**    **102.28**

**Eurosmart**  
**Single-lever bath/shower mixer trim without concealed body**  
set for final installation for 35 501 000  
automatic diverter: bath/shower  
metal lever  
**GROHE StarLight®** chrome finish



**19 451 001**    **4005176827488**    **chrome**    **91.79**


**Eurosmart**  
**Single-lever shower mixer trim without concealed body**  
set for final installation for 35 501 000  
metal lever  
**GROHE StarLight®** chrome finish



**35 501 000**    **4005176833847**    **103.15**


**GROHE Rapido E**  
**Universal Single-lever mixer for concealed installation without finishing trim set**  
**GROHE SilkMove®** 46 mm ceramic cartridge  
adjustable flow rate limiter  
**min. recommended pressure 1.0 bar**

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|



**33 300 001**    **4005176827327**    **chrome**    **162.42**


**Eurosmart**  
**Single-lever bath/shower mixer 1/2"**  
wall mounted, metal lever  
**GROHE SilkMove®** 46 mm ceramic cartridge  
adjustable minimum flow rate 2.5 l/min  
automatic diverter: bath/shower  
integrated non-return valve in the shower outlet 1/2", mousseur  
S-unions, metal wall escutcheons  
optional temperature limiter ref. no. 46 308 000  
protected against backflow  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**



**33 304 001**    **4005176827754**    **chrome**    **141.44**  
**Ditto**, without s-unions


**33 302 001**    **4005176827730**    **chrome**    **190.25**

**Eurosmart**  
**Single-lever bath/shower mixer 1/2"**  
wall mounted  
metal lever  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
adjustable flow rate limiter  
adjustable minimum flow rate 2.5 l/min  
automatic diverter: bath/shower  
integrated non-return valve in the shower outlet 1/2"  
mousseur  
S-unions  
metal wall escutcheons  
optional temperature limiter ref. no. 46 308 000  
Relaxa shower set consisting of:  
hand shower New Tempesta 100, 1 spray, 9.5 l (27 923 000)  
wall shower holder (28 605 000)  
Relaxaflex hose 1500 mm 1/2" x 1/2" (28 151 000)  
protected against backflow  
noise classification 1 in accordance with DIN4109



**18 121 000**    **4005176815812**    **chrome**    **62.16**

**Pillar union**  
**GROHE StarLight®** chrome finish



**19 952 000**    **4005176174230**    **chrome**    **169.06**

**Talentofill**  
**Inlet-, pop-up and waste-system**  
set for final installation  
escutcheon  
supply part  
waste plug  
fixing set  
**GROHE StarLight®** chrome finish  
**min recommended pressure 1.0 bar**


**in combination with Talentofill**  
**28 990 000/28 991 000**

# GROHE BAULOOP




# GROHE BAULOOP

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 20 422 000 | 4005176934490 | chrome | 72.38                  |




**BauLoop**  
**Basin tap 1/2"**  
 monobloc installation  
 metal lever  
 ceramic headpart  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
 mousseur  
**min. recommended pressure 1.0 bar**

|            |               |        |        |
|------------|---------------|--------|--------|
| 20 422 00M | 4005176986949 | chrome | 131.13 |
|------------|---------------|--------|--------|



**BauLoop**  
**Basin tap 1/2"**  
**2 pieces**  
 metal lever  
 ceramic headpart  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
 mousseur  
**min. recommended pressure 1.0 bar**

|            |               |        |       |
|------------|---------------|--------|-------|
| 23 357 000 | 4005176934148 | chrome | 99.66 |
|------------|---------------|--------|-------|



**BauLoop**  
**Basin mixer 1/2"**  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge with **GROHE SilkMove®**  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
 mousseur  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
 rapid installation system  
**min. recommended pressure 1.0 bar**

|            |               |        |       |
|------------|---------------|--------|-------|
| 23 337 000 | 4005176934414 | chrome | 87.94 |
|------------|---------------|--------|-------|

Ditto, smooth body

# GROHE BAULOOP

| Ref.No.  | EAN code      | Colour | Retail Guide Price (£) |
|----------|---------------|--------|------------------------|
| 11 834 3 | 4005176983979 | chrome | 154.20                 |



**BauLoop**  
**Shower kit**  
 wall mounted  
 metal lever  
**GROHE SilkMove®** 46 mm ceramic cartridge  
 chrome finish  
 adjustable flow rate limiter  
 adjustable minimum flow rate 2.5 l/min  
 shower bottom outlet 1/2" with integrated non return-valve  
 S-unions  
 metal wall escutcheon  
 optional temperature limiter  
 shower rail kit Tempesta 100, 2 sprays (27 598 000)  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**


# GROHE BAUEDGE






| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|




|            |               |        |       |
|------------|---------------|--------|-------|
| 20 421 000 | 4005176934353 | chrome | 72.38 |
|------------|---------------|--------|-------|

**BauEdge**  
**Basin tap 1/2"**  
 monobloc installation  
 metal lever  
 ceramic headpart  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
 mousseur  
**min. recommended pressure 1.0 bar**



|            |               |        |        |
|------------|---------------|--------|--------|
| 20 421 00M | 4005176986932 | chrome | 131.13 |
|------------|---------------|--------|--------|

**BauEdge**  
**Basin tap 1/2"**  
**2 pieces**  
 metal lever  
 ceramic headpart  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
 mousseur  
**min. recommended pressure 1.0 bar**



|            |               |        |       |
|------------|---------------|--------|-------|
| 23 356 000 | 4005176934131 | chrome | 99.66 |
|------------|---------------|--------|-------|

**BauEdge**  
**Basin mixer 1/2"**  
 monobloc installation  
 metal lever  
 28 mm ceramic cartridge with **GROHE SilkMove®**  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
 mousseur  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
 rapid installation system  
**min. recommended pressure 1.0 bar**

|            |               |        |       |
|------------|---------------|--------|-------|
| 23 330 000 | 4005176934278 | chrome | 87.94 |
|------------|---------------|--------|-------|

**Ditto, smooth body**



|          |               |        |        |
|----------|---------------|--------|--------|
| 11 860 0 | 4005176987045 | chrome | 154.20 |
|----------|---------------|--------|--------|

**BauEdge**  
**Shower kit**  
 wall mounted  
 metal lever  
**GROHE SilkMove®** 46 mm ceramic cartridge  
 chrome finish  
 adjustable flow rate limiter  
 adjustable minimum flow rate 2.5 l/min  
 shower bottom outlet 1/2" with integrated non return-valve  
 S-unions  
 metal wall escutcheon  
 optional temperature limiter  
 shower rail kit Tempesta 100, 2 sprays (27 598 000)  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**

# GROHE GROHTHERM F



GROHE  
TurboStat\*



GROHE  
EcoJoy\*\*



GROHE  
StarLight\*





# GROHTHERM F MAXIMUM FLEXIBILITY FOR THE INDIVIDUAL GROHE SPA™ EXPERIENCE

## THE ADVANTAGES



- Consistent Design – high quality workmanship with solid metal handles and wall plates
- Perfect match with GROHE Rainshower® F showers, GROHE Allure faucets and GROHE Cosmopolitan style ranges
- Modular sized controls allow for custom made layouts for shower & bath/shower
- Maximum flexibility – controls 3 or more Showers
- GROHE Rapido behind the wall system for easy and safe installation – all build-in parts with installation box, lugs for easy fixation, markings for aligned positioning, acoustic insulation and gasket for sealing

## INSTALLATION EXAMPLES

Version 1: central thermostat



Version 2: thermostat with Aquadimmer



Note: Minimum installation distance of the Trim Sets is 12 cm by using the current piping systems with press fittings or soldered connections

| Materials version 1 |             |                                                  |
|---------------------|-------------|--------------------------------------------------|
| Qty                 | Product no. | Description                                      |
| 1                   | 27619000    | Thermostat trim set                              |
| 1                   | 35500000    | Rapido T                                         |
| 1                   | 27625000    | Triple volume control trim set                   |
| 1                   | 35031000    | Concealed valve for triple volume control 27 625 |
| 1                   | 27621000    | Wall union with integrated shower holder         |
| 1                   | 35034000    | Concealed installation box for wall union        |
| 1                   | 27286000    | Rainshower F20 ceiling shower                    |
| 6                   | 27251000    | Rainshower F5 side shower                        |
| 1                   | 28034000    | Sena metal hand shower                           |
| 1                   | 28417000    | Rotaflex metal shower hose 1500 mm               |



| Materials version 2 |             |                                                       |
|---------------------|-------------|-------------------------------------------------------|
| Qty                 | Product no. | Description                                           |
| 1                   | 27618000    | Thermostat trim set with integrated 2-way diverter    |
| 1                   | 35500000    | Rapido T                                              |
| 1                   | 27623000    | Single volume control trim set                        |
| 1                   | 35028000    | Concealed valve for single volume control trim 27 623 |
| 1                   | 27621000    | Wall union with integrated shower holder              |
| 1                   | 35034000    | Concealed installation box for wall union             |
| 1                   | 27286000    | Rainshower F20 ceiling shower                         |
| 6                   | 27251000    | Rainshower F5 side shower                             |
| 1                   | 28034000    | Sena metal hand shower                                |
| 1                   | 28417000    | Rotaflex metal shower hose 1500 mm                    |

### Flow pressure related configurations to power head- and side showers at the same time

| Number of body jets                            | Head shower                                         | Hand shower                    | Condition                                                                                                                           | Min. flow pressure (hot & cold water) |
|------------------------------------------------|-----------------------------------------------------|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------|
| 6 x 27 251 body jets<br>Rainshower F-Series 5" | 1 x 27 286 Ceiling shower<br>Rainshower F-Serie 20" | 1 x 27 034 Hand shower<br>Sena | 6 body jets and ceiling showers can be powered at the same time:<br>head shower: approx. 12 l/min. /body jets: approx. 5 l/min each | 3 bar                                 |
| 4 x 27 251 body jets<br>Rainshower F-Series 5" | 1 x 27 286 Ceiling shower<br>Rainshower F-Serie 20" | 1 x 27 034 Hand shower<br>Sena | 4 body jets and ceiling showers can be powered at the same time:<br>head shower: approx. 12 l/min. /body jets: approx. 5 l/min each | 2 bar                                 |
| 3 x 27 251 body jets<br>Rainshower F-Series 5" | 1 x 27 286 Ceiling shower<br>Rainshower F-Serie 20" | 1 x 27 034 Hand shower<br>Sena | 3 body jets and ceiling showers can be powered at the same time:<br>head shower: approx. 14 l/min. /body jets: approx. 5 l/min each | 1.5 bar                               |
| 2 x 27 251 body jets<br>Rainshower F-Series 5" | 1 x 27 286 Ceiling shower<br>Rainshower F-Serie 20" | 1 x 27 034 Hand shower<br>Sena | 2 body jets and ceiling showers can be powered at the same time:<br>head shower: approx. 12 l/min. /body jets: approx. 5 l/min each | 1 bar                                 |



# GROHE GROHTHERM F

| Ref.No.    | EAN code      | Colour | Retail Guide Price (€) |
|------------|---------------|--------|------------------------|
| 27 618 000 | 4005176898280 | chrome | 559.44                 |



**Grotherm F**  
**Thermostatic Trim with integrated 2-way diverter**  
for bath or shower with more than one outlet  
for use with Rapido T rough-in box 35 500 000 sold separately  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop** safety button at 38°C  
metal handle for temperature control  
metal handle for Aquadimmer control with multiple function  
- shut off and flow control  
- diverter for 2 outlets  
3rd outlet requires separate volume control  
rectangular metal wall escutcheon with hidden fixing and hidden seatings


|            |               |        |        |
|------------|---------------|--------|--------|
| 27 619 000 | 4005176898297 | chrome | 487.76 |
|------------|---------------|--------|--------|



**Grotherm F**  
**Thermostatic trim**  
for high-flow, multiple outlet custom shower applications  
requires separate volume controls  
for use with Rapido T rough-in box 35 500 000 sold separately  
**GROHE StarLight®** chrome finish  
metal handle for temperature control  
**GROHE SafeStop** safety button at 38°C  
rectangular metal wall escutcheon with hidden fixing and hidden seatings

NEW

|            |               |  |        |
|------------|---------------|--|--------|
| 35 050 000 | 4005176982064 |  | 263.99 |
|------------|---------------|--|--------|




**GROHE Rapido T**  
**Universal Thermostatic mixer**  
**for concealed intallation**  
**TMV2 compliant product**  
for use with bath-, shower- and central-mixer  
**without finishing trim set**  
easy to install, premounted and tested unit  
**GROHE TurboStat®** compact cartridge  
with wax thermoelement  
two top outlets 1/2", lockable  
bottom outlet 1/2" - can only be used  
with separate stopvalve  
safe to install, stable built-in-box and  
protective cap  
fixation options for solid walls and dry  
cladding  
wall sealing  
Aquadimmer-diverter for bath mixer or  
stopvalve for shower mixer in finishing  
trim set  
body in DR-brass  
built-in non return valve  
and dirt strainers  
**GROHE EcoJoy®** technology for  
less water and perfect flow  
**min. recommended pressure 1.0 bar**

|            |               |  |        |
|------------|---------------|--|--------|
| 35 500 000 | 4005176831522 |  | 263.99 |
|------------|---------------|--|--------|


**Ditto, Non TMV2** compliant valve

|            |               |        |        |
|------------|---------------|--------|--------|
| 27 625 000 | 4005176898358 | chrome | 475.53 |
|------------|---------------|--------|--------|




**Grotherm F**  
**Triple volume control trim**  
for use with rough-in box 35 031 000 (1/2" connections)  
sold separately  
**GROHE StarLight®** chrome finish  
metal handles for volume control  
metal wall escutcheon with hidden fixing and hidden sealing  
vertical and horizontal installation

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|




|            |               |  |        |
|------------|---------------|--|--------|
| 35 031 000 | 4005176908330 |  | 309.44 |
|------------|---------------|--|--------|

**Rapido C**  
**Rough-in for triple volume control 27 625**  
for grid installation of Grohtherm Custom Shower system  
build-in box with removable protection cover  
waterproof membrane base for wall sealing  
for masonry and drywall installation  
fixing points for front and back wall  
body of DR brass  
pre-assembled ceramic headpart 3/4"  
3 inlets and 3 outlets  
connection threads 1/2"  
installation depth 70 - 95 mm




|            |               |        |        |
|------------|---------------|--------|--------|
| 27 623 000 | 4005176898334 | chrome | 190.56 |
|------------|---------------|--------|--------|

**Grotherm F**  
**Single volume control trim**  
for use with rough-in box 35 028 000 (1/2" connections)  
sold separately  
**GROHE StarLight®** chrome finish  
metal handle for volume control  
metal wall escutcheon with hidden fixing and hidden sealing




|            |               |  |        |
|------------|---------------|--|--------|
| 35 028 000 | 4005176908316 |  | 107.17 |
|------------|---------------|--|--------|

**Rapido C**  
**Rough-in for single volume control 27 623**  
for grid installation of Grohtherm Custom Shower system  
build-in box with removable protection cover  
waterproof membrane base for wall sealing  
for masonry and drywall installation  
fixing points for front and back wall  
body of DR brass  
pre-assembled ceramic headpart 3/4"  
connection threads 1/2"  
installation depth 70 - 95 mm



|            |               |        |        |
|------------|---------------|--------|--------|
| 27 621 000 | 4005176898310 | chrome | 237.77 |
|------------|---------------|--------|--------|


**Grotherm F**  
**Wall shower union with integrated shower holder**  
vertical or horizontal installation  
for use with rough-in box 35 034 000 (1/2" connection)  
sold separately  
shower outlet 1/2"  
hand shower and shower hose sold separately  
protected against backflow  
vertical and horizontal installation



|            |               |  |        |
|------------|---------------|--|--------|
| 35 034 000 | 4005176915697 |  | 166.09 |
|------------|---------------|--|--------|


**Grotherm F**  
**Rough-in for wall shower union 27 621**  
for grid installation of Grohtherm Custom Shower system  
build-in box with removable protection cover  
waterproof membrane base for wall sealing  
flushing plug  
for masonry and drywall installation  
fixing points for front and back wall  
body of DR brass  
1/2" connections  
installation depth 70 - 95 mm

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|




|            |               |        |          |
|------------|---------------|--------|----------|
| 27 286 000 | 4005176860737 | chrome | 1,475.53 |
|------------|---------------|--------|----------|

**Rainshower® F-Series 20"**  
**Ceiling shower 1 spray**  
Rain  
508 x 508 mm  
connection thread 1/2"  
**SpeedClean** anti-limescale system  
**GROHE StarLight®** chrome finish  
min. recommended pressure 1.0 bar  
**GROHE DreamSpray®** perfect spray pattern




|            |               |        |       |
|------------|---------------|--------|-------|
| 27 251 000 | 4005176856327 | chrome | 83.40 |
|------------|---------------|--------|-------|

**Rainshower® F-Series 5"**  
**Side shower 1 spray**  
Normal  
including concealed body  
127 x 127 mm  
**GROHE DreamSpray®** perfect spray pattern  
flow straightener with ball joint  
(± 12.5° rotatable)  
**GROHE FlowBalance** flow regulating screw  
connection thread 1/2"  
**SpeedClean** anti-limescale system  
**GROHE StarLight®** chrome finish



|            |               |        |        |
|------------|---------------|--------|--------|
| 28 034 000 | 4005176231810 | chrome | 114.34 |
|------------|---------------|--------|--------|

**Sena Stick**  
**Hand shower 1 spray**  
Normal  
metal  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
DVGW Reg. No. NW-6517BL0624  
**GROHE StarLight®** chrome finish  
Universal Mounting System. Fitting all standard shower hoses



|            |               |        |       |
|------------|---------------|--------|-------|
| 28 417 000 | 4005176264702 | chrome | 34.96 |
|------------|---------------|--------|-------|

**Rotaflex**  
**Shower hose**  
Rotation cone for **Twistfree** function  
Cone with silicone tape to prevent turning of hand shower during usage  
metal, 1500 mm  
**GROHE StarLight®** chrome finish



# GROHTHERM 3000 COSMOPOLITAN



GROHE  
TurboStat\*



GROHE  
CoolTouch\*



GROHE  
EcoJoy\*\*



GROHE  
StarLight\*




# GROHE GROHTHERM 3000 COSMOPOLITAN

Ref.No. EAN code Colour Retail Guide Price (£)


34 274 000 4005176847905 chrome 407.35

**Grohtherm 3000 Cosmopolitan**  
**Thermostatic shower mixer 1/2"**  
wall mounted  
**GROHE CoolTouch®** safety housing  
**GROHE TurboStat®** compact cartridge with wax thermoelement  
integrated mixed water shut off  
ceramic headpart 1/2", 180°  
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)  
**GROHE SafeStop** safety button at 38°C  
shower bottom outlet 1/2"  
built-in non return valves, dirt strainers  
covered S-unions, protected against backflow  
**GROHE StarLight®** chrome finish  
max. pressure differential 5:1  
**min recommended pressure 1.0 bar**




34 275 000 4005176847912 chrome 477.27

**Grohtherm 3000 Cosmopolitan**  
**Thermostatic shower mixer 1/2"**  
Grohtherm 3000 Cosmopolitan thermostat shower mixer (34 274 000)  
Rainshower® Cosmopolitan shower set (28 757 000)  
**GROHE StarLight®** chrome finish  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE CoolTouch®** safety housing  
**GROHE SafeStop** safety button at 38°C  
**SpeedClean** anti-limescale system  
max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**



34 276 000 4005176847929 chrome 475.53

**Grohtherm 3000 Cosmopolitan**  
**Thermostatic bath/shower mixer 1/2"**  
wall mounted  
**GROHE CoolTouch®** safety housing  
**GROHE TurboStat®** compact cartridge with wax thermoelement  
integrated mixed water shut off  
ceramic headpart 1/2", 180°  
Aquadimmer with multiple function  
- flow control  
- diverter: bath/shower  
**GROHE SafeStop** safety button at 38°C  
shower bottom outlet 1/2"  
mousseur  
built-in non return valves  
dirt strainers  
covered S-unions  
protected against backflow  
**GROHE StarLight®** chrome finish  
max. pressure differential 5:1  
**min recommended pressure 1.0 bar**



34 277 000 4005176847936 chrome 465.04

**Ditto**, without s-unions

# GROHE GROHTHERM 3000 COSMOPOLITAN

Ref.No. EAN code Colour Retail Guide Price (£)


18 370 000 4005176885228 chrome 60.50

**Wall Mounted Brackets**  
1 pair  
for exposed 1/2" mixers  
includes: wall plate, brass olive, fixing nipple, chrome shroud





18 153 000 4005176819094 chrome 47.16

**Bracket for exposed installation**  
suitable for wall mounted exposed shower & bath/shower mixers  
150 mm centres




18 121 000 4005176815812 chrome 62.16

**Pillar union**  
**GROHE StarLight®** chrome finish




19 467 000 4005176847974 chrome 243.01

**Grohtherm 3000 Cosmopolitan**  
**Thermostatic shower mixer**  
**without concealed body**  
set for final installation for GROHE Rapido T 35 500 000 / 35 050 000  
**TMV2 compliant when used with 35 050 000**  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop** safety button at 38°C  
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)  
ceramic headpart 1/2", 180°  
wall escutcheon with **GROHE SmartFix** (covered escutcheon- and shaft sealing, covered fixing)



19 963 000 4005176982187 chrome 274.48

**Grohtherm 3000 Cosmopolitan**  
**Thermostat with integrated 2-way diverter**  
**for bath or shower with more than one outlet**  
**without concealed body**  
set for final installation for GROHE Rapido T 35 500 000 / 35 050 000  
**TMV2 compliant when used with 35 050 000**  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop Plus** integrated temperature limiter at max 50°C  
Aquadimmer with multiple function  
shut off and flow control  
diverter for 2 outlets




19 468 000 4005176847981 chrome 274.48

**Ditto**, non TMV2 compliant trim set

# GROHE GROHTHERM 3000 COSMOPOLITAN


| Ref.No.    | EAN code      | Colour       | Retail Guide Price (£) |
|------------|---------------|--------------|------------------------|
| 19 568 000 | 4005176895371 | chrome       | 289.45                 |
| 19 568 KSO | 4005176895388 | velvet black | 433.15                 |
| 19 568 LSO | 4005176895395 | moon white   | 433.15                 |

**Grohtherm 3000 Cosmopolitan**  
**Thermostatic shower mixer**  
**without concealed body**  
 set for final installation for  
 GROHE Rapido T 35 500 000 / 35 050 000  
**TMV2 compliant when used with 35 050 000**  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop** safety button at 38°C  
 volume handle with **GROHE EcoButton**  
 (economy button with individually  
 adjustable economy stop)  
 ceramic headpart 1/2", 180°



|            |               |        |        |
|------------|---------------|--------|--------|
| 19 962 000 | 4005176982071 | chrome | 321.22 |
|------------|---------------|--------|--------|

**Grohtherm 3000 Cosmopolitan**  
**Thermostat with integrated 2-way diverter**  
**for bath or shower with more than one outlet**  
**without concealed body**  
 set for final installation for  
 GROHE Rapido T 35 500 000 / 35 050 000  
**TMV2 compliant when used with 35 050 000**  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop Plus** integrated temperature  
 limiter at max 50°C  
 Aquadimmer with multiple function  
 shut off and flow control  
 diverter for 2 outlets




|            |               |              |        |
|------------|---------------|--------------|--------|
| 19 567 000 | 4005176895340 | chrome       | 321.22 |
| 19 567 KSO | 4005176895357 | velvet black | 493.06 |
| 19 567 LSO | 4005176895364 | moon white   | 312.94 |

**Ditto**, non TMV2 compliant trim set

|            |               |        |        |
|------------|---------------|--------|--------|
| 19 469 000 | 4005176847998 | chrome | 216.79 |
|------------|---------------|--------|--------|


**Grohtherm 3000 Cosmopolitan**  
**Central thermostatic shower trim**  
**without concealed body**  
 set for final installation for  
 35 500 000 / 35 050 000  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop** safety button at 38°C  
 wall escutcheon with **GROHE SmartFix**  
 (covered escutcheon- and shaft sealing,  
 covered fixing)



# GROHE GROHTHERM 3000 COSMOPOLITAN

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 35 050 000 | 4005176982064 |        | 263.99                 |

**GROHE Rapido T**  
**Universal Thermostatic mixer**  
**for concealed intallation**  
**TMV2 compliant product**  
 for use with bath-, shower- and central-mixer  
**without finishing trim set**  
 easy to install, premounted and tested unit  
**GROHE TurboStat®** compact cartridge  
 with wax thermoelement  
 two top outlets 1/2", lockable  
 bottom outlet 1/2" - can only be used  
 with separate stopvalve  
 safe to install, stable built-in-box and  
 protective cap  
 fixation options for solid walls and dry  
 cladding  
 wall sealing  
 Aquadimmer-diverter for bath mixer or  
 stopvalve for shower mixer in finishing  
 trim set  
 body in DR-brass  
 built-in non return valve  
 and dirt strainers  
**GROHE EcoJoy®** technology for  
 less water and perfect flow  
**min. recommended pressure 1.0 bar**




|            |               |  |        |
|------------|---------------|--|--------|
| 35 500 000 | 4005176831522 |  | 263.99 |
|------------|---------------|--|--------|

**Ditto**, Non TMV2 compliant valve


|            |               |        |        |
|------------|---------------|--------|--------|
| 34 399 000 | 4005176895401 | chrome | 646.86 |
|------------|---------------|--------|--------|

**Grohtherm 3000 Cosmopolitan**  
**Perfect Shower Set**  
 set for final installation Grohtherm 3000 Cosmopolitan with Aquadimmer (19 468 000)  
 Rainshower Cosmopolitan Headshower 160mm (27 134 000)  
 Rainshower shower arm modern (28 576 000)  
 Euphoria Hand shower (27 265 000)  
 Shower outlet elbow (28 628 000)  
 Silverflex shower hose 1250 mm  
 (28 362 000)  
**GROHE StarLight®** chrome finish  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE CoolTouch®**  
**SpeedClean** anti-limescale system  
**min. recommended pressure 1.0 bar**




|            |               |        |        |
|------------|---------------|--------|--------|
| 34 408 000 | 4005176895418 | chrome | 821.68 |
|------------|---------------|--------|--------|

**Grohtherm 3000 Cosmopolitan**  
**Perfect Shower Set**  
 set for final installation Grohtherm 3000 Cosmopolitan  
 with Aquadimmer (19 567 000)  
 head shower Rainshower modern 210  
 (28 368 000)  
 Rainshower shower arm modern (28 576 000)  
 Euphoria Hand shower (27 265 000)  
 Shower outlet elbow (28 628 000)  
 Silverflex shower hose 1250 mm  
 (28 362 000)  
**GROHE StarLight®** chrome finish  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE CoolTouch®**  
**SpeedClean** anti-limescale system  
**min. recommended pressure 1.0 bar**



|            |               |        |        |
|------------|---------------|--------|--------|
| 34 278 000 | 4005176848001 | chrome | 564.69 |
|------------|---------------|--------|--------|

**Grohtherm 3000 Cosmopolitan**  
**Thermostatic shower mixer 1/2"**  
**concealed body (34 211)**  
 set for final installation Grohtherm 3000  
 Cosmopolitan (19 464 000)  
 Rainshower® Cosmopolitan shower set  
 (28 757 000)  
 Rainshower® wall union 1/2" (27 057 000)  
**GROHE StarLight®** chrome finish  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE CoolTouch®**  
**SpeedClean** anti-limescale system  
**min recommended pressure 1.0 bar**





NEW






# GROHE GROHTHERM 3000 COSMOPOLITAN

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 19 470 000 | 4005176848018 | chrome | 54.72                  |




**Grotherm 3000 Cosmopolitan**  
**Concealed stop-valve trim**  
**GROHE StarLight®** chrome finish  
 for concealed valves, 1/2", 3/4"  
 Trim set for 29 811 000/29 813 000  
 installation depth adjustable  
 28-80 mm  
 metal escutcheon with wall sealing  
 shut-off valve

|            |               |  |       |
|------------|---------------|--|-------|
| 29 813 000 | 4005176062735 |  | 67.30 |
|------------|---------------|--|-------|




**Concealed stop valve 3/4"**  
 pre-assembled ceramic headpart 3/4"  
 90°  
 threaded union 3/4"  
 installation depth adjustable  
 25 - 80 mm  
 DR-brass

|            |               |  |       |
|------------|---------------|--|-------|
| 29 811 000 | 4005176062711 |  | 44.23 |
|------------|---------------|--|-------|



**Concealed stop valve 1/2"**  
 preassembled ceramic headpart 1/2"  
 180°  
 threaded union 1/2"  
 installation depth adjustable  
 25 - 80 mm  
 DR-brass  
**min recommended pressure 1.0 bar**  
 clockwise closing


# GROHE GROHTHERM CUBE





# GROHE GROHTHERM CUBE

NEW




| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 34 488 000 | 4005176940620 | chrome | 261.66                 |

**Grotherm Cube**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
**GROHE StarLight®** chrome finish  
**GROHE TurboStat®** compact cartridge with wax thermoelement  
**GROHE EcoJoy®** technology for less water and perfect flow  
 integrated mixed water shut off  
 ceramic headpart 1/2", 180°  
 volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)  
**GROHE SafeStop** safety button at 38°C  
 shower bottom outlet 1/2"  
 built-in non return valves  
 dirt strainers  
 covered S-unions  
 protected against backflow  
**min. recommended pressure 1.0 bar**

|                                          |               |        |        |
|------------------------------------------|---------------|--------|--------|
| 34 491 000                               | 4005176940644 | chrome | 290.66 |
| <b>Ditto, with GROHE EasyReach® Tray</b> |               |        |        |

NEW




|            |               |        |        |
|------------|---------------|--------|--------|
| 34 509 000 | 4005176941801 | chrome | 261.66 |
|------------|---------------|--------|--------|

**Grotherm Cube**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
**GROHE StarLight®** chrome finish  
**GROHE TurboStat®** C3 compact cartridge with wax thermoelement  
**GROHE EcoJoy®** technology for less water and perfect flow  
 integrated flow limiter 14 l/min in the shower outlet  
 integrated mixed water shut off  
 ceramic headpart 1/2", 180°  
 volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)  
**GROHE SafeStop** safety button at 38°C  
**GROHE SafeStop Plus** integrated temperature limiter at max 50°C  
 shower bottom outlet 1/2"  
 built-in non return valves  
 dirt strainers  
 covered S-unions  
 protected against backflow  
**min. recommended pressure 1.0 bar**

# GROHE GROHTHERM CUBE


NEW



| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 34 516 000 | 4005176984921 | chrome | 326.65                 |

**Grotherm Cube**  
**Shower set**  
 thermostatic shower mixer 1/2" with shower set  
 wall mounted  
**GROHE StarLight®** chrome finish  
**GROHE TurboStat®** C3 compact cartridge with wax thermoelement  
**GROHE EcoJoy®** technology for less water and perfect flow  
 integrated flow limiter 14 l/min in the shower outlet  
 integrated mixed water shut off  
 ceramic headparts 1/2", 180°  
 volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)  
**GROHE SafeStop** safety button at 38°C  
**GROHE SafeStop Plus** integrated temperature limiter at max 50°C  
 shower bottom outlet 1/2"  
 built-in non return valves  
 dirt strainers  
 covered S-unions  
 protected against backflow  
 Euphoria Cube Shower set (27 937 000) consisting of:  
 shower rail 600 mm (27 892 000)  
 hand shower Euphoria Cube (27 699 000)  
 maximum flow rate 9.5 l/min  
 Silverflex shower hose 1750 mm (28 388 000)  
 1/2" x 1/2"  
**min. recommended pressure 1.0 bar**

NEW




|            |               |        |        |
|------------|---------------|--------|--------|
| 34 508 000 | 4005176941795 | chrome | 341.65 |
|------------|---------------|--------|--------|

**Grotherm Cube**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
**GROHE StarLight®** chrome finish  
**GROHE TurboStat®** C3 compact cartridge with wax thermoelement  
**GROHE EcoJoy®** technology for less water and perfect flow  
 integrated mixed water shut off  
 ceramic headpart 1/2", 180°  
**GROHE AquaDimmer Eco** with multiple function:  
 - flow control  
 - diverter: bath/shower  
 - integrated **GROHE EcoButton** (economy button with economy stop for shower)  
**GROHE SafeStop** safety button at 38°C  
**GROHE SafeStop Plus** integrated temperature limiter at max 50°C  
 shower bottom outlet 1/2"  
 flow strainer  
 built-in non return valves  
 dirt strainers  
 covered S-unions  
 protected against backflow  
**GROHE XL Waterfall**  
**min. recommended pressure 1.0 bar**

# GROHE GROHTHERM CUBE

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|


NEW



**26 087 000 4005176940828 chrome 998.29**

**Euphoria Cube Shower System**  
Shower system with thermostatic mixer for wall mounting  
shower arm  
projection 400 mm  
**exposed thermostatic shower**  
with Aquadimmer function  
allows change between:  
Rainshower® Allure head shower (27 479 000)  
spray pattern Rain  
with ball joint  
hand shower Euphoria Cube (27 699 000)  
minimum flow rate 7 l/min.  
adjustable in height with gliding element  
Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat®** compact cartridge  
with wax thermoelement  
**GROHE EcoJoy®** technology for less water and perfect flow  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**min. recommended pressure 1.0 bar**


NEW



**19 959 000 4005176940842 chrome 214.99**

**Grotherm Cube**  
**Thermostatic shower mixer**  
**without concealed body**  
set for final installation for  
GROHE Rapido T 35 500 000 / 35 050 000  
**TMV2 compliant when used with 35 050 000**  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop** safety button at 38°C  
volume handle with **GROHE EcoButton**  
(economy button with individually adjustable economy stop)  
ceramic headpart 1/2", 180°  
wall escutcheon with covered escutcheon and shaft sealing.  
covered fixing


NEW



**19 958 000 4005176940835 chrome 246.66**

**Grotherm Cube**  
**Thermostat with integrated 2-way diverter**  
**for bath or shower with more than one outlet**  
**without concealed body**  
set for final installation for  
35 500 000 / 35 050 000  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop** safety button at 38°C  
**GROHE AquaDimmer Eco** with multiple function:  
- flow control  
- diverter: bath/shower  
- integrated **GROHE EcoButton**  
(economy button with economy stop for shower)  
wall escutcheon with covered escutcheon and shaft sealing.  
covered fixing

NEW




**19 961 000 4005176940866 chrome 198.33**

**Grotherm Cube**  
**Trim for thermostatic shower valve**  
**without concealed body**  
set for final installation for  
35 500 000 / 35 050 000  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop** safety button at 38°C  
wall escutcheon with covered escutcheon and shaft sealing.  
covered fixing

# GROHE GROHTHERM CUBE

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|

NEW



**35 050 000 4005176982064 263.99**

**GROHE Rapido T**  
**Universal Thermostatic mixer**  
**for concealed installation**  
**TMV2 compliant product**  
for use with bath-, shower- and central-mixer  
**without finishing trim set**  
easy to install, premounted and tested unit  
**GROHE TurboStat®** compact cartridge  
with wax thermoelement  
two top outlets 1/2", lockable  
bottom outlet 1/2" - can only be used  
with separate stopvalve  
safe to install, stable built-in-box and  
protective cap  
fixation options for solid walls and dry  
cladding  
wall sealing  
Aquadimmer-diverter for bath mixer or  
stopvalve for shower mixer in finishing  
trim set  
body in DR-brass  
built-in non return valve  
and dirt strainers  
**GROHE EcoJoy®** technology for less water and perfect flow  
**min. recommended pressure 1.0 bar**

**35 500 000 4005176831522 263.99**  
**Ditto, Non TMV2 compliant valve**

NEW



**34 506 000 4005176940804 chrome 1,083.37**

**Grotherm Cube**  
**Concealed shower bundle**  
set for final installation with integrated 2-way diverter (19 958 000)  
35 500 000 / 35 050 000  
Rainshower shower arm 286 mm (27 709 000)  
Rainshower head shower (27 479 000)  
Euphoria Cube hand shower set (27 703 000)  
Euphoria Cube wall elbow connections (27 704 000)

NEW



**18 700 000 4005176940811 29.00**

**GROHE EasyReach™ tray**  
for Grotherm Cube  
removable for easy cleaning  
Da Vinci satin white finish  
suitable for Grotherm Cube  
- exposed thermostatic shower mixer with centre distance 150 mm  
- exposed thermostatic bath mixer with centre distance 150 mm

# GROHTHERM 2000 NEW



GROHE  
TurboStat\*



GROHE  
CoolTouch\*



GROHE  
EcoJoy\*\*



GROHE  
StarLight\*




# GROHE GROHTHERM 2000 NEW

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 34 169 001 | 4005176926518 | chrome | 261.37                 |


**Grohtherm 2000 NEW**  
Thermostatic shower mixer 1/2"  
wall mounted  
**GROHE CoolTouch®** safety housing  
**GROHE StarLight®** chrome finish  
**GROHE TurboStat®** compact cartridge with wax thermoelement  
**GROHE EcoJoy®** technology for less water and perfect flow  
integrated mixed water shut off  
ceramic headpart 1/2", 180°  
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)  
**GROHE SafeStop** safety button at 38°C  
shower bottom outlet 1/2"  
built-in non return valves  
dirt strainers  
covered S-unions  
protected against backflow  
**min. recommended pressure 1.0 bar**

|                                   |               |        |        |
|-----------------------------------|---------------|--------|--------|
| 34 170 001                        | 4005176926471 | chrome | 250.88 |
| Ditto, without s-unions           |               |        |        |
| 34 469 001                        | 4005176926396 | chrome | 284.97 |
| Ditto, with GROHE EasyReach® Tray |               |        |        |



|            |               |        |        |
|------------|---------------|--------|--------|
| 34 446 001 | 4005176926402 | chrome | 249.16 |
|------------|---------------|--------|--------|


**Grohtherm 2000 NEW**  
Thermostatic shower mixer 1/2"  
wall mounted  
**GROHE CoolTouch®** safety housing  
**GROHE StarLight®** chrome finish  
**GROHE TurboStat®** compact cartridge with wax thermoelement  
**GROHE EcoJoy®** technology for less water and perfect flow  
integrated flow limiter 14 l/min in the shower outlet  
integrated mixed water shut off  
ceramic headpart 1/2", 180°  
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)  
**GROHE SafeStop** safety button at 38°C  
**GROHE SafeStop Plus** integrated temperature limiter at max 50°C  
shower bottom outlet 1/2"  
built-in non return valves  
dirt strainers  
covered S-unions  
protected against backflow  
**min. recommended pressure 1.0 bar**



# GROHE GROHTHERM 2000 NEW


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 34 281 001 | 4005176926501 | chrome | 426.58                 |

**Grohtherm 2000 NEW**  
Thermostatic shower mixer 1/2"  
wall mounted  
**GROHE CoolTouch®** safety housing  
**GROHE StarLight®** chrome finish  
**GROHE TurboStat®** compact cartridge with wax thermoelement  
**GROHE EcoJoy®** technology for less water and perfect flow  
integrated mixed water shut off  
ceramic headpart 1/2", 180°  
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)  
**GROHE SafeStop** safety button at 38°C  
shower bottom outlet 1/2"  
built-in non return valves  
dirt strainers  
covered S-unions  
protected against backflow  
Power&Soul shower set consisting of  
shower rail 600mm (27 784 000)  
hand shower Power&Soul® Cosmopolitan 130 (27 663 000)  
Silverflex shower hose 1750 mm (28 388 000)  
**min. recommended pressure 1.0 bar**



|            |               |        |        |
|------------|---------------|--------|--------|
| 34 195 001 | 4005176926631 | chrome | 326.05 |
|------------|---------------|--------|--------|

**Grohtherm 2000 NEW**  
Thermostatic shower mixer 1/2"  
wall mounted  
**GROHE CoolTouch®** safety housing  
**GROHE StarLight®** chrome finish  
**GROHE TurboStat®** compact cartridge with wax thermoelement  
**GROHE EcoJoy®** technology for less water and perfect flow  
integrated mixed water shut off  
ceramic headpart 1/2", 180°  
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)  
**GROHE SafeStop** safety button at 38°C  
shower bottom outlet 1/2"  
built-in non return valves  
dirt strainers  
covered S-unions  
protected against backflow  
Euphoria Massage shower set consisting of  
shower rail, 600 mm (27 499 000)  
hand shower Euphoria 110 Massage (27 221 000)  
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000)  
soap dish (27 206 000)  
**min. recommended pressure 1.0 bar**






# GROHE GROHTHERM 2000 NEW

Ref.No. EAN code Colour Retail Guide Price (£)

34 466 001 4005176926440 chrome 340.91


**Grohtherm 2000 NEW**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
**GROHE CoolTouch®** safety housing  
**GROHE StarLight®** chrome finish  
**GROHE TurboStat®** compact cartridge with wax thermoelement  
**GROHE EcoJoy®** technology for less water and perfect flow  
 integrated flow limiter 14 l/min in the shower outlet  
 integrated mixed water shut off  
 ceramic headpart 1/2", 180°  
**GROHE AquaDimmer Eco** with multiple function:  
 - flow control  
 - diverter: bath/shower  
 - integrated (economy button with economy stop for shower)  
**GROHE SafeStop** safety button at 38°C  
**GROHE SafeStop Plus** integrated temperature limiter at max 50°C  
 shower bottom outlet 1/2"  
**GROHE XL Waterfall**  
 flow strainer  
 built-in non return valves  
 dirt strainers  
 covered S-unions  
 protected against backflow  
**min. recommended pressure 1.0 bar**



34 484 001 4005176932519 chrome 330.42  
 Ditto, without s-unions

18 608 001 4005176985140 chrome 48.33

**GROHE EasyReach™ shower tray**  
 metal tray  
 removable for easy cleaning  
**GROHE StarLight®** chrome finish  
 suitable for Grohtherm 2000 NEW  
 - exposed thermostatic shower mixer with centre distance 150 mm  
 - exposed thermostatic bath mixer with centre distance 150 mm




18 370 000 4005176885228 chrome 60.50

**Wall Mounted Brackets**  
 1 pair  
 for exposed 1/2" mixers  
 includes: wall plate, brass olive, fixing nipple, chrome shroud



18 153 000 4005176819094 chrome 47.16

**Bracket for exposed installation**  
 suitable for wall mounted exposed shower & bath/shower mixers  
 150 mm centres




# GROHE GROHTHERM 2000

Ref.No. EAN code Colour Retail Guide Price (£)


19 354 001 4005176926563 chrome 215.03

**Thermostatic shower mixer without concealed body**  
 set for final installation for GROHE Rapido T 35 500 000 / 35 050 000  
**TMV2 compliant when used with 35 050 000**  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop** safety button at 38°C  
 volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)  
 ceramic headpart 1/2", 180°  
 wall escutcheon with **GROHE SmartFix** (covered escutcheon- and shaft sealing, covered fixing)



19 964 000 4005176982194 chrome 246.50

**Grohtherm 2000 NEW**  
**Thermostat with integrated 2-way diverter for bath or shower with more than one outlet**  
**TMV2 compliant when used with 35 050 000**  
**without concealed body**  
 set for final installation for GROHE Rapido T 35 500 000 / 35 050 000  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop Plus** integrated temperature limiter at max 50°C  
**GROHE AquaDimmer Eco** with multiple function:  
 - flow control  
 - diverter: bath/shower  
 - integrated **GROHE EcoButton** (economy button with economy stop for shower)  
 wall escutcheon with **GROHE SmartFix** (covered escutcheon- and shaft sealing, covered fixing)




19 355 001 4005176926556 chrome 246.50

Ditto, non TMV2 compliant trim set

NEW


35 050 000 4005176982064 263.99

**GROHE Rapido T Universal Thermostatic mixer for concealed intallation**  
**TMV2 compliant product**  
 for use with bath-, shower- and central-mixer **without finishing trim set**  
 easy to install, premounted and tested unit  
**GROHE TurboStat®** compact cartridge with wax thermoelement  
 two top outlets 1/2", lockable  
 bottom outlet 1/2" - can only be used with separate stopvalve  
 safe to install, stable built-in-box and protective cap  
 fixation options for solid walls and dry cladding  
 wall sealing  
 Aquadimmer-diverter for bath mixer or stopvalve for shower mixer in finishing trim set  
 body in DR-brass  
 built-in non return valve and dirt strainers  
**GROHE EcoJoy®** technology for less water and perfect flow  
**min. recommended pressure 1.0 bar**  
**35 500 000 4005176831522 263.99**  
**Ditto, Non TMV2 compliant valve**




| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 34 283 001 | 4005176926594 | chrome | 788.47                 |

**Grotherm 2000 NEW**  
**Concealed shower system**  
consisting of  
set for final installation Grotherm 2000 NEW  
with integrated 2-way diverter (19 355 001)  
GROHE Rapido T thermostatic mixer  
Power&Soul head shower (27 766 000)  
shower arm (28 576 000)  
hand shower Power&Soul Cosmopolitan 115 (27 660 000)  
wall connection elbow with integrated hand shower  
holder (28 628 000)  
**min. recommended pressure 1.0 bar**




|            |               |        |       |
|------------|---------------|--------|-------|
| 19 243 001 | 4005176926570 | chrome | 41.09 |
|------------|---------------|--------|-------|

**Grotherm 2000 NEW**  
**Concealed stop-valve trim**  
**GROHE StarLight®** chrome finish  
for concealed valves, 1/2", 3/4"  
installation depth adjustable  
28-80 mm  
metal escutcheon with wall sealing  
shut-off valve  
screwed




|            |               |        |       |
|------------|---------------|--------|-------|
| 29 813 000 | 4005176062735 | chrome | 67.30 |
|------------|---------------|--------|-------|

**Sinfonia**  
**Concealed stop valve 3/4"**  
pre-assembled ceramic headpart 3/4"  
90°  
threaded union 3/4"  
installation depth adjustable  
25 - 80 mm  
DR-brass  
**min recommended pressure 1.0 bar**



|            |               |  |       |
|------------|---------------|--|-------|
| 29 811 000 | 4005176062711 |  | 44.23 |
|------------|---------------|--|-------|

**Concealed stop valve 1/2"**  
preassembled ceramic headpart 1/2"  
180°  
threaded union 1/2"  
installation depth adjustable  
25 - 80 mm  
DR-brass  
**min recommended pressure 1.0 bar**




# GROHTHERM 1000 COSMOPOLITAN




# GROHE GROHTHERM 1000 COSMOPOLITAN

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|




|            |               |        |        |
|------------|---------------|--------|--------|
| 34 430 000 | 4005176917981 | chrome | 228.15 |
|------------|---------------|--------|--------|

**Grotherm 1000 Cosmopolitan Thermostat shower mixer 3/4"**  
**GROHE TurboStat**® compact cartridge with wax thermoelement  
 integrated mixed water shut off  
**GROHE SafeStop** safety button at 38°C  
**GROHE StarLight**® chrome finish  
 shower bottom outlet 1/2"  
 built-in non return valves  
 dirt strainers  
 S-unions  
 max. pressure differential 5:1  
**recommended pressure 0.1 - 1.0 bar**



|            |               |        |        |
|------------|---------------|--------|--------|
| 34 437 000 | 4005176918025 | chrome | 253.50 |
|------------|---------------|--------|--------|

**Grohmaster EV Thermostatic shower mixer, 3/4"**  
 Thermostatic shower mixer, 3/4"  
 consisting of:  
 Exposed shower thermostat (34 430 000) with **GROHE TurboStat**® compact cartridge  
 Euphoria Mono shower set (27 256 001) with **GROHE DreamSpray**®  
**GROHE StarLight**® chrome finish  
 max. pressure differential 5:1  
**recommended pressure 0.1 - 1.0 bar**




|            |               |        |        |
|------------|---------------|--------|--------|
| 34 448 000 | 4005176919183 | chrome | 314.69 |
|------------|---------------|--------|--------|

**Grotherm 1000 Cosmopolitan Thermostatic bath/shower mixer 3/4"**  
**GROHE TurboStat**® compact cartridge with wax thermoelement  
**GROHE SafeStop Plus**, removable max. temperature stop at 46° C  
 chromed scale rings  
 integrated mixed water shut off  
 automatic diverter: bath/shower  
 shower bottom outlet 1/2"  
 built-in non return valve  
 dirt strainers  
 protected against backflow  
**GROHE StarLight**® chrome finish  
 without connection unions  
 max. pressure differential 5:1  
**recommended pressure 0.1 - 1.0 bar**

# GROHE GROHTHERM 1000 COSMOPOLITAN

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|




|            |               |        |        |
|------------|---------------|--------|--------|
| 34 065 000 | 4005176859670 | chrome | 255.24 |
|------------|---------------|--------|--------|

**Grotherm 1000 Cosmopolitan Thermostatic shower mixer 1/2"**  
 wall mounted  
**GROHE TurboStat**® compact cartridge with wax thermoelement  
 integrated mixed water shut off  
 ceramic headpart 1/2", 180°  
 volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)  
**GROHE SafeStop** safety button at 38°C  
 shower bottom outlet 1/2"  
 built-in non return valves  
 dirt strainers  
 S-unions  
 metal escutcheons  
 protected against backflow  
**GROHE EcoJoy**® technology for less water and perfect flow  
**GROHE StarLight**® chrome finish  
 max. pressure differential 5:1  
**min recommended pressure 1.0 bar**

|            |               |        |        |
|------------|---------------|--------|--------|
| 34 268 000 | 4005176860294 | chrome | 245.98 |
|------------|---------------|--------|--------|

**Ditto**, without s-unions




|            |               |        |        |
|------------|---------------|--------|--------|
| 34 215 000 | 4005176860287 | chrome | 306.82 |
|------------|---------------|--------|--------|

**Grotherm 1000 Cosmopolitan Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
**GROHE TurboStat**® compact cartridge with wax thermoelement  
 integrated mixed water shut off  
 ceramic headpart 1/2", 180°  
 volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)  
 automatic diverter: bath/shower  
**GROHE SafeStop** safety button at 38°C  
 shower bottom outlet 1/2"  
 mousseur  
 built-in non return valves  
 dirt strainers  
 S-unions  
 metal escutcheons  
 protected against backflow  
**GROHE EcoJoy**® technology for less water and perfect flow  
**GROHE StarLight**® chrome finish  
 max. pressure differential 5:1  
**min recommended pressure 1.0 bar**

|            |               |        |        |
|------------|---------------|--------|--------|
| 34 323 000 | 4005176860324 | chrome | 297.56 |
|------------|---------------|--------|--------|

**Ditto**, without s-unions




|            |               |        |       |
|------------|---------------|--------|-------|
| 18 370 000 | 4005176885228 | chrome | 60.50 |
|------------|---------------|--------|-------|

**Wall Mounted Brackets**  
 1 pair  
 for exposed 1/2" mixers  
 includes: wall plate, brass olive, fixing nipple, chrome shroud





# GROHE GROHTHERM 1000 COSMOPOLITAN

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 18 153 000 | 4005176819094 | chrome | 47.16                  |




**Bracket for exposed installation**  
suitable for wall mounted exposed  
shower & bath/shower mixers  
150 mm centres

|            |               |        |       |
|------------|---------------|--------|-------|
| 18 121 000 | 4005176815812 | chrome | 62.16 |
|------------|---------------|--------|-------|




**Pillar union**  
GROHE StarLight® chrome finish

|            |               |        |        |
|------------|---------------|--------|--------|
| 34 286 001 | 4005176899836 | chrome | 328.67 |
|------------|---------------|--------|--------|




**Grotherm 1000 Cosmopolitan  
Thermostatic shower mixer 1/2"**  
consisting of:  
Grotherm 1000 Cosmopolitan  
thermostat shower mixer (34 065 000)  
Euphoria shower set 600mm (27 231 001)  
GROHE EcoJoy® technology for  
less water and perfect flow  
GROHE TurboStat® compact cartridge  
with wax thermoelement  
GROHE DreamSpray® perfect spray pattern  
GROHE CoolTouch®  
GROHE StarLight® chrome finish  
SpeedClean anti-limescale system  
**min. recommended pressure 1.0 bar**

|            |               |        |        |
|------------|---------------|--------|--------|
| 34 321 001 | 4005176899843 | chrome | 339.16 |
|------------|---------------|--------|--------|



**Grotherm 1000 Cosmopolitan  
Thermostatic shower mixer 1/2"**  
consisting of:  
Grotherm 1000 Cosmopolitan  
thermostat shower mixer (34 065 000)  
Euphoria shower set 900mm (27 226 000)  
GROHE EcoJoy® technology for  
less water and perfect flow  
GROHE TurboStat® compact cartridge  
with wax thermoelement  
GROHE DreamSpray® perfect spray pattern  
GROHE StarLight® chrome finish  
SpeedClean anti-limescale system, **min. recommended pressure 1.0 bar**

# GROHTHERM 1000






# GROHE GROHTHERM 1000

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 34 143 000 | 4005176803529 | chrome | 228.15                 |

**Grohtherm 1000**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
**GROHE TurboStat®** compact cartridge with wax thermoelement  
 integrated mixed water shut off  
 ceramic headpart 1/2", 180°  
 volume handle with economy EcoButton  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop®** safety button at 38°C  
 shower bottom outlet 1/2"  
 built-in non return valves  
 dirt strainers  
 S-unions  
 max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**




|            |               |        |        |
|------------|---------------|--------|--------|
| 34 146 000 | 4005176803536 | chrome | 218.88 |
|------------|---------------|--------|--------|

**Ditto**, without s-unions

|            |               |        |        |
|------------|---------------|--------|--------|
| 34 155 000 | 4005176803642 | chrome | 275.01 |
|------------|---------------|--------|--------|

**Grohtherm 1000**  
**Thermostatic bath/shower mixer 1/2"**  
 wall mounted  
**GROHE TurboStat®** compact cartridge with wax thermoelement  
 integrated mixed water shut off  
 ceramic headpart 1/2", 180°  
 automatic diverter  
 volume handle with economy EcoButton  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop®** safety button at 38°C  
 shower bottom outlet 1/2"  
 mousseur  
 built-in non return valves  
 dirt strainers, S-unions  
 max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**



|            |               |        |        |
|------------|---------------|--------|--------|
| 34 156 000 | 4005176803659 | chrome | 265.73 |
|------------|---------------|--------|--------|

**Ditto**, without s-unions

|            |               |        |       |
|------------|---------------|--------|-------|
| 18 370 000 | 4005176885228 | chrome | 60.50 |
|------------|---------------|--------|-------|


**Wall Mounted Brackets**  
 1 pair  
 for exposed 1/2" mixers  
 includes: wall plate, brass olive, fixing nipple, chrome shroud



# GROHE GROHTHERM 1000


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 18 153 000 | 4005176819094 | chrome | 47.16                  |

**Bracket for exposed installation**  
 suitable for wall mounted exposed shower & bath/shower mixers  
 150 mm centres




|            |               |        |       |
|------------|---------------|--------|-------|
| 18 121 000 | 4005176815812 | chrome | 62.16 |
|------------|---------------|--------|-------|

**Pillar union**  
**GROHE StarLight®** chrome finish




|            |               |        |        |
|------------|---------------|--------|--------|
| 34 161 000 | 4005176803758 | chrome | 270.11 |
|------------|---------------|--------|--------|

**Grohtherm 1000**  
**Thermostatic shower mixer 1/2"**  
 concealed body & trim set complete consisting of:  
 concealed body, 34 211 000  
 trim set for final installation (19 236)  
 ceramic headpart 1/2", 180°  
 bottom outlet 1/2" - can only be used with separate stopvalve  
**GROHE TurboStat®** compact cartridge with wax thermoelement  
**GROHE StarLight®** chrome finish  
 temperature scale handle with  
**GROHE SafeStop®** safety stop at 38°C  
 volume handle with economy EcoButton  
 built-in non return valves  
 max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**




|            |               |        |        |
|------------|---------------|--------|--------|
| 34 162 001 | 4005176923265 | chrome | 335.67 |
|------------|---------------|--------|--------|

**Grohtherm 1000**  
**Concealed shower system**  
 set for final installation Grohtherm 1000 with integrated shut off  
 concealed thermostatic mixer 34 211 000 with **GROHE TurboStat®** compact cartridge and wax thermoelement  
 New Tempesta shower set II, 600 mm (27 598 000)  
**GROHE DreamSpray®** perfect spray pattern elbow outlet (28 671)  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**



# GROHE GROHTHERM 1000



| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 19 237 000 | 4005176803710 | chrome | 31.65                  |

**Grotherm 1000**  
**Concealed stop-valve trim**  
 Trim set for 29 811 000/29 813 000  
 for concealed valves, 1/2", 3/4"  
 installation depth adjustable  
 28-80 mm  
**GROHE StarLight®** chrome finish

|            |               |  |       |
|------------|---------------|--|-------|
| 29 811 000 | 4005176062711 |  | 44.23 |
|------------|---------------|--|-------|

**Concealed stop valve 1/2"**  
 preassembled ceramic headpart 1/2"  
 180°  
 threaded union 1/2"  
 installation depth adjustable  
 25 - 80 mm  
 DR-brass  
**min recommended pressure 1.0 bar**  
 clockwise closing

|            |               |  |       |
|------------|---------------|--|-------|
| 29 813 000 | 4005176062735 |  | 67.30 |
|------------|---------------|--|-------|


**Concealed stop valve 3/4"**  
 pre-assembled ceramic headpart 3/4"  
 90°  
 threaded union 3/4"  
 installation depth adjustable  
 25 - 80 mm  
 DR-brass

# GROHE AVENSYS




| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 34 222 000 | 4005176815911 | chrome | 398.60                 |

**Avensys Modern**  
**Dual control shower mixer 1/2"**  
Thermostatic  
exposed body and trim set  
wall mounted, swivel inlet unions  
brass body  
wax thermoelement  
suitable for high / low pressure  
flow & temperature control handles  
shower outlet 1/2" top or bottom  
built-in non return valves  
reversible body for crossed supplies  
flow limiters for high (>1.0 bar) or unequal pressures  
installation bracket for body  
**GROHE StarLight®** chrome finish  
max. pressure differential 5:1  
**recommended pressure 0.1 - 5.0 bar**




|            |               |        |        |
|------------|---------------|--------|--------|
| 34 224 000 | 4005176815935 | chrome | 398.60 |
|------------|---------------|--------|--------|

**Avensys Modern**  
**Dual control shower mixer 1/2"**  
Thermostatic  
suitable for high / low pressure  
concealed brass body & trim set  
flow & temperature control handles  
wax thermoelement  
installation bracket for body  
built-in non return valves  
dirt strainers  
shower outlet 1/2" top or bottom  
flow limiters for high (>1.0 bar) or unequal pressures  
**GROHE StarLight®** chrome finish  
max. pressure differential 5:1  
**recommended pressure 0.1 - 5.0 bar**




|            |               |                        |        |
|------------|---------------|------------------------|--------|
| 34 032 IP0 | 4005176224904 | chrome/<br>matt chrome | 398.60 |
|------------|---------------|------------------------|--------|

**Avensys Classic**  
**Dual control shower mixer 1/2"**  
Thermostatic  
concealed brass body & trim set  
wax thermoelement  
installation bracket for body  
in masonry / stud walls  
flow & temperature control handles  
built-in non return valves  
dirt strainers  
shower outlet 1/2" top or bottom  
reversible body for crossed supplies  
flow limiters for high (>1.0 bar) or unequal pressures  
**GROHE StarLight®** chrome finish  
max. pressure differential 5:1  
**recommended pressure 0.1 - 5.0 bar**




| Ref.No.    | EAN code      | Colour                 | Retail Guide Price (£) |
|------------|---------------|------------------------|------------------------|
| 34 029 IP0 | 4005176224812 | chrome/<br>matt chrome | 398.60                 |



**Avensys Classic**  
**Dual control shower mixer 1/2" EV**  
Thermostatic  
exposed body and trim set  
wall mounted, swivel inlet unions  
brass body  
wax thermoelement  
suitable for high / low pressure  
flow & temperature control handles  
shower outlet 1/2" top or bottom  
built-in non return valves  
reversible body for crossed supplies  
flow limiters for high (>1.0 bar) or unequal pressures  
**GROHE StarLight®** chrome finish  
max. pressure differential 5:1  
**Recommended pressure 0.1-5.0 bar**



|            |               |              |        |
|------------|---------------|--------------|--------|
| 34 041 IL0 | 4005176224997 | chrome/white | 398.60 |
|------------|---------------|--------------|--------|

**Avensys Shower**  
**Single control D08 shower mixer 1/2"**  
**TMV3 Approved**  
Thermostatic  
suitable for high / low pressure  
concealed brass body & trim set  
factory set max. temperature 41°C  
installation bracket for body  
in masonry / stud walls  
combined flow & temperature control  
handle  
metal lever  
built-in non return valves  
dirt strainers  
shower outlet 1/2" top or bottom  
reversible body for crossed supplies  
flow limiters for high (>1.0 bar) or unequal pressures  
**GROHE StarLight®** chrome finish  
**recommended pressure 0.1 - 5.0 bar**





| Ref.No.    | EAN code      | Colour       | Retail Guide Price (£) |
|------------|---------------|--------------|------------------------|
| 34 038 ILO | 4005176224973 | chrome/white | 398.60                 |

**Avensys Shower**  
**Single control DO8**  
**shower mixer 1/2" EV**  
**TMV3 Approved**  
 Thermostatic  
 wall mounted, swivel inlet unions  
 brass body  
 wax thermoelement  
 factory set max. temperature 41°C  
 combined flow & temperature control  
 handle  
 metal lever  
 built-in non return valves  
 dirt strainers  
 shower outlet 1/2" top or bottom  
 reversible body for crossed supplies  
 flow limiters for high (>1.0 bar) or unequal pressures  
**GROHE StarLight®** chrome finish  
 max. pressure differential 5:1  
**recommended pressure 0.1 - 5.0 bar**

# GROHE RAPIDO T




































# GROHE RAPIDO T




## GROHE Rapido T – with thermostatic technology

| Application                | Grandera                                                                                                      | GROHE Ondus®                                                                                    | Veris                                                                                           | Allure Brilliant                                                                                 | Allure                                                                                           | Atrio Ypsilon                                                                                      | Atrio Jota                                                                                         |
|----------------------------|---------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|
| Thermostatic shower mixer  | <br>19 934 000               | <br>19 443 000 | <br>19 369 000 | <br>19 791 000  | <br>19 380 000 | <br>19 394 000  | <br>19 398 000  |
| Thermostatic bath mixer    | <br>19 948 000<br>19 937 000 | <br>19 442 000 | <br>19 364 000 | <br>19 792 000  | <br>19 446 000 | <br>19 395 000  | <br>19 399 000  |
| Thermostatic central mixer | <br>19 941 000              |                                                                                                 |                                                                                                 | <br>19 887 000 |                                                                                                  | <br>19 392 000 | <br>19 396 000 |

| Application                | Grohtherm Cube                                                                                    | Grohtherm F                                                                                       | Grohtherm 3000 Cosmopolitan                                                                                     | Grohtherm 2000                                                                                                    | Grohtherm 2000 Special                                                                              |                                                                                                     |
|----------------------------|---------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
| Thermostatic shower mixer  | <br>19 958 000 | <br>27 618 000 | <br>19 467 000               | <br>19 568 000               | <br>19 354 001 | <br>19 416 000 |
| Thermostatic bath mixer    | <br>19 959 000 |                                                                                                   | <br>19 468 000<br>19 963 000 | <br>19 567 000<br>19 962 000 | <br>19 355 001 | <br>19 417 000 |
| Thermostatic central mixer | <br>19 961 000 | <br>27 619 000 | <br>19 469 000               | <br>19 352 001               | <br>19 418 000 |                                                                                                     |

# GROHE RAPIDO T

NEW



| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 35 050 000 | 4005176982064 |        | 263.99                 |

**GROHE Rapido T**  
**Universal Thermostatic mixer**  
**for concealed intallation**  
**TMV2 compliant product**  
 for use with bath-, shower- and central-mixer  
**without finishing trim set**  
 easy to install, premounted and tested unit  
**GROHE TurboStat®** compact cartridge  
 with wax thermosteement  
 two top outlets 1/2", lockable  
 bottom outlet 1/2" - can only be used  
 with separate stopvalve  
 safe to install, stable built-in-box and  
 protective cap  
 fixation options for solid walls and dry  
 cladding  
 wall sealing  
 Aquadimmer-diverter for bath mixer or  
 stopvalve for shower mixer in finishing  
 trim set  
 body in DR-brass  
 built-in non return valve  
 and dirt strainers  
**GROHE EcoJoy®** technology for  
 less water and perfect flow  
**min. recommended pressure 1.0 bar**

|            |               |  |        |
|------------|---------------|--|--------|
| 35 500 000 | 4005176831522 |  | 263.99 |
|------------|---------------|--|--------|


**GROHE Rapido T**  
**Universal Thermostatic mixer**  
**for concealed intallation**  
 for use with bath-, shower- and central-mixer  
**without finishing trim set**  
 flat installation depth 70 mm - 95 mm  
 easy to install, premounted and tested unit  
**GROHE TurboStat®** compact cartridge  
 with wax thermosteement  
 two top outlets 1/2", lockable  
 bottom outlet 1/2" - can only be used  
 with separate stopvalve  
 safe to install, stable built-in-box and  
 protective cap  
 fixation options for solid walls and dry  
 cladding  
 wall sealing  
 Aquadimmer-diverter for bath mixer or  
 stopvalve for shower mixer in finishing  
 trim set  
 body in DR-brass  
 built-in non return valve  
 and dirt strainers  
**GROHE EcoJoy®** technology for  
 less water and perfect flow  
 noise classification 1 in accordance  
 with DIN4109  
**min. recommended pressure 1.0 bar**

|            |               |  |        |
|------------|---------------|--|--------|
| 29 007 000 | 4005176837678 |  | 132.16 |
|------------|---------------|--|--------|

**Safety combination (EN 1717)**  
 for Rapido T 35 500 000/35 050 000  
 Re-fitting-set for backflow protection  
 for use with inlet pop-up and waste sets  
 e.g. Talentofil 28 990 000 or 28 991 000  
**DVGW Reg. No. NW-6312AS2269**




# GROHE RAPIDO T




| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 47 780 000 | 4005176836541 | chrome | 128.49                 |

**Extension set 27.5 mm**  
for Rapido T 35 500 000/35 050 000  
for use with central-thermostats and  
shower-thermostats with shut-off valve




|            |               |        |        |
|------------|---------------|--------|--------|
| 47 781 000 | 4005176836558 | chrome | 143.66 |
|------------|---------------|--------|--------|

**Extension set 27.5 mm**  
for Rapido T 35 500 000/35 050 000  
for use with bath-thermostats with aquadimmer



|            |               |  |        |
|------------|---------------|--|--------|
| 47 186 000 | 4005176803901 |  | 157.83 |
|------------|---------------|--|--------|

**Thermostatic compact cartridge 3/4"**  
for changed waterways  
**GROHE TurboStat** compact cartridge  
with wax thermoelement  
Note: CoolTouch-function is omitted after  
being installed in exposed fittings













|            |               |  |        |
|------------|---------------|--|--------|
| 38 652 000 | 4005176294778 |  | 103.50 |
|------------|---------------|--|--------|











**Rapid SL fitting support**  
for concealed fittings and room ventilation  
for **studded walls**  
for empty elements  
for GROHE Rapido  
variable depth adjustment 75-115 mm  
with waterproof plywood for fixing the fittings  
fixing material

# GROHE RAPIDO E



## GROHE Rapido E – with single-lever mixer technology

| Application               | Grandera                                                                                          | Veris                                                                                             | Allure Brilliant                                                                                  | Allure                                                                                            | Atrio                                                                                             |
|---------------------------|---------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|
| Single-lever shower mixer | <br>19 932 000 | <br>19 367 000 | <br>19 789 000 | <br>19 317 000 | <br>19 463 001 |
| Single-lever bath mixer   | <br>19 920 000 | <br>19 344 000 | <br>19 785 000 | <br>19 315 000 | <br>19 459 001 |


| Application               | Quadra                                                                                              | Lineare                                                                                             | Eurocube                                                                                            | Europlus                                                                                            | Essence                                                                                             |
|---------------------------|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
| Single-lever shower mixer | <br>19 455 000 | <br>19 296 000 | <br>19 898 000 | <br>19 537 002 | <br>19 286 000 |
| Single-lever bath mixer   | <br>19 456 000 | <br>19 297 000 | <br>19 896 000 | <br>19 536 002 | <br>19 285 000 |

| Application               | Eurodisc Cosmopolitan                                                                               | Concetto                                                                                            | Eurostyle Cosmopolitan                                                                              | Eurosmart Cosmopolitan                                                                              | Eurosmart                                                                                           |
|---------------------------|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|
| Single-lever shower mixer | <br>19 549 002 | <br>19 345 001 | <br>19 507 002 | <br>19 383 000 | <br>19 451 001 |
| Single-lever bath mixer   | <br>19 548 002 | <br>19 346 001 | <br>19 506 002 | <br>19 382 000 | <br>19 450 001 |

# GROHE RAPIDO E

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 35 501 000 | 4005176833847 |        | 103.15                 |


**GROHE Rapido E**  
**Universal Single-lever mixer**  
**for concealed installation**  
 for use with bath- and shower-mixer  
**without finishing trim set**  
 flat installation depth 70 mm - 100 mm  
 easy to install, premounted and tested unit  
**GROHE SilkMove®** 46 mm ceramic cartridge  
 adjustable flow rate limiter  
 safe to install, stable built-in-box and protective cap  
 fixation options for solid walls and dry cladding  
 wall sealing  
 all connectors 1/2", with identification marking  
 diverter for bath-mixer in finishing trim set  
 body in DR-brass  
 noise classification 1 in accordance with DIN4109  
**min. recommended pressure 1.0 bar**



# GROHE RAPIDO E

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 38 652 000 | 4005176294778 |        | 103.50                 |

**Rapid SL fitting support**  
**for concealed fittings and room ventilation**  
**for studed walls**  
 for empty elements  
 for GROHE Rapido  
 variable depth adjustment 75-115 mm  
 with waterproof plywood for fixing the fittings  
 fixing material




|            |               |  |       |
|------------|---------------|--|-------|
| 29 008 000 | 4005176837685 |  | 67.83 |
|------------|---------------|--|-------|

**Safety combination (EN 1717)**  
 for Rapido E 35 501 000  
 Re-fitting-set for backflow protection  
 for use with inlet pop-up and waste sets  
 e.g. Talentofil 28 990 000 or 28 991 000  
**DVGW Reg. No. NW-6312AS2269**




|            |               |        |        |
|------------|---------------|--------|--------|
| 46 191 000 | 4005176119996 | chrome | 108.16 |
|------------|---------------|--------|--------|

**Extension set 25 mm**  
 for Rapido E 35 501 000



|            |               |        |        |
|------------|---------------|--------|--------|
| 46 343 000 | 4005176189791 | chrome | 112.33 |
|------------|---------------|--------|--------|

**Extension set 50 mm**  
 for Rapido E 35 501 000

























# GROHE RAPIDO C





# GROHE CONCEALED VALVES


|                   | GROHE Rapido C                                                                                                                                                   | Concealed valves                                                                                                                                                                             | Concealed valves                                                                                                                                                    |
|-------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                   | <br>35 028 000<br>1/2"<br>with 3/4" ceramic headpart,<br>55 l/min. at 3 bar     | <br>29 800 000/29 802 000/<br>29 805 000<br>1/2", 3/4", 1"<br>with threaded union and<br>Long-Life headpart | <br>29 811 000/29 813 000<br>1/2"<br>with threaded union and<br>ceramic headpart |
| Allure            | <br>19 334 000                                                                  | <br>19 334 000                                                                                             | <br>19 334 000                                                                   |
| Allure            | <br>19 384 000                                                                  | <br>19 384 000                                                                                              | <br>19 384 000                                                                   |
| Allure Brilliant* | <br>19 796 000<br>* Concealed valve 19 032 000<br>also possible                |                                                                                                                                                                                              |                                                                                                                                                                     |
| Atlanta           | <br>19 841 000                                                                | <br>19 841 000                                                                                           | <br>19 841 000                                                                 |
| Atrio Jota        | <br>19 088 000                                                                | <br>19 088 000                                                                                            | <br>19 088 000                                                                 |
| Atrio Ypsilon     | <br>19 069 000                                                                | <br>19 069 000                                                                                           | <br>19 069 000                                                                 |
| Costa             | <br>19 808 001/19 809 001/<br>19 806 001/19 807 001/<br>19 854 001/19 855 000 | <br>19 808 001/19 809 001/<br>19 806 001/19 807 001/<br>19 854 001/19 855 000                            | <br>19 808 001/19 809 001/<br>19 806 001/19 807 001/<br>19 854 001/19 855 000  |

# GROHE CONCEALED VALVES


|                                | GROHE Rapido C                                                                                                                                                 | Concealed valves                                                                                                                                                                               | Concealed valves                                                                                                                                                    |
|--------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                | <br>35 028 000<br>1/2"<br>with 3/4" ceramic headpart,<br>55 l/min. at 3 bar | <br>29 800 000/29 802 000/<br>29 805 000<br>1/2", 3/4", 1"<br>with threaded union and<br>Long-Life headpart | <br>29 811 000/29 813 000<br>1/2"<br>with threaded union and<br>ceramic headpart |
| Eurocube                       | <br>19 910 000                                                              | <br>19 910 000                                                                                              | <br>19 910 000                                                                   |
| Grandera                       | <br>19 944 000/19944IG0                                                     | <br>19 944 000/19944IG0                                                                                     | <br>19 944 000/19944IG0                                                          |
| Grohtherm 1000                 | <br>19 237 000                                                             | <br>19 237 000                                                                                             | <br>19 237 000                                                                  |
| Grohtherm 2000<br>NEW          | <br>19 243 001                                                            | <br>19 243 001                                                                                            | <br>19 243 001                                                                 |
| Grohtherm 3000<br>Cosmopolitan | <br>19 470 000                                                            | <br>19 470 000                                                                                            | <br>19 470 000                                                                 |
| Grohtherm F                    | <br>27 623 000                                                            |                                                                                                                                                                                                |                                                                                                                                                                     |
| GROHE Ondus®/<br>Veris*        | <br>19 444 000<br>* Concealed valve 19 032<br>000 also possible           |                                                                                                                                                                                                |                                                                                                                                                                     |

# GROHE RAPIDO C


Ref.No. EAN code Colour Retail Guide Price (£)




**35 028 000 4005176908316 107.17**  
**Rapido C**  
**Rough-in for single volume control 27 623**  
 for grid installation of Grohtherm Custom Shower system  
 build-in box with removable protection cover  
 waterproof membrane base for wall sealing  
 for masonry and drywall installation  
 fixing points for front and back wall  
 body of DR brass  
 pre-assembled ceramic headpart 3/4"  
 connection threads 1/2"  
 flow rate:  
 55 l/min. at 3 bar  
 installation depth 70 - 95 mm




**35 031 000 4005176908330 309.44**  
**Rapido C**  
**Rough-in for triple volume control 27 625**  
 for grid installation of Grohtherm Custom Shower system  
 build-in box with removable protection cover  
 waterproof membrane base for wall sealing  
 for masonry and drywall installation  
 fixing points for front and back wall  
 body of DR brass  
 pre-assembled ceramic headpart 3/4"  
 3 inlets and 3 outlets  
 connection threads 1/2"  
 flow rate at 3 bar  
 - one valve open 55 l/min.  
 - two valves open 110 l/min.  
 - three valves open 140 l/min.  
 installation depth 70 - 95 mm



**38 652 000 4005176294778 103.50**  
**Rapid SL fitting support**  
**for concealed fittings and room ventilation**  
 for **studded walls**  
 for empty elements  
 for GROHE Rapido  
 variable depth adjustment 75-115 mm  
 with waterproof plywood for fixing the fittings  
 fixing material




**29 800 000 4005176504839 25.70**  
**Concealed stop-valve, 1/2"**  
 pre-assembled headpart 1/2"  
 short spindle  
 protection sleeve  
 threaded union 1/2"  
 DR-brass




**29 802 000 4005176504853 41.96**  
**Concealed valve 3/4"**  
 pre-assembled headpart 3/4"  
 short spindle  
 protection sleeve  
 thread union 3/4"  
 DR-brass

# GROHE RAPIDO C


Ref.No. EAN code Colour Retail Guide Price (£)




**29 805 000 4005176504884 75.35**  
**Concealed valve 1"**  
 with pre-installed headpart 1"  
 short spindle  
 protection sleeve  
 threaded union 1"  
 DR-brass



**29 032 000 4005176845277 21.33**  
**GROHE Ondus**  
**Concealed valve**  
 pre-assembled headpart 1/2"  
 threaded union 1/2"  
 installation depth adjustable  
 43 - 91 mm  
 DR-brass



**29 811 000 4005176062711 44.23**  
**Concealed stop valve 1/2"**  
 preassembled ceramic headpart 1/2"  
 180°  
 threaded union 1/2"  
 installation depth adjustable  
 25 - 80 mm  
 DR-brass  
**min recommended pressure 1.0 bar**



**29 813 000 4005176062735 67.30**  
**Sinfonia**  
**Concealed stop valve 3/4"**  
 pre-assembled ceramic headpart 3/4"  
 90°  
 threaded union 3/4"  
 installation depth adjustable  
 25 - 80 mm  
 DR-brass  
**min recommended pressure 1.0 bar**


# GROHE ESSENTIALS CUBE



# GROHE ESSENTIALS CUBE


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 40 508 000 | 4005176906626 | chrome | 66.96                  |

**Essentials Cube**  
Glass/soap dish holder  
for glass, soap dispenser or soap dish  
without glass  
without soap dish  
GROHE StarLight® chrome finish




|            |               |  |       |
|------------|---------------|--|-------|
| 40 372 000 | 4005176833441 |  | 17.13 |
|------------|---------------|--|-------|

**Essentials Glass**



|            |               |  |       |
|------------|---------------|--|-------|
| 40 368 000 | 4005176829147 |  | 17.13 |
|------------|---------------|--|-------|

**Soap dish**




|            |               |        |       |
|------------|---------------|--------|-------|
| 40 394 000 | 4005176846670 | chrome | 28.85 |
|------------|---------------|--------|-------|

**Soap Dispenser**



|            |               |        |       |
|------------|---------------|--------|-------|
| 40 507 000 | 4005176906619 | chrome | 66.96 |
|------------|---------------|--------|-------|


**Essentials Cube Toilet roll holder**  
GROHE StarLight® chrome finish



# GROHE ESSENTIALS CUBE


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 40 509 000 | 4005176906633 | chrome | 73.07                  |

**Essentials Cube Towel rail**  
600 mm  
GROHE StarLight® chrome finish




|            |               |        |       |
|------------|---------------|--------|-------|
| 40 623 000 | 4005176924064 | chrome | 47.21 |
|------------|---------------|--------|-------|

**Essentials Cube Spare toilet roll holder**




|            |               |        |       |
|------------|---------------|--------|-------|
| 40 624 000 | 4005176924071 | chrome | 81.12 |
|------------|---------------|--------|-------|

**Essentials Cube Towel bar**  
Two arms  
GROHE StarLight® chrome finish




|            |               |        |       |
|------------|---------------|--------|-------|
| 40 510 000 | 4005176906640 | chrome | 66.96 |
|------------|---------------|--------|-------|

**Essentials Cube Towel ring**  
GROHE StarLight® chrome finish




|            |               |        |       |
|------------|---------------|--------|-------|
| 40 511 000 | 4005176906657 | chrome | 40.21 |
|------------|---------------|--------|-------|

**Essentials Cube Robe hook**  
GROHE StarLight® chrome finish





# GROHE ESSENTIALS CUBE




| Ref.No.                                                                                    | EAN code      | Colour | Retail Guide Price (£) |
|--------------------------------------------------------------------------------------------|---------------|--------|------------------------|
| 40 512 000                                                                                 | 4005176906664 | chrome | 152.27                 |
| <b>Essentials Cube</b><br>Towel rail<br>600 mm<br>GROHE StarLight® chrome finish           |               |        |                        |
| 40 513 000                                                                                 | 4005176906671 | chrome | 103.85                 |
| <b>Essentials Cube</b><br>Toilet brush set<br>wall model<br>GROHE StarLight® chrome finish |               |        |                        |
| 40 514 000                                                                                 | 4005176906688 | chrome | 85.49                  |
| <b>Essentials Cube</b><br>Bath grip<br>GROHE StarLight® chrome finish                      |               |        |                        |

# GROHE ESSENTIALS



# GROHE ESSENTIALS

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|




**40 344 000**    **4005176824029**

**Essentials Accessories set**  
 towel ring (40 365)  
 towel rail 600 mm (40 366)  
 robe hook (40 364)  
 toilet roll holder (40 367)  
 soap dish with holder (40 369 / 40 368)  
**GROHE StarLight®** chrome finish


162.24

|                   |                      |               |              |
|-------------------|----------------------|---------------|--------------|
| <b>40 369 000</b> | <b>4005176829154</b> | <b>chrome</b> | <b>30.07</b> |
|-------------------|----------------------|---------------|--------------|





**Essentials Glass/soap dish holder**  
 without glass  
 without soap dish  
**GROHE StarLight®** chrome finish  
 for glass, soap dish or soap dispenser

|                   |                      |  |              |
|-------------------|----------------------|--|--------------|
| <b>40 372 000</b> | <b>4005176833441</b> |  | <b>17.13</b> |
|-------------------|----------------------|--|--------------|



**Essentials Glass**

|                   |                      |  |              |
|-------------------|----------------------|--|--------------|
| <b>40 368 000</b> | <b>4005176829147</b> |  | <b>17.13</b> |
|-------------------|----------------------|--|--------------|



**Essentials Soap dish**


|                   |                      |               |              |
|-------------------|----------------------|---------------|--------------|
| <b>40 394 000</b> | <b>4005176846670</b> | <b>chrome</b> | <b>28.85</b> |
|-------------------|----------------------|---------------|--------------|



**Soap Dispenser**


# GROHE ESSENTIALS

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|




|                   |                      |               |              |
|-------------------|----------------------|---------------|--------------|
| <b>40 365 000</b> | <b>4005176829116</b> | <b>chrome</b> | <b>30.07</b> |
|-------------------|----------------------|---------------|--------------|

**Essentials Towel ring**  
**GROHE StarLight®** chrome finish





|                   |                      |               |              |
|-------------------|----------------------|---------------|--------------|
| <b>40 371 000</b> | <b>4005176833434</b> | <b>chrome</b> | <b>61.37</b> |
|-------------------|----------------------|---------------|--------------|

**Essentials Towel bar**  
 Two arms  
 450 mm  
**GROHE StarLight®** chrome finish





|                   |                      |               |              |
|-------------------|----------------------|---------------|--------------|
| <b>40 367 000</b> | <b>4005176829130</b> | <b>chrome</b> | <b>39.86</b> |
|-------------------|----------------------|---------------|--------------|

**Essentials Toilet roll holder**  
 with cover  
**GROHE StarLight®** chrome finish



|                   |                      |               |              |
|-------------------|----------------------|---------------|--------------|
| <b>40 689 000</b> | <b>4005176982644</b> | <b>chrome</b> | <b>33.33</b> |
|-------------------|----------------------|---------------|--------------|

**Toilet roll holder**  
 without cover  
**GROHE StarLight®** chrome finish



|                   |                      |               |              |
|-------------------|----------------------|---------------|--------------|
| <b>40 385 000</b> | <b>4005176844720</b> | <b>chrome</b> | <b>30.60</b> |
|-------------------|----------------------|---------------|--------------|



**Essentials Spare toilet roll holder**  
**GROHE StarLight®** chrome finish

# GROHE ESSENTIALS

NEW


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 40 688 000 | 4005176982620 | chrome | 42.50                  |

Essentials  
Towel rail  
450 mm  
GROHE StarLight® chrome finish




|            |               |        |       |
|------------|---------------|--------|-------|
| 40 366 000 | 4005176829123 | chrome | 50.35 |
|------------|---------------|--------|-------|

Essentials  
Towel rail  
600 mm  
GROHE StarLight® chrome finish




|            |               |        |       |
|------------|---------------|--------|-------|
| 40 386 000 | 4005176844737 | chrome | 65.56 |
|------------|---------------|--------|-------|

Essentials  
Towel rail  
800 mm  
GROHE StarLight® chrome finish




|            |               |        |       |
|------------|---------------|--------|-------|
| 40 364 000 | 4005176829109 | chrome | 17.13 |
|------------|---------------|--------|-------|

Essentials  
Robe hook  
GROHE StarLight® chrome finish



|            |               |        |       |
|------------|---------------|--------|-------|
| 40 374 000 | 4005176833465 | chrome | 56.99 |
|------------|---------------|--------|-------|



Essentials  
Toilet brush set  
wall model  
GROHE StarLight® chrome finish



# GROHE ESSENTIALS

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 40 421 000 | 4005176879784 | chrome | 115.39                 |

Essentials  
Bath grip  
GROHE StarLight® chrome finish




# GROHE SHOWERS/KITCHEN/COMMERCIAL FITTINGS

|                            |                               |           |                           |           |
|----------------------------|-------------------------------|-----------|---------------------------|-----------|
| <b>Showers/Shower Sets</b> | Shower Solution Bundles       | <b>31</b> | Shower Systems            | <b>32</b> |
|                            | Power&Soul                    | <b>33</b> | Rainshower®               | <b>34</b> |
|                            | Sena                          | <b>35</b> | Euphoria Cube             | <b>36</b> |
|                            | Euphoria                      | <b>37</b> | Relexa                    | <b>38</b> |
|                            | Tempesta                      | <b>39</b> | Tempesta Cosmopolitan     | <b>40</b> |
|                            | Tempesta Rustic               | <b>41</b> | Trigger Sprays            | <b>42</b> |
|                            | Shower Accessories            | <b>43</b> |                           |           |
|                            | <b>Kitchen Fittings</b>       |           |                           | <b>44</b> |
| <b>Commercial Fittings</b> | Allure E                      | <b>45</b> | Essence E                 | <b>46</b> |
|                            | Europlus E                    | <b>47</b> | Eurosmart Cosmopolitan E  | <b>48</b> |
|                            | Euroeco Cosmopolitan E        | <b>49</b> | Special Thermostats       | <b>50</b> |
|                            | Commercial Showers            | <b>51</b> | Euroeco Single Sequential | <b>52</b> |
|                            | Euroeco Special               | <b>53</b> | Hospita                   | <b>54</b> |
|                            | Eurodisc SE                   | <b>55</b> | Eurosmart Cosmopolitan T  | <b>56</b> |
|                            | Euroeco Cosmopolitan T        | <b>57</b> |                           |           |
|                            | <b>Miscellaneous/Sundries</b> |           |                           |           |
|                            | Spouts and Wastes             |           | <b>58</b>                 |           |
|                            | Unions, Extensions            |           | <b>59</b>                 |           |
|                            | Spare Parts                   |           | <b>60</b>                 |           |



# SHOWER SOLUTIONS BUNDLES



GROHE EcoJoy™



GROHE DreamSpray®



GROHE TurboStat®



GROHE CoolTouch®


NEW



| Ref.No.  | EAN code      | Colour | Retail Guide Price (£) |
|----------|---------------|--------|------------------------|
| 11 833 4 | 4005176983085 | chrome | 2,299.60               |

**GROHE F-digital bath/shower shower solution pack 3**  
 Veris digital controller and digital diverter for bath (36 289 000)  
 Veris holder plate (40 479 000)  
 Rainshower® Veris head shower (27 470 000)  
 Rainshower® shower arm 286 mm (28 576 000)  
 Veris hand shower (27 184 000)  
 Veris outlet elbow (27 190 000)  
 Veris shower holder (27 188 000)  
 Relexaflex hose 1500 mm 1/2" x 1/2" (28 151 000)  
 Talentofill trim (19 952 000)  
 Talentofill concealed system (28 990 000)  
**GROHE TurboStat®** compact cartridge with wax thermoelement  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop** safety button at 38°C  
**GROHE EcoJoy®** technology for less water and perfect flow  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE CoolTouch®** prevents scalding from hot surfaces  
**SpeedClean** anti-limescale system max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**


NEW



|          |               |        |          |
|----------|---------------|--------|----------|
| 11 833 3 | 4005176983078 | chrome | 2,316.13 |
|----------|---------------|--------|----------|

**GROHE F-digital bath/shower shower solution pack 2**  
 Allure digital controller and digital diverter for bath (36 344 000)  
 Rainshower® F-series 10" head shower (27 271 000)  
 Rainshower® shower arm square (27 488 000)  
 Euphoria Cube+ wall holder set, 9.5 l/min (27 889 000)  
 Allure Brilliant outlet elbow (27 707 000)  
 Allure Cascade bath spout (13 317 000)  
**GROHE TurboStat®** compact cartridge with wax thermoelement  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop** safety button at 38°C  
**GROHE EcoJoy®** technology for less water and perfect flow  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE CoolTouch®** prevents scalding from hot surfaces  
**SpeedClean** anti-limescale system max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**


NEW



| Ref.No.  | EAN code      | Colour | Retail Guide Price (£) |
|----------|---------------|--------|------------------------|
| 11 833 2 | 4005176983061 | chrome | 1,948.07               |

**GROHE F-digital bath/shower shower solution pack 1**  
 Veris digital controller and digital diverter for bath (36 289 000)  
 Rainshower® modern 210 head shower (28 368 000)  
 Rainshower® shower arm 286 mm (28 576 000)  
 Euphoria Cosmopolitan wall holder set (27 369 000)  
 minimalist elbow, circle (27 057 000)  
 Talentofill trim (19 952 000)  
 Talentofill concealed system (28 990 000)  
**GROHE TurboStat®** compact cartridge with wax thermoelement  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop** safety button at 38°C  
**GROHE EcoJoy®** technology for less water and perfect flow  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE CoolTouch®** prevents scalding from hot surfaces  
**SpeedClean** anti-limescale system max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 36 298 000 | 4005176894701 | chrome | 1,047.21               |



**Rainshower Solo F-Digital Shower set**  
including digital thermostat unit  
Digital Controller - intuitive multifunctional operating unit  
- Wireless technology  
- Temperature and flow control  
- Pause-function  
- Memory function  
- LED ring incl. warming-up function: visual feedback when preferred temperature is reached  
digital thermostat unit (concealed body)  
- warm/cold-supplies 1/2"  
- 1 outlet 1/2"


Rainshower Solo shower set (27273001)  
Rainshower® wall union 1/2" (27 057 000)  
transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m  
**GROHE TurboStat®** digital controlled compact cartridge with wax thermoelement default setting configurable during installation  
- automatic safety shut-off after 20 min  
- GROHE SafeStop at 38°C  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
**min. recommended pressure 1.0 bar**

|            |               |        |          |
|------------|---------------|--------|----------|
| 36 303 000 | 4005176894725 | chrome | 1,099.66 |
|------------|---------------|--------|----------|



**Rainshower Solo F-Digital Shower set**  
including digital thermostat unit  
Digital Controller - intuitive multifunctional operating unit  
- Wireless technology  
- Temperature and flow control  
- Pause-function  
- Memory function  
- LED ring incl. warming-up function: visual feedback when preferred temperature is reached  
digital thermostat unit (concealed body)  
- warm/cold-supplies 1/2"  
- 1 outlet 1/2"  
- with pump and build-in power supply 110-240 V / operating voltage 24 V / cable length 400m  
Rainshower Solo shower set (27273001)  
Rainshower® wall union 1/2" (27 057 000)  
transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m  
**GROHE TurboStat®** digital controlled compact cartridge with wax thermoelement default setting configurable during installation  
- automatic safety shut-off after 20 min  
- GROHE SafeStop at 38°C  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
**recommended pressure 0.1 - 1.0 bar**


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 36 305 000 | 4005176894749 | chrome | 1,047.21               |



**Rainshower Solo F-Digital Shower set**  
including digital thermostat unit  
Digital Controller - intuitive multifunctional operating unit  
- Wireless technology  
- Temperature and flow control  
- Pause-function  
- Memory function  
- LED ring incl. warming-up function: visual feedback when preferred temperature is reached  
digital thermostat unit (concealed body)  
- warm/cold-supplies 1/2"  
- 1 outlet 1/2"


Rainshower Solo shower set (27273001)  
with telescoping pipe for ceiling supply  
transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m  
**GROHE TurboStat®** digital controlled compact cartridge with wax thermoelement default setting configurable during installation  
- automatic safety shut-off after 20 min  
- GROHE SafeStop at 38°C  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
**min. recommended pressure 1.0 bar**

|            |               |        |          |
|------------|---------------|--------|----------|
| 36 307 000 | 4005176894763 | chrome | 1,099.66 |
|------------|---------------|--------|----------|




**Rainshower Solo F-Digital Shower set**  
including digital thermostat unit  
Digital Controller - intuitive multifunctional operating unit  
- Wireless technology  
- Temperature and flow control  
- Pause-function  
- Memory function  
- LED ring incl. warming-up function: visual feedback when preferred temperature is reached  
digital thermostat unit (concealed body)  
- warm/cold-supplies 1/2"  
- 1 outlet 1/2"  
- with pump and build-in power supply 110-240 V / operating voltage 24 V / cable length 400m  
Rainshower Solo shower set (27273001)  
with telescoping pipe for ceiling supply  
transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m  
**GROHE TurboStat®** digital controlled compact cartridge with wax thermoelement default setting configurable during installation  
- automatic safety shut-off after 20 min  
- GROHE SafeStop at 38°C  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
**recommended pressure 0.1 - 1.0 bar**

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 36 299 000 | 4005176894718 | chrome | 994.77                 |




**Euphoria F-digital Shower set**  
including digital thermostat unit  
Digital Controller - intuitive multifunctional operating unit  
- Wireless technology  
- Temperature and flow control  
- Pause-function  
- Memory function  
- LED ring incl. warming-up function: visual feedback when preferred temperature is reached  
digital thermostat unit (concealed body)  
- warm/cold-supplies 1/2"  
- 1 outlet 1/2"  
Euphoria shower set Mono (27 269 001)  
Rainshower® wall union 1/2" (27 057 000)  
transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m  
**GROHE TurboStat®** digital controlled compact cartridge with wax thermoelement default setting configurable during installation  
- automatic safety shut-off after 20 min  
- GROHE SafeStop at 38°C  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
**min. recommended pressure 1.0 bar**

|            |               |        |          |
|------------|---------------|--------|----------|
| 36 304 000 | 4005176894732 | chrome | 1,047.21 |
|------------|---------------|--------|----------|




**Euphoria F-digital Shower set**  
including digital thermostat unit  
Digital Controller - intuitive multifunctional operating unit  
- Wireless technology  
- Temperature and flow control  
- Pause-function  
- Memory function  
- LED ring incl. warming-up function: visual feedback when preferred temperature is reached  
digital thermostat unit (concealed body)  
- warm/cold-supplies 1/2"  
- 1 outlet 1/2"  
- with pump and build-in power supply 110-240 V / operating voltage 24 V / cable length 400m  
Euphoria shower set Mono (27 269 001)  
Rainshower® wall union 1/2" (27 057 000)  
transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m  
**GROHE TurboStat®** digital controlled compact cartridge with wax thermoelement default setting configurable during installation  
- automatic safety shut-off after 20 min  
- GROHE SafeStop at 38°C  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
**recommended pressure 0.1 - 1.0 bar**

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 36 306 000 | 4005176894756 | chrome | 994.77                 |




**Euphoria F-digital Shower set**  
including digital thermostat unit  
Digital Controller - intuitive multifunctional operating unit  
- Wireless technology  
- Temperature and flow control  
- Pause-function  
- Memory function  
- LED ring incl. warming-up function: visual feedback when preferred temperature is reached  
digital thermostat unit (concealed body)  
- warm/cold-supplies 1/2"  
- 1 outlet 1/2"  
Euphoria shower set Mono (27 269 001)  
with telescoping pipe for ceiling supply  
transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m  
**GROHE TurboStat®** digital controlled compact cartridge with wax thermoelement default setting configurable during installation  
- automatic safety shut-off after 20 min  
- GROHE SafeStop at 38°C  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
**min. recommended pressure 1.0 bar**

|            |               |        |          |
|------------|---------------|--------|----------|
| 36 308 000 | 4005176894770 | chrome | 1,047.21 |
|------------|---------------|--------|----------|



**Euphoria F-digital Shower set**  
including digital thermostat unit  
Digital Controller - intuitive multifunctional operating unit  
- Wireless technology  
- Temperature and flow control  
- Pause-function  
- Memory function  
- LED ring incl. warming-up function: visual feedback when preferred temperature is reached  
digital thermostat unit (concealed body)  
- warm/cold-supplies 1/2"  
- 1 outlet 1/2"  
- with pump and build-in power supply 110-240 V / operating voltage 24 V / cable length 400m  
Euphoria shower set Mono (27 269 001)  
with telescoping pipe for ceiling supply  
transceiver unit for Digital Controller and Digital thermostat unit incl. cable 3 m  
**GROHE TurboStat®** digital controlled compact cartridge with wax thermoelement default setting configurable during installation  
- automatic safety shut-off after 20 min  
- GROHE SafeStop at 38°C  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
**recommended pressure 0.1 - 1.0 bar**


|            |               |        |       |
|------------|---------------|--------|-------|
| 47 727 000 | 4005176884160 | chrome | 23.00 |
|------------|---------------|--------|-------|



**Connection wire**  
2-pole  
cable length 3 m




NEW



| Ref.No.  | EAN code      | Colour | Retail Guide Price (£) |
|----------|---------------|--------|------------------------|
| 11 833 1 | 4005176983054 | chrome | 1,987.95               |

**Veris bath/shower shower solution pack 6**  
 concealed body Rapido T thermostat valve (35 500 000)  
 set for final installation Veris trim (19 364 000)  
 Rainshower® Veris head shower (27 470 000)  
 Rainshower® shower arm 286 mm (28 576 000)  
 Veris hand shower (27 184 000)  
 Veris outlet elbow (27 190 000)  
 Veris shower holder (27 188 000)  
 Relexaflex hose 1500 mm 1/2" x 1/2" (28 151 000)  
 Talentofill trim (19 952 000)  
 Talentofill concealed system (28 990 000)  
 Veris stop valve trim (19 444 000)  
 concealed stop valve (29 032 000)  
**GROHE TurboStat®** compact cartridge  
 with wax thermostatic element  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop Plus** integrated temperature  
 limiter at max 50°C  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE CoolTouch®** prevents scalding from hot surfaces  
**SpeedClean** anti-limescale system  
 max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**


NEW



|          |               |        |          |
|----------|---------------|--------|----------|
| 11 832 5 | 4005176982989 | chrome | 1,523.10 |
|----------|---------------|--------|----------|

**Veris + Rainshower® Shower Solution Pack 3**  
 concealed body Rapido T thermostat valve (35 500 000)  
 set for final installation Veris trim (19 364 000)  
 Rainshower® Veris head shower (27 470 000)  
 Veris hand shower (27 184 000)  
 Veris outlet elbow (27 190 000)  
 Veris shower holder (27 188 000)  
 Relexaflex hose 1500 mm 1/2" x 1/2" (28 151 000)  
**GROHE TurboStat®** compact cartridge  
 with wax thermostatic element  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop Plus** integrated temperature  
 limiter at max 50°C  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE CoolTouch®** prevents scalding from hot surfaces  
**SpeedClean** anti-limescale system  
 max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**


NEW



|          |               |        |          |
|----------|---------------|--------|----------|
| 11 832 2 | 4005176982866 | chrome | 1,157.71 |
|----------|---------------|--------|----------|

**Veris + Rainshower® Shower Solution Pack 3**  
 concealed body Rapido T thermostat valve (35 500 000)  
 set for final installation Veris trim (19 369 000)  
 Rainshower® Veris head shower (27 470 000)  
 Rainshower® shower arm 286 mm (28 576 000)  
**GROHE TurboStat®** compact cartridge  
 with wax thermostatic element  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop Plus** integrated temperature  
 limiter at max 50°C  
**GROHE DreamSpray®** perfect spray pattern  
**SpeedClean** anti-limescale system  
 max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**


NEW



| Ref.No.  | EAN code      | Colour | Retail Guide Price (£) |
|----------|---------------|--------|------------------------|
| 11 832 9 | 4005176983030 | chrome | 1,433.38               |

**Grohtherm 3000 Cosmopolitan bath/shower shower solution pack 4**  
 concealed body Rapido T thermostat valve (35 500 000)  
 set for final installation Grohtherm 3000 Cosmopolitan (19 468 000)  
 Rainshower® modern 210 head shower (28 368 000)  
 Rainshower® shower arm 286 mm (28 576 000)  
 Euphoria Cosmopolitan wall holder set (27 369 000)  
 minimalist elbow, circle (27 057 000)  
 Talentofill trim (19 952 000)  
 Talentofill concealed system (28 990 000)  
 Grohtherm 3000 Cosmopolitan stop valve trim (19 470 000)  
 concealed stop valve (29 811 000)  
**GROHE TurboStat®** compact cartridge  
 with wax thermostatic element  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop** safety button at 38°C  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE CoolTouch®** prevents scalding from hot surfaces  
**SpeedClean** anti-limescale system  
 max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**


NEW



|          |               |        |          |
|----------|---------------|--------|----------|
| 11 832 6 | 4005176983009 | chrome | 1,230.60 |
|----------|---------------|--------|----------|

**Grohtherm 3000 Cosmopolitan Bath/Shower Shower Solution Pack 2**  
 concealed body Rapido T thermostat valve (35 500 000)  
 set for final installation Grohtherm 3000 Cosmopolitan (19 468 000)  
 Rainshower® modern 210 head shower (28 368 000)  
 Rainshower® shower arm 286 mm (28 576 000)  
 Talentofill trim (19 952 000)  
 Talentofill concealed system (28 990 000)  
**GROHE TurboStat®** compact cartridge  
 with wax thermostatic element  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop** safety button at 38°C  
**GROHE DreamSpray®** perfect spray pattern  
**SpeedClean** anti-limescale system  
 max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**

NEW




|          |               |  |          |
|----------|---------------|--|----------|
| 11 832 3 | 4005176982873 |  | 1,004.55 |
|----------|---------------|--|----------|

**Grohtherm 3000 Cosmopolitan + Rainshower® Shower Solution Pack 4**  
 concealed body Rapido T thermostat valve (35 500 000)  
 set for final installation Grohtherm 3000 Cosmopolitan (19 468 000)  
 Rainshower® modern 210 head shower (28 368 000)  
 Rainshower® shower arm 286 mm (28 576 000)  
 Euphoria Cosmopolitan wall holder set (27 369 000)  
 minimalist elbow, circle (27 057 000)  
**GROHE TurboStat®** compact cartridge  
 with wax thermostatic element  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop** safety button at 38°C  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE CoolTouch®** prevents scalding from hot surfaces  
**SpeedClean** anti-limescale system  
 max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**


|            |               |        |        |
|------------|---------------|--------|--------|
| 34 399 000 | 4005176895401 | chrome | 646.86 |
|------------|---------------|--------|--------|

**Grohtherm 3000 Cosmopolitan Perfect Shower Set**  
 consisting of:  
 set for final installation Grohtherm 3000 Cosmopolitan with Aquadimmer (19 468 000)  
 GROHE Rapido T thermostatic mixer (27 134 000)  
 Rainshower Cosmopolitan Headshower 160mm (27 576 000)  
 Rainshower shower arm modern (28 576 000)  
 Euphoria Hand shower (27 265 000)  
 Shower outlet elbow (28 628 000)  
 Silverflex shower hose 1250 mm (28 362 000)




# GROHE GROHTHERM 3000 COSMOPOLITAN

Ref.No. EAN code Colour Retail Guide Price (£)




34 408 000 4005176895418 chrome 821.68

**Grohtherm 3000 Cosmopolitan Perfect Shower Set**  
consisting of:  
set for final installation Grohtherm 3000 Cosmopolitan with Aquadimmer (19 567 000)  
GROHE Rapido T thermostatic mixer  
head shower Rainshower modern 210 (28 368 000)  
Rainshower shower arm modern (28 576 000)  
Euphoria Hand shower (27 265 000)  
Shower outlet elbow (28 628 000)  
Silverflex shower hose 1250 mm (28 362 000)




11 832 0 4005176982842 chrome 869.24

**Grohtherm 3000 Cosmopolitan + Rainshower® Shower Solution Pack 1**  
concealed body Rapido T thermostat valve (35 500 000)  
set for final installation Grohtherm 3000 Cosmopolitan (19 467 000)  
Rainshower® modern 210 head shower (28 368 000)  
Rainshower® shower arm 286 mm (28 576 000)  
**GROHE TurboStat®** compact cartridge with wax thermoelement  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop** safety button at 38°C  
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)  
**GROHE DreamSpray®** perfect spray pattern  
**SpeedClean** anti-limescale system  
max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**



34 278 000 4005176848001 chrome 564.69

**Grohtherm 3000 Cosmopolitan Thermostatic shower mixer 1/2"**  
consisting of:  
concealed body (34 211)  
set for final installation Grohtherm 3000 Cosmopolitan (19 464 000)  
Rainshower® Cosmopolitan shower set (28 757 000)  
Rainshower® wall union 1/2" (27 057 000)  
**GROHE EcoJoy®** technology for less water and perfect flow  
**GROHE StarLight®** chrome finish  
**GROHE TurboStat®**  
max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**



34 275 000 4005176847912 chrome 477.27

**Grohtherm 3000 Cosmopolitan Thermostatic shower mixer 1/2"**  
consisting of:  
Grohtherm 3000 Cosmopolitan thermostat shower mixer (34 274 000)  
Rainshower® Cosmopolitan shower set (28 757 000)  
shower rail, 600 mm (28 797 000)  
hand shower Cosmopolitan (28 755 000)  
Silverflex shower hose 1750 mm (28 388 000)  
**GROHE EcoJoy®** technology for less water and perfect flow  
**GROHE StarLight®** chrome finish  
**GROHE CoolTouch®**  
**GROHE TurboStat®**  
**min. recommended pressure 1.0 bar**


# GROHE GROHTHERM CUBE

Ref.No. EAN code Colour Retail Guide Price (£)




11 833 0 4005176983047 chrome 1,702.97

**Grohtherm Cube bath/shower shower solution pack 5**  
concealed body Rapido T thermostat valve (35 500 000)  
set for final installation Grohtherm Cube (19 958 000)  
Rainshower® Allure head shower (27 479 000)  
Rainshower® square shower arm 286 mm (27 709 000)  
Euphoria Cube wall holder set 9.5 l/min (27 703 000)  
Euphoria Cube wall elbow connections (27 704 000)  
Allure Cascade bath spout (13 317 000)  
Eurocube stop valve trim (19 910 000)  
concealed stop valve (29 800 000)  
**GROHE TurboStat®** compact cartridge with wax thermoelement  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop** safety button at 38°C  
**GROHE AquaDimmer Eco** integrated **GROHE EcoButton**  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE CoolTouch®** prevents scalding from hot surfaces  
**SpeedClean** anti-limescale system  
max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**




11 832 7 4005176983016 chrome 1,538.10

**Grohtherm Cube bath/shower shower solution pack 2**  
concealed body Rapido T thermostat valve (35 500 000)  
set for final installation Grohtherm Cube (19 958 000)  
Rainshower® Allure head shower (27 479 000)  
Rainshower® square shower arm 286 mm (27 709 000)  
Allure Cascade bath spout (13 317 000)  
**GROHE TurboStat®** compact cartridge with wax thermoelement  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop** safety button at 38°C  
**GROHE AquaDimmer Eco** integrated **GROHE EcoButton**  
**GROHE DreamSpray®** perfect spray pattern  
**SpeedClean** anti-limescale system  
max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**



34 506 000 4005176940804 chrome 1,083.37

**Grohtherm Cube Concealed shower bundle**  
consisting of:  
set for final installation with integrated 2-way diverter (19 958 000)  
35 500 000 / 35 050 000  
Rainshower shower arm 286 mm (27 709 000)  
Rainshower head shower (27 479 000)  
Euphoria Cube hand shower set (27 703 000)  
Euphoria Cube wall elbow connections (27 704 000)




11 832 1 4005176982859 chrome 943.49

**Grohtherm Cube + Rainshower® Shower Solution Pack 2**  
concealed body Rapido T thermostat valve (35 500 000)  
set for final installation Grohtherm Cube (19 959 000)  
Rainshower® Allure head shower (27 479 000)  
Rainshower® square shower arm 286 mm (27 709 000)  
**GROHE TurboStat®** compact cartridge with wax thermoelement  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop** safety button at 38°C  
**GROHE DreamSpray®** perfect spray pattern  
**SpeedClean** anti-limescale system  
max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**

# GROHE GROHTHERM CUBE

NEW



| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 34 516 000 | 4005176984921 | chrome | 326.65                 |

**Grohtherm Cube Shower set**  
thermostatic shower mixer 1/2" with shower set wall mounted  
**GROHE StarLight®** chrome finish  
GROHE TurboStat® C3 compact cartridge with wax thermostatic element  
**GROHE EcoJoy®** technology for less water and perfect flow  
integrated flow limiter 14 l/min in the shower outlet  
integrated mixed water shut off  
ceramic headparts 1/2", 180°  
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)  
**GROHE SafeStop** safety button at 38°C  
**GROHE SafeStop Plus** integrated temperature limiter at max 50°C  
shower bottom outlet 1/2"  
built-in non return valves  
dirt strainers  
covered S-unions  
protected against backflow  
Euphoria Cube Shower set (27 937 000)  
shower rail 600 mm (27 892 000)  
hand shower Euphoria Cube (27 699 000)  
maximum flow rate 9.5 l/min  
Silverflex shower hose 1750 mm (28 388 000)  
1/2" x 1/2"  
**min. recommended pressure 1.0 bar**

# GROHE GROHTHERM 2000 NEW

31

NEW




| Ref.No.  | EAN code      | Colour | Retail Guide Price (£) |
|----------|---------------|--------|------------------------|
| 11 831 9 | 4005176982835 | chrome | 785.50                 |

**Grohtherm 2000 NEW + Power&Soul Shower Solution Pack 3**  
concealed body Rapido T thermostat valve (35 500 000)  
set for final installation Grohtherm 2000 NEW (19 355 001)  
Power&Soul® Cosmopolitan head shower 190 (27 764 000)  
Rainshower® shower arm 286 mm (28 576 000)  
Eurosmart Cosmopolitan bath spout (13 261 000)  
**GROHE TurboStat®** compact cartridge with wax thermostatic element  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop** safety button at 38°C  
**GROHE AquaDimmer Eco** with multiple function:  
**GROHE DreamSpray®** perfect spray pattern  
**SpeedClean** anti-limescale system  
max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**

|            |               |        |        |
|------------|---------------|--------|--------|
| 34 283 001 | 4005176926594 | chrome | 788.47 |
|------------|---------------|--------|--------|

**Grohtherm 2000 NEW Concealed shower system**  
consisting of  
set for final installation Grohtherm 2000 NEW with integrated 2-way diverter (19 355 001)  
GROHE Rapido T thermostatic mixer  
Power&Soul head shower (27 766 000)  
shower arm (28 576 000)  
hand shower Power&Soul Cosmopolitan 115 (27 660 000)  
wall connection elbow with integrated hand shower holder (28 628 000)  
**min. recommended pressure 1.0 bar**




|          |               |        |        |
|----------|---------------|--------|--------|
| 11 831 8 | 4005176982828 | chrome | 675.88 |
|----------|---------------|--------|--------|

**Grohtherm 2000 NEW + Power&Soul Shower Solution Pack 2**  
concealed body Rapido T thermostat valve (35 500 000)  
set for final installation Grohtherm 2000 NEW (19 354 001)  
Power&Soul® Cosmopolitan head shower 190 (27 764 000)  
Rainshower® shower arm 286 mm (28 576 000)  
**GROHE TurboStat®** compact cartridge with wax thermostatic element  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop** safety button at 38°C  
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)  
**GROHE DreamSpray®** perfect spray pattern  
**SpeedClean** anti-limescale system  
max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**

|          |               |        |        |
|----------|---------------|--------|--------|
| 11 831 7 | 4005176982811 | chrome | 711.01 |
|----------|---------------|--------|--------|


**Grohtherm 2000 NEW + Power&Soul Shower Solution Pack 1**  
concealed body Rapido T thermostat valve (35 500 000)  
set for final installation Grohtherm 2000 NEW (19 354 001)  
Power&Soul® Cosmopolitan shower set 130/600 mm rail (27 731 000)  
minimalist elbow, circle (27 057 000)  
**GROHE TurboStat®** compact cartridge with wax thermostatic element  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop** safety button at 38°C  
volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE CoolTouch®** prevents scalding from hot surfaces  
**SpeedClean** anti-limescale system  
max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**

NEW




# GROHE GROHTHERM 2000 NEW

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 34 281 001 | 4005176926501 | chrome | 426.58                 |



**Grohtherm 2000 NEW**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
**GROHE CoolTouch®** safety housing  
**GROHE StarLight®** chrome finish  
**GROHE TurboStat®** compact cartridge with wax thermoelement  
**GROHE EcoJoy®** technology for less water and perfect flow  
 integrated mixed water shut off  
 ceramic headpart 1/2", 180°  
 volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)  
**GROHE SafeStop** safety button at 38°C  
 shower bottom outlet 1/2"  
 built-in non return valves  
 dirt strainers  
 covered S-unions  
 protected against backflow  
 Power&Soul shower set consisting of  
 shower rail 600mm (27 784 000)  
 hand shower Power&Soul® Cosmopolitan 130 (27 663 000)  
 Silverflex shower hose 1750 mm (28 388 000)  
**min. recommended pressure 1.0 bar**


|            |               |        |        |
|------------|---------------|--------|--------|
| 34 195 001 | 4005176926631 | chrome | 326.05 |
|------------|---------------|--------|--------|




**Grohtherm 2000 NEW**  
**Thermostatic shower mixer 1/2"**  
 wall mounted  
**GROHE CoolTouch®** safety housing  
**GROHE StarLight®** chrome finish  
**GROHE TurboStat®** compact cartridge with wax thermoelement  
**GROHE EcoJoy®** technology for less water and perfect flow  
 integrated mixed water shut off  
 ceramic headpart 1/2", 180°  
 volume handle with **GROHE EcoButton** (economy button with individually adjustable economy stop)  
**GROHE SafeStop** safety button at 38°C  
 shower bottom outlet 1/2"  
 built-in non return valves  
 dirt strainers  
 covered S-unions  
 protected against backflow  
 Euphoria Massage shower set consisting of  
 shower rail, 600 mm (27 499 000)  
 hand shower Euphoria 110 Massage (27 221 000)  
 Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000)  
 soap dish (27 206 000)  
**min. recommended pressure 1.0 bar**

# GROHE GROHTHERM 1000 COSMOPOLITAN

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 34 437 000 | 4005176918025 | chrome | 253.50                 |




**Grohmaster EV**  
**Grohtherm 1000 Cosmopolitan & Euphoria**  
**Thermostatic shower mixer, 3/4"**  
 consisting of:  
 Exposed shower thermostat (34 430 000) with  
**GROHE TurboStat®** compact cartridge  
 Euphoria Mono shower set (27 256 001) with **GROHE DreamSpray®**  
**GROHE StarLight®** chrome finish  
**recommended pressure 0.1 - 1.0 bar**  
 max. pressure differential 5:1



|            |               |        |        |
|------------|---------------|--------|--------|
| 34 286 001 | 4005176899836 | chrome | 328.67 |
|------------|---------------|--------|--------|

**Grohtherm 1000 Cosmopolitan**  
**Thermostatic shower mixer 1/2"**  
 consisting of:  
 Grohtherm 1000 Cosmopolitan  
 thermostat shower mixer (34 065 000)  
 Euphoria shower set 600mm (27 231 001)  
**GROHE EcoJoy®** technology for less water and perfect flow  
**GROHE TurboStat®** compact cartridge with wax thermoelement  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE CoolTouch®**  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**GROHE TurboStat®**  
**min. recommended pressure 1.0 bar**




|            |               |        |        |
|------------|---------------|--------|--------|
| 34 321 001 | 4005176899843 | chrome | 339.16 |
|------------|---------------|--------|--------|



**Grohtherm 1000 Cosmopolitan**  
**Thermostatic shower mixer 1/2"**  
 consisting of:  
 Grohtherm 1000 Cosmopolitan  
 thermostat shower mixer (34 065 000)  
 Euphoria shower set 900mm (27 226 000)  
**GROHE EcoJoy®** technology for less water and perfect flow  
**GROHE TurboStat®** compact cartridge with wax thermoelement  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE CoolTouch®**  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system, **min. recommended pressure 1.0 bar**



NEW



NEW



| Ref.No.  | EAN code      | Colour | Retail Guide Price (£) |
|----------|---------------|--------|------------------------|
| 11 831 6 | 4005176982804 | chrome | 456.65                 |

**Grotherm 1000 + Euphoria Shower Solution Pack 2**  
 Concealed body and trim set complete (34 161 000)  
 Euphoria Cosmopolitan 180 mm head shower (27 491 000)  
 Rainshower® shower arm 286 mm (28 576 000)  
**GROHE TurboStat®** compact cartridge with wax thermostatic element  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop** safety button at 38°C  
**GROHE DreamSpray®** perfect spray pattern  
**SpeedClean** anti-limescale system  
 max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**

|          |               |        |        |
|----------|---------------|--------|--------|
| 11 831 5 | 4005176982798 | chrome | 340.39 |
|----------|---------------|--------|--------|

**Grotherm 1000 + Euphoria Shower Solution Pack 1**  
 Concealed body and trim set complete (34 161 000)  
 Euphoria Shower set (27 256 001)  
**GROHE TurboStat®** compact cartridge with wax thermostatic element  
**GROHE StarLight®** chrome finish  
**GROHE SafeStop** safety button at 38°C  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE CoolTouch®** prevents scalding from hot surfaces  
**SpeedClean** anti-limescale system  
 max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**

|            |               |        |        |
|------------|---------------|--------|--------|
| 34 162 001 | 4005176923265 | chrome | 335.67 |
|------------|---------------|--------|--------|


**Grotherm 1000**  
**Concealed shower system**  
 consisting of:  
 set for final installation Grotherm 1000 with integrated shut off concealed thermostatic mixer 34 211 000 with **GROHE TurboStat®** compact cartridge and wax thermostatic element  
 New Tempesta shower set II, 600 mm (27 598 000)  
**GROHE DreamSpray®** perfect spray pattern elbow outlet (28 671)  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**

# GROHE SHOWER SYSTEMS





# GROHE RAINSHOWER® SYSTEM

| Ref.No.    | EAN code      | Colour | Retail Guide Price (€) |
|------------|---------------|--------|------------------------|
| 27 174 001 | 4005176877162 | chrome | 2,241.27               |



**Rainshower® System 400**  
**Shower system with thermostat for wall mounting exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Rainshower 400 Jumbo (28 778 000)  
 horizontal swivable 450 mm projection shower arm with ball joint  
 rotation angle  $\pm 20^\circ$   
 hand shower Sena Stick (28 034 000)  
 adjustable in height with gliding element (12 140 000)  
 shower hose 1.750 mm (28 025 000)  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
 max. pressure differential 5:1  
**GROHE TurboStat®** compact cartridge with wax thermoelement  
**GROHE DreamSpray®** perfect spray pattern  
**Inner WaterGuide** for a longer life  
**min. recommended pressure 1.0 bar**


|            |               |        |          |
|------------|---------------|--------|----------|
| 27 374 000 | 4005176877285 | chrome | 1,503.51 |
|------------|---------------|--------|----------|



**Rainshower® System 210**  
**Shower system with thermostat and side showers**  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 head shower Rainshower modern 210 (28 368 000)  
 hand shower (28 034 000)  
**GROHE CoolTouch®**  
**SpeedClean** anti-limescale system  
**GROHE StarLight®** chrome finish  
 metal shower hose 1750 mm (28 025 000)  
 max. pressure differential 5:1  
**GROHE TurboStat®** compact cartridge with wax thermoelement  
**GROHE DreamSpray®** perfect spray pattern  
 4 adjustable side showers with ball joint  
 rotation angle  $\pm 15^\circ$   
**Inner WaterGuide** for a longer life  
**min. recommended pressure 1.0 bar**


# GROHE RAINSHOWER® SYSTEM

| Ref.No.    | EAN code      | Colour | Retail Guide Price (€) |
|------------|---------------|--------|------------------------|
| 27 472 000 | 4005176882814 | chrome | 1,353.16               |



**Rainshower® System 310**  
**Shower system with thermostat for wall mounting exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Rainshower 310 (27 471 000)  
 horizontal swivable 450 mm projection shower arm with ball joint  
 rotation angle  $\pm 15^\circ$   
 hand shower Ondus (27 185 000)  
 adjustable in height with gliding element (12 140 000)  
**GROHE EcoJoy®** technology for less water and perfect flow  
**GROHE StarLight®** chrome finish  
**GROHE CoolTouch®**  
**GROHE TurboStat®** compact cartridge with wax thermoelement  
**GROHE DreamSpray®** perfect spray pattern  
 max. pressure differential 5:1  
**Inner WaterGuide** for a longer life  
**min. recommended pressure 1.0 bar**

|            |               |        |          |
|------------|---------------|--------|----------|
| 27 569 000 | 4005176894275 | chrome | 1,143.37 |
|------------|---------------|--------|----------|




**Rainshower® F-series System 10"**  
**Shower system with thermostat for wall mounting exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Rainshower F-Series 10" (27 271 000)  
 with ball joint, rotation angle  $\pm 20^\circ$   
 hand shower Sena Stick (28 034 000)  
 adjustable in height with gliding element (12 140 000)  
 metal shower hose 1750 mm (28 025 000)  
 minimum flow rate 7 l/min.  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**GROHE CoolTouch®**  
**GROHE TurboStat®** compact cartridge with wax thermoelement  
**Inner WaterGuide** for a longer life  
 max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**

|                                                   |               |        |          |
|---------------------------------------------------|---------------|--------|----------|
| 27 469 000                                        | 4005176882593 | chrome | 1,236.03 |
| Ditto, with GROHE EcoJoy® 9.5 l/min. flow limiter |               |        |          |


# GROHE RAINSHOWER® SYSTEM

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 27 966 000 | 4005176929250 | chrome | 1,587.42               |



**Rainshower® System 310**  
**Shower system with thermostat for wall mounting**  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 Rainshower® modern 310 head shower (27 477 000)  
 with ball joint  
 rotation angle  $\pm 20^\circ$   
 hand shower Sena Stick (28 034 000)  
 adjustable in height with gliding element  
 (12 140 000)  
 Silverflex shower hose 1750 mm (28 388 000)  
 minimum flow rate 7 l/min.  
**GROHE TurboStat®** compact cartridge  
 with wax thermoelement  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**GROHE CoolTouch®** prevents scalding from hot surfaces  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**min. recommended pressure 1.0 bar**


|            |               |        |          |
|------------|---------------|--------|----------|
| 27 032 001 | 4005176877155 | chrome | 1,484.27 |
|------------|---------------|--------|----------|



**Rainshower® System 210**  
**Shower system with thermostat for wall mounting**  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Rainshower modern 210  
 (28 368 000)  
 horizontal swivable 450 mm projection shower arm  
 with ball joint, rotation angle  $\pm 20^\circ$   
 hand shower Sena Stick (28 034 000)  
 adjustable in height with gliding element  
 (12 140 000)  
 metal shower hose 1750 mm (27 178 000)  
**GROHE StarLight®** chrome finish  
**GROHE TurboStat®** compact cartridge  
 with wax thermoelement  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE CoolTouch®** prevents scalding from hot surfaces  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
 max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**


# GROHE RAINSHOWER® SYSTEM

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 27 968 000 | 4005176929687 | chrome | 1,587.42               |



**Rainshower® System 310**  
**Shower system with thermostat for wall mounting**  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 Rainshower® modern 310 head shower (27 477 000)  
 with ball joint  
 rotation angle  $\pm 20^\circ$   
 Power&Soul™ Cosmopolitan hand shower 130 (27 663 000)  
 adjustable in height with gliding element  
 (12 140 000)  
 Silverflex shower hose 1750 mm (28 388 000)  
 minimum flow rate 7 l/min.  
**GROHE One-Click Showering** spray selection  
 with one click  
**GROHE TurboStat®** compact cartridge  
 with wax thermoelement  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE CoolTouch®** prevents scalding from hot surfaces  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**min. recommended pressure 1.0 bar**



|            |               |        |          |
|------------|---------------|--------|----------|
| 27 967 000 | 4005176929670 | chrome | 1,484.27 |
|------------|---------------|--------|----------|



**Rainshower® System 210**  
**Shower system with thermostat for wall mounting**  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 Rainshower® modern 210 head shower (28 368 000)  
 with ball joint  
 rotation angle  $\pm 20^\circ$   
 Power&Soul™ Cosmopolitan hand shower 130 (27 663 000)  
 adjustable in height with gliding element  
 (12 140 000)  
 Silverflex shower hose 1750 mm (28 388 000)  
 minimum flow rate 7 l/min.  
**GROHE TurboStat®** compact cartridge  
 with wax thermoelement  
**GROHE One-Click Showering** spray selection  
 with one click  
**GROHE EcoJoy®** technology for  
 less water and perfect flow  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**GROHE CoolTouch®**  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**min. recommended pressure 1.0 bar**



# GROHE RAINSHOWER® SYSTEM

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 27 641 000 | 4005176901645 | chrome | 1,106.65               |



**Rainshower® System 210**  
**Shower system with bath thermostat for wall mounting**  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Rainshower modern 210 (28 373)  
 with ball joint, rotation angle  $\pm 20^\circ$   
 bath inlet  
 separate diverter for hand shower Sena (28 341 000)  
 adjustable in height with gliding element  
 (12 140 000)  
 metal shower hose 1750 mm (27 178 000)  
**GROHE StarLight®** chrome finish  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE TurboStat®** compact cartridge  
 with wax thermoelement  
**SpeedClean** anti-limescale system  
**Inner WaterGuide®** for a longer life  
**GROHE CoolTouch®**  
 rotation angle  $\pm 15^\circ$   
 max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**


|            |               |        |          |
|------------|---------------|--------|----------|
| 27 175 000 | 4005176838507 | chrome | 1,809.45 |
|------------|---------------|--------|----------|



**Rainshower® System 400**  
**Shower system with diverter for wall mounting**  
 horizontal swivable 450 mm projection shower arm  
 head shower Rainshower 400 Jumbo (28 778 000)  
 with ball joint  
 rotation angle  $\pm 20^\circ$   
 hand shower Sena (28 034 000),  
 adjustable in height with gliding element  
 (12 140 000)  
 connection to water supply via 1/2"-thread  
 metal shower hose to the shower valve  
 or wall union  
 metal shower hose 1750 mm  
**GROHE StarLight®** chrome finish  
**Inner WaterGuide®** for a longer life  
**SpeedClean** anti-limescale system  
**min. recommended pressure 1.0 bar**



# GROHE RAINSHOWER® SYSTEM

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 27 361 000 | 4005176877278 | chrome | 1,236.03               |



**Rainshower® System 210**  
**Shower system with diverter for wall mounting**  
 head shower Rainshower modern 210  
 (28 368 000)  
 horizontal swivable 450 mm projection shower arm  
 with ball joint  
 4 adjustable side showers  
 rotation angle  $\pm 20^\circ$   
 hand shower Sena Stick (28 034 000)  
 connection to water supply via 1/2"-thread  
 metal shower hose to the shower valve  
 or wall union  
 diverter  
 metal shower hose 1750 mm (27 178 000)  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**min. recommended pressure 1.0 bar**  
**Inner WaterGuide®** for a longer life

|            |               |        |        |
|------------|---------------|--------|--------|
| 27 058 000 | 4005176830464 | chrome | 903.30 |
|------------|---------------|--------|--------|





**Rainshower® System 210**  
**Shower system with diverter for wall mounting**  
 horizontal swivable 450 mm projection shower arm  
 change between hand and head shower  
 by using the diverter  
 head shower Rainshower modern 210  
 (28 368 000)  
 with ball joint  
 rotation angle  $\pm 20^\circ$   
 hand shower Sena (28 034 000),  
 adjustable in height with gliding element  
 (12 140 000)  
 connection to water supply via 1/2"-thread  
 metal shower hose to the shower valve  
 or wall union  
**GROHE StarLight®** chrome finish  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE CoolTouch®**  
**Inner WaterGuide®** for a longer life  
 metal shower hose  
**SpeedClean** anti-limescale system  
**min. recommended pressure 1.0 bar**



# GROHE RAINSHOWER® SYSTEM


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 27 030 000 | 4005176807800 | chrome | 773.30                 |





**Rainshower® System 210**  
**Shower system with GrohClick without fitting for wall mounting**  
 horizontal swivable 450 mm projection shower arm  
 head shower Rainshower modern 210 (28 368 000)  
 with ball joint  
 hand shower Sena (28 034 000), adjustable in height with gliding element (12 140 000)  
 rotation angle  $\pm 20^\circ$   
 connection to water supply via 1/2"-thread metal shower hose to the shower valve or wall union  
 change between hand and head shower by Grohclick element  
 metal shower hose 1750 mm (27 178 000)  
**GROHE StarLight®** chrome finish  
**GROHE DreamSpray®** perfect spray pattern  
**min. recommended pressure 1.0 bar**  
**Inner WaterGuide** for a longer life  
**SpeedClean** anti-limescale system

# GROHE POWER&SOUL™ SHOWER SYSTEMS

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 27 909 000 | 4005176921889 | chrome | 842.66                 |
| 27 913 000 | 4005176921926 | chrome | 949.30                 |




**Power&Soul® System 190**  
**Shower system with thermostat for wall mounting**  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 Power&Soul head shower (27 766 000)  
 with ball joint  
 rotation angle  $\pm 20^\circ$   
 hand shower Power&Soul 115 (27 669 000)  
 adjustable in height with gliding element (12 140 000)  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat®** compact cartridge with wax thermostatic element  
**GROHE One-click showering**  
 spray selection via push of a button  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**GROHE CoolTouch®** prevents scalding from hot surfaces  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**min. recommended pressure 1.0 bar**



**Power&Soul® System 190**  
**Shower system with thermostat for wall mounting**  
 horizontal swivable 450 mm projection shower arm  
 exposed bath thermostat with Aquadimmer function  
 allows change between:  
 Power&Soul head shower (27 766 000)  
 with ball joint  
 rotation angle  $\pm 20^\circ$   
 bath inlet  
 separate diverter for  
 hand shower Power&Soul 115 (27 669 000)  
 adjustable in height with gliding element (12 140 000)  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat®** compact cartridge with wax thermostatic element  
**GROHE One-click showering**  
 spray selection via push of a button  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**GROHE CoolTouch®** prevents scalding from hot surfaces  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**min. recommended pressure 1.0 bar**

# GROHE POWER&SOUL™ SHOWER SYSTEMS


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 27 911 000 | 4005176921902 | chrome | 737.77                 |



**Power&Soul® System 190**  
**Shower system with diverter for wall mounting**  
 consisting of  
 horizontal swivable 450 mm projection shower arm  
 Power&Soul head shower (27 766 000)  
 with ball joint  
 rotation angle  $\pm 20^\circ$   
 hand shower Power&Soul 115 (27 669 000)  
 adjustable in height with gliding element  
 (12 140 000)  
 Silverflex shower hose 1750 mm (28 388 000)  
 connection to water supply via 1/2"-thread  
 metal shower hose to the shower valve  
 or wall union  
 change between hand and head shower  
 by using the diverter  
 minimum flow rate 7 l/min.  
**GROHE One-click showering**  
 spray selection via push of a button  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**GROHE CoolTouch®** prevents scalding from hot surfaces  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**min. recommended pressure 1.0 bar**


# GROHE POWER&SOUL COSMOPOLITAN

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 27 903 000 | 4005176921735 | chrome | 895.11                 |



**Power&Soul™ Cosmopolitan System 190**  
**Shower system with thermostat for wall mounting**  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 Power&Soul Cosmopolitan head shower (27 764 000)  
 with ball joint  
 rotation angle  $\pm 20^\circ$   
 hand shower Power&Soul Cosmopolitan 115 (27 660 000)  
 adjustable in height with gliding element  
 (12 140 000)  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat®** compact cartridge  
 with wax thermoelement  
**GROHE One-click showering**  
 spray selection via push of a button  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**GROHE CoolTouch®** prevents scalding from hot surfaces  
**SpeedClean** anti-limescale system  
**min. recommended pressure 1.0 bar**

|            |               |        |          |
|------------|---------------|--------|----------|
| 27 907 000 | 4005176921773 | chrome | 1,001.75 |
|------------|---------------|--------|----------|




**Power&Soul™ Cosmopolitan System 190**  
**Shower system with thermostat for wall mounting**  
 horizontal swivable 450 mm projection shower arm  
 exposed bath thermostat with Aquadimmer function  
 allows change between:  
 Power&Soul Cosmopolitan head shower (27 764 000)  
 with ball joint  
 rotation angle  $\pm 20^\circ$   
 separate diverter for  
 hand shower Power&Soul Cosmopolitan 115 (27 660 000)  
 adjustable in height with gliding element  
 (12 140 000)  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat®** compact cartridge  
 with wax thermoelement  
**GROHE One-click showering**  
 spray selection via push of a button  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**GROHE CoolTouch®** prevents scalding from hot surfaces  
**SpeedClean** anti-limescale system  
**min. recommended pressure 1.0 bar**

# GROHE POWER&SOUL COSMOPOLITAN

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 27 905 000 | 4005176921759 | chrome | 790.21                 |


**Power&Soul™ Cosmopolitan System 190**  
**Shower system with diverter for wall mounting**  
 consisting of  
 horizontal swivable 450 mm projection shower arm  
 Power&Soul Cosmopolitan head shower (27 764 000)  
 with ball joint  
 rotation angle ± 20°  
 hand shower Power&Soul Cosmopolitan 115 (27 660 000)  
 adjustable in height with gliding element  
 (12 140 000)  
 Silverflex shower hose 1750 mm (28 388 000)  
 connection to water supply via 1/2"-thread  
 metal shower hose to the shower valve  
 or wall union  
 change between hand and head shower  
 by using the diverter  
 minimum flow rate 7 l/min.  
**GROHE One-click showering**  
 spray selection via push of a button  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**GROHE CoolTouch®** prevents scalding from hot surfaces  
**SpeedClean** anti-limescale system  
**min. recommended pressure 1.0 bar**



# GROHE EUPHORIA SHOWER SYSTEMS


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 27 964 000 | 4005176929595 | chrome | 698.31                 |

**Euphoria System 210**  
**Shower system with thermostat for wall mounting**  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
**GROHE EcoJoy®** technology for less water  
 and perfect flow  
 allows change between:  
 head shower metal Rainshower Cosmopolitan 210  
 (28 368 000)  
 spray pattern rain  
 with ball joint  
 rotation angle ± 20°  
 hand shower Euphoria 110 Massage  
 (27 221 000)  
 adjustable in height with gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
 minimum flow rate 7 l/min.  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**GROHE TurboStat®** compact cartridge  
 with wax thermoelement  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life



|            |               |        |        |
|------------|---------------|--------|--------|
| 27 296 001 | 4005176896293 | chrome | 537.16 |
|------------|---------------|--------|--------|


**Euphoria System 180**  
**Shower system with thermostat for wall mounting**  
 consisting of:  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower Euphoria Cosmopolitan 180 27 419 000, spray pattern Rain  
 with ball joint, rotation angle ± 15°  
 hand shower Euphoria 110 Massage  
 (27 221 000)  
 adjustable in height with gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
 minimum flow rate 7 l/min.  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**GROHE TurboStat®** compact cartridge  
 with wax thermoelement  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**min. recommended pressure 1.0 bar**



|                                                   |               |        |        |
|---------------------------------------------------|---------------|--------|--------|
| 27 615 000                                        | 4005176896330 | chrome | 537.16 |
| Ditto, with GROHE EcoJoy® 9.5 l/min. flow limiter |               |        |        |
| 27 420 001                                        | 4005176896316 | chrome | 513.99 |
| Ditto, with 390mm shower arm                      |               |        |        |

# GROHE EUPHORIA SHOWER SYSTEMS

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|




**27 473 000**    **4005176882630**    **chrome**    **493.01**

**Euphoria System 180**  
**Shower system with single lever for wall mounting**  
 horizontal swivable 450 mm projection shower arm  
 exposed single-lever shower mixer with diverter  
 allows change between:  
 head shower Euphoria Cosmopolitan (27 492 000)  
 chrome plated spray plate with ball joint, rotation angle ± 15°  
 hand shower Euphoria 110 Massage (27 239 000)  
 adjustable in height with gliding element (12 140 000)  
 Silverflex shower hose 1750 mm (28 388 000)  
 9.5 l/min flow rate  
**GROHE EcoJoy®** technology for less water and perfect flow  
**GROHE StarLight®** chrome finish  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE CoolTouch®**  
 max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**

**27 536 000**    **4005176890055**    **chrome**    **611.89**  
 ditto, standard flow rate

**27 474 000**    **4005176882647**    **chrome**    **482.52**  
 Ditto, with 390mm shower arm




**27 475 000**    **4005176882654**    **chrome**    **629.38**

**Euphoria Cosmopolitan 180**  
**Shower system with bath thermostat for wall mounting**  
 horizontal swivable 450 mm projection shower arm  
**exposed thermostatic bath/shower** with Aquadimmer function  
 allows change between:  
 head shower Euphoria Cosmopolitan (27 492 000)  
 chrome plated spray plate with ball joint, rotation angle ± 15°  
 bath inlet  
 separate diverter for hand shower Euphoria 110 Massage (27 239 000)  
 adjustable in height with gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE EcoJoy®** technology for less water and perfect flow  
**GROHE StarLight®** chrome finish  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE TurboStat®** compact cartridge with wax thermoelement  
**GROHE CoolTouch®**  
 max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**

**27 476 000**    **4005176882661**    **chrome**    **618.89**  
 Ditto, with 390mm shower arm

# GROHE EUPHORIA SHOWER SYSTEMS

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|



**27 616 000**    **4005176896347**    **chrome**    **482.52**

**Euphoria System 180**  
**Shower system with diverter for wall mounting**  
 horizontal swivable 450 mm projection shower arm  
 change between hand and head shower by using the diverter  
 head shower Euphoria Cosmopolitan 180 mm (27 491 000)  
 spray pattern Rain  
 with ball joint, rotation angle ± 15°  
 hand shower Euphoria 110 Massage (27 221 000)  
 adjustable in height with gliding element (12 140 000)  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**GROHE CoolTouch®**  
**SpeedClean** anti-limescale system  
**min. recommended pressure 1.0 bar**


**27 421 001**    **4005176896323**    **chrome**    **482.52**  
 Ditto, with **GROHE EcoJoy®** 9.5 l/min. flow limiter

**27 297 001**    **4005176896309**    **chrome**    **472.03**  
 Ditto, with 390mm shower arm



# GROHE EUPHORIA CUBE

NEW




| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 26 087 000 | 4005176940828 | chrome | 998.29                 |


**Euphoria Cube Shower System**  
**Shower system with thermostatic mixer for wall mounting**  
 shower arm  
 projection 400 mm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 Rainshower® Allure head shower (27 479 000)  
 spray pattern Rain  
 with ball joint  
 hand shower Euphoria Cube (27 699 000)  
 adjustable in height with gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
 minimum flow rate 7 l/min.  
**GROHE TurboStat®** compact cartridge  
 with wax thermoelement  
**GROHE EcoJoy®** technology for  
 less water and perfect flow  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system

|            |               |        |        |
|------------|---------------|--------|--------|
| 27 696 000 | 4005176907074 | chrome | 506.99 |
|------------|---------------|--------|--------|

**Euphoria Cube**  
**Shower system with diverter**  
**for wall mounting**  
 change between hand and head shower  
 by using the diverter  
 shower arm  
 projection 400 mm  
 head shower Euphoria Cube 152 mm x 152 mm  
 spray pattern rain  
 with ball joint  
 rotation angle  $\pm 20^\circ$   
 hand shower Euphoria Cube (27 698 000)  
 adjustable in height with gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
 minimum flow rate 7 l/min.  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**GROHE CoolTouch®**  
**SpeedClean** anti-limescale system  
**min. recommended pressure 1.0 bar**



# GROHE EUPHORIA CUBE





| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 23 147 000 | 4005176901294 | chrome | 699.31                 |

**Eurocube System 150**  
**Shower system with single lever for wall mounting**  
 shower arm  
 projection 400 mm  
 exposed single-lever shower mixer  
 with diverter  
 allows change between:  
 head shower Euphoria Cube 152 mm x 152 mm  
 spray pattern rain  
 with ball joint  
 rotation angle  $\pm 20^\circ$   
**GROHE EcoJoy®** technology for  
 less water and perfect flow  
 hand shower Euphoria Cube (27 698 000)  
 minimum flow rate 7 l/min.  
 adjustable in height with gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**GROHE CoolTouch®**  
 GROHE SilkMove  
**SpeedClean** anti-limescale system  
**min. recommended pressure 1.0 bar**


# GROHE TEMPESTA SHOWER SYSTEM

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 27 922 000 | 4005176923364 | chrome | 419.58                 |



**New Tempesta Cosmopolitan System 160**  
**Shower system with thermostat for wall mounting**  
 horizontal swivable 390 mm projection shower arm  
**exposed thermostatic shower**  
 with Aquadimmer function  
 allows change between:  
 head shower 1 spray (28 232 000)  
 Rain  
 with ball joint  
 rotation angle  $\pm 15^\circ$   
 New Tempesta Cosmopolitan 100  
 hand shower  
 adjustable in height with gliding element  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE TurboStat** compact cartridge  
 with wax thermoelement  
**GROHE DreamSpray** perfect spray pattern  
**GROHE StarLight** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**Twistfree** to prevent hose from twisting  
**min. recommended pressure 1.0 bar**


|            |               |        |       |
|------------|---------------|--------|-------|
| 14 014 000 | 4005176929274 | chrome | 55.94 |
|------------|---------------|--------|-------|




**Rainshower**  
**Shower arm for shower systems**  
 metal  
 projection 340 mm  
 distance from wall 390 mm  
 connection thread 1/2"  
**GROHE StarLight** chrome finish  
 suitable for all GROHE shower systems

# GROHE FREEHANDER®

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 27 004 000 | 4005176239540 | chrome | 526.23                 |



**Freehander**  
**Shower system for wall mounting**  
 with two rotating shower heads  
 adjustable for use as head or side shower  
**GROHE StarLight** chrome finish  
 1 shower head with wide, Pulsator and  
 Eco spray  
 1 shower head with wide and pulsator spray  
 lockable  
 both heads with **SpeedClean** anti lime-  
 scale system  
 self stopping joint  
 Grohclick elements for shower hose and  
 handshower  
 Min. recommended pressure with  
 1/2" valve 2.0 bar  
 Min. recommended pressure with  
 3/4" valve 1.0 bar



|            |               |        |        |
|------------|---------------|--------|--------|
| 27 005 000 | 4005176239557 | chrome | 526.23 |
|------------|---------------|--------|--------|

**Freehander**  
**Shower concealed**  
 with two rotating shower heads  
 adjustable for use as head or side shower  
**GROHE StarLight** chrome finish  
 1 shower head with wide, Pulsator and  
 Eco spray  
 1 shower head with wide and pulsator spray  
 lockable  
 both heads with **SpeedClean** anti lime-  
 scale system  
 self stopping joint  
 Min. recommended pressure with  
 1/2" valve 2.0 bar  
 Min. recommended pressure with  
 3/4" valve 1.0 bar

# GROHE POWER&SOUL



GROHE  
EcoJoy™



GROHE  
DreamSpray®



GROHE  
StarLight®



GROHE  
CoolTouch®



GROHE  
QuickFix®



# POWER&SOUL™

Revitalise your mind, body and soul with an exhilarating shower. Our feature-packed designs deliver a range of sensations, so you can have the shower of your dreams.

## What makes Power&Soul™ unique:

- Convenient One-Click Showering
  - Choose spray patterns directly by the push of a button
  - Choose more than one spray pattern at once
- New spray patterns
  - Bokoma Spray™ – A pulsating spray pattern for a stimulating massage
  - GROHE Rain O<sup>2</sup> – A soft, smooth spray based on our original Rain spray. Air is drawn into the hand shower face and mixed with water for total relaxation after a stressful day
- A piece of luxury for your bath – exclusive design
- It's your choice – 3 different diameters:
  - 115 mm
  - 130 mm
  - 160 mm
- Two designs: Cosmopolitan and Contemporary
  - created to ensure complete design coordination with your bathroom interior.

## GROHE ONE-CLICK SHOWERING

At GROHE we innovate to enhance your experience. Conveniently positioned on the back of the hand shower, the One-Click Showering gives you direct access to your preferred spray pattern. Never again will you have to twist the spray face or click through several sprays to reach the one you want. Just press the corresponding button and enjoy.

### Spray patterns:

GROHE Power&Soul™ showers feature up to four different sprays. Revitalising or relaxing, stimulating or soothing, whichever sensation you're searching for, we have a spray to match.

#### Jet

A focussed circular spray which delivers a refreshing burst of water. Ideal for stimulating the skin.



#### Bokoma Spray™

Not just a pulsating but moving circular spray for a stimulating massage that revives the spirit.

#### GROHE Rain O<sup>2</sup>


A soft, smooth spray based on our original Rain spray. Air is drawn into the shower head and mixed with the water for a wider and fuller spray.



#### Rain


An effective pattern to brace the skin. Simulating warm summer rains, the spray provides a full and even coverage.

# GROHE POWER&SOUL




| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 27 669 000 | 4005176905711 | chrome | 73.78                  |

**Power&Soul® 115**  
Hand shower 2 sprays  
GROHE Rain O<sup>2</sup>, Rain  
GROHE One-click showering  
spray selection via push of a button  
GROHE DreamSpray® perfect spray pattern  
GROHE StarLight® chrome finish  
SpeedClean anti-limescale system  
Inner WaterGuide for a longer life  
min. recommended pressure 1.0 bar



|            |               |                             |       |
|------------|---------------|-----------------------------|-------|
| 27 672 000 | 4005176905735 | chrome                      | 83.40 |
| 27 672 DR0 | 4005176936838 | chrome/<br>limestone        | 89.50 |
| 27 672 HF0 | 4005176936814 | chrome/fired clay           | 89.50 |
| 27 672 TN0 | 4005176936807 | chrome/<br>misty slate      | 89.50 |
| 27 672 XH0 | 4005176936791 | chrome/<br>frosted granite  | 89.50 |
| 27 672 MW0 | 4005176936784 | chrome/<br>sheer marble     | 89.50 |
| 27 672 PV0 | 4005176936821 | chrome/natural<br>sandstone | 89.50 |

**Power&Soul® 130**  
Hand Shower 4+ sprays  
GROHE Rain O<sup>2</sup>, Rain, Bokoma Spray™, Jet  
GROHE One-click showering  
spray selection via push of a button  
GROHE DreamSpray® perfect spray pattern  
GROHE StarLight® chrome finish  
SpeedClean anti-limescale system  
Inner WaterGuide for a longer life  
Universal Mounting System. Fitting all  
standard shower hoses  
min. recommended pressure 1.0 bar




|            |               |        |       |
|------------|---------------|--------|-------|
| 27 674 000 | 4005176905759 | chrome | 98.08 |
|------------|---------------|--------|-------|

**Power&Soul® 160**  
Hand Shower 4+ sprays  
GROHE Rain O<sup>2</sup>, Rain, Bokoma Spray™, Jet  
GROHE One-click showering  
spray selection via push of a button  
GROHE DreamSpray® perfect spray pattern  
GROHE StarLight® chrome finish  
SpeedClean anti-limescale system  
Inner WaterGuide for a longer life  
min. recommended pressure 1.0 bar

|            |               |        |       |
|------------|---------------|--------|-------|
| 27 675 000 | 4005176905766 | chrome | 98.08 |
|------------|---------------|--------|-------|

Ditto, with GROHE EcoJoy 9.5 l/min. flow limiter



|            |               |        |        |
|------------|---------------|--------|--------|
| 27 757 000 | 4005176913044 | chrome | 160.32 |
|------------|---------------|--------|--------|

**Power&Soul® 115**  
Shower rail set 2 sprays  
hand shower Power&Soul 115 (27 669 000)  
shower rail 600mm (27 784 000)  
with wall holders made of metal  
GROHE QuickFix™ Plus installation system  
Silverflex shower hose 1750 mm (28 388 000)  
Twistfree to prevent hose from twisting  
GROHE DreamSpray® perfect spray pattern  
GROHE StarLight® chrome finish  
SpeedClean anti-limescale system  
Inner WaterGuide for a longer life  
min. recommended pressure 1.0 bar

|            |               |        |        |
|------------|---------------|--------|--------|
| 27 759 000 | 4005176913068 | chrome | 165.56 |
|------------|---------------|--------|--------|


Ditto, 900 mm shower rail



| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|

27 735 000 4005176910951 chrome 174.83

**Power&Soul® 130**  
**Shower rail set 4+ sprays**  
 handshower Power&Soul 130 (27 672 000)  
 shower rail 600mm (27 784 000)  
 with wall holders made of metal  
**GROHE QuickFix™ Plus** installation system  
 Silverflex shower hose 1750 mm (28 388 000)  
**Twistfree** to prevent hose from twisting  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**min. recommended pressure 1.0 bar**  
**Inner WaterGuide** for a longer life



27 736 000 4005176910968 chrome 174.83


Ditto, with GROHE EcoJoy 9.5l/min. flow limiter

27 737 000 4005176910975 chrome 179.20

Ditto, 900 mm shower rail

27 747 000 4005176912931 chrome 189.69

**Power&Soul® 160**  
**Shower rail set 4+ sprays**  
 hand shower Power&Soul 160 (27 674 000)  
 shower rail 600mm (27 784 000)  
 with wall holders made of metal  
**GROHE QuickFix™ Plus** installation system  
 Silverflex shower hose 1750 mm (28 388 000)  
**Twistfree** to prevent hose from twisting  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**min. recommended pressure 1.0 bar**



27 748 000 4005176912948 chrome 189.69


Ditto, with GROHE EcoJoy 9.5 l/min. flow limiter

27 749 000 4005176912955 chrome 194.94

Ditto, 900 mm shower rail

27 839 000 4005176916175 chrome 98.08


**Power&Soul® 115**  
**Wall holder set 2 sprays**  
 consisting of:  
 hand shower Power&Soul 115 (27 669 000)  
 wall shower holder (27 056 000)  
 Silverflex shower hose 1250 mm  
 (28 362 000)  
**Twistfree** to prevent hose from twisting  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**min. recommended pressure 1.0 bar**



| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|


27 742 000 4005176911132 chrome 122.38

**Power&Soul® 130**  
**Wall holder set 4+ sprays**  
 hand shower Power&Soul 130 (27 573 000)  
 wall shower holder, adjustable  
 (27 055 000)  
 Silverflex shower hose 1750 mm (28 388 000)  
**Twistfree** to prevent hose from twisting  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**GROHE EcoJoy®** 9.5 l/min flow rate  
**min. recommended pressure 1.0 bar**



27 766 000 4005176913143 chrome 124.47

**Power&Soul® 190**  
**Wall holder set 4+ sprays**  
 GROHE Rain O², Rain, Bokoma Spray™, Jet  
**GROHE One-click showering**  
 spray selection via push of a button  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**min. recommended pressure 1.0 bar**




27 767 000 4005176913150 chrome 124.47

Ditto, with GROHE EcoJoy® 9.5 l/min. flow limiter

28 576 000 4005176274022 chrome 65.04

**Rainshower®**  
**Shower arm 286 mm**  
 metal  
 connection thread 1/2"  
 can be used for all Rainshower head  
 showers except Rainshower Jumbo  
**GROHE StarLight®** chrome finish



# GROHE POWER&SOUL COSMOPOLITAN


Ref.No. EAN code Colour Retail Guide Price (£)



27 660 000 4005176905421 chrome 93.89

**Power&Soul® Cosmopolitan 115**  
Hand shower 2 sprays  
GROHE Rain O<sup>2</sup>, Rain  
**GROHE One-click showering**  
spray selection via push of a button  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
min. recommended pressure 1.0 bar


27 661 000 4005176905438 chrome 93.89  
Ditto, with GROHE EcoJoy 9.5 l/min. flow limiter



27 663 000 4005176905452 chrome 105.42

**Power&Soul® Cosmopolitan 130**  
Hand Shower 4+ sprays  
GROHE Rain O<sup>2</sup>, Rain, Bokoma Spray™, Jet  
**GROHE One-click showering**  
spray selection via push of a button  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
min. recommended pressure 1.0 bar


27 664 000 4005176905469 chrome 105.42  
Ditto, with GROHE EcoJoy 9.5 l/min. flow limiter



27 667 000 4005176905681 chrome 117.13

**Power&Soul® Cosmopolitan 160**  
Hand Shower 4+ sprays  
GROHE Rain O<sup>2</sup>, Rain, Bokoma Spray™, Jet  
**GROHE One-click showering**  
spray selection via push of a button  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
min. recommended pressure 1.0 bar

27 668 000 4005176905698 chrome 117.13  
Ditto, with GROHE EcoJoy 9.5 l/min. flow limiter




27 753 000 4005176913006 chrome 172.03

**Power&Soul® Cosmopolitan 115**  
Shower rail set 2 sprays  
hand shower Power&Soul Cosmopolitan 115 (27 660 000)  
shower rail 600mm (27 784 000)  
with wall holders made of metal  
**GROHE QuickFix™ Plus** installation system  
Silverflex shower hose 1750 mm (28 388 000)  
**Twistfree** to prevent hose from twisting  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**Inner WaterGuide** for a longer life  
**SpeedClean** anti-limescale system  
min. recommended pressure 1.0 bar

27 755 000 4005176913020 chrome 177.45  
Ditto, 900 mm shower rail

# GROHE POWER&SOUL COSMOPOLITAN

Ref.No. EAN code Colour Retail Guide Price (£)




27 731 000 4005176910913 chrome 186.19

**Power&Soul® Cosmopolitan 130**  
Shower rail set 4+ sprays  
hand shower Power&Soul® Cosmopolitan 130 (27 663 000)  
shower rail 600mm (27 784 000)  
with wall holders made of metal  
**GROHE QuickFix™ Plus** installation system  
Silverflex shower hose 1750 mm (28 388 000)  
**Twistfree** to prevent hose from twisting  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
min. recommended pressure 1.0 bar

27 732 000 4005176910920 chrome 186.19  
Ditto, with GROHE EcoJoy 9.5l/min. flow limiter

27 733 000 4005176910937 chrome 191.43  
Ditto, 900 mm shower rail



27 743 000 4005176912894 chrome 201.92

**Power&Soul® Cosmopolitan 160**  
Shower rail set 4+ sprays  
hand shower Power&Soul 160 (27 667 000)  
shower rail 600mm (27 784 000)  
with wall holders made of metal  
**GROHE QuickFix™ Plus** installation system  
Silverflex shower hose 1750 mm (28 388 000)  
**Twistfree** to prevent hose from twisting  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
min. recommended pressure 1.0 bar  
**Inner WaterGuide** for a longer life

27 744 000 4005176912900 chrome 201.92  
Ditto, with GROHE EcoJoy 9.5 l/min. flow limiter

27 745 000 4005176912917 chrome 205.43  
Ditto, 900 mm shower rail




27 838 000 4005176916168 chrome 117.13

**Power&Soul® Cosmopolitan 115**  
Wall holder set 2 sprays  
hand shower Power&Soul Cosmopolitan 115 (27 660 000)  
wall shower holder (27 056 000)  
Silverflex shower hose 1250 mm  
(28 362 000)  
**Twistfree** to prevent hose from twisting  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
min. recommended pressure 1.0 bar


# GROHE POWER&SOUL COSMOPOLITAN

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 27 741 000 | 4005176911125 | chrome | 143.53                 |



**Power&Soul® Cosmopolitan 130**  
**Wall holder set 4+ sprays**  
 hand shower Power&Soul Cosmopolitan 130 (27 664 000)  
 wall shower holder, adjustable (27 055 000)  
 Silverflex shower hose 1750 mm (28 388 000)  
**Twistfree** to prevent hose from twisting  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**GROHE EcoJoy®** 9.5 l/min flow rate  
**min. recommended pressure 1.0 bar**

|            |               |        |        |
|------------|---------------|--------|--------|
| 27 764 000 | 4005176913112 | chrome | 131.82 |
|------------|---------------|--------|--------|





**Power&Soul Cosmopolitan 190**  
**Wall holder set 4+ sprays**  
 GROHE Rain O<sup>2</sup>, Rain, Bokoma Spray™, Jet  
**GROHE One-click showering**  
 spray selection via push of a button  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**min. recommended pressure 1.0 bar**  
**Inner WaterGuide** for a longer life

|            |               |        |        |
|------------|---------------|--------|--------|
| 27 765 000 | 4005176913129 | chrome | 131.82 |
|------------|---------------|--------|--------|


**Ditto**, with GROHE EcoJoy® 9.5 l/min. flow limiter

|            |               |        |       |
|------------|---------------|--------|-------|
| 28 576 000 | 4005176274022 | chrome | 65.04 |
|------------|---------------|--------|-------|



**Rainshower®**  
**Shower arm 286 mm**  
 metal  
 connection thread 1/2"  
 can be used for all Rainshower head showers except Rainshower Jumbo  
**GROHE StarLight®** chrome finish

|            |               |        |       |
|------------|---------------|--------|-------|
| 27 784 000 | 4005176913976 | chrome | 93.36 |
|------------|---------------|--------|-------|



**Power&Soul®**  
**Shower rail, 600 mm**  
 with wall holders made of metal  
**GROHE QuickFix®** (variable distance between wall shower holders for adaption to existing drillings)  
**GROHE StarLight®** chrome finish

|            |               |        |       |
|------------|---------------|--------|-------|
| 27 785 000 | 4005176913983 | chrome | 97.56 |
|------------|---------------|--------|-------|

**Ditto**, 900 mm shower rail


# GROHE RAINSHOWER®






# GROHE RAINSHOWER COSMOPOLITAN


Ref.No. EAN code Colour Retail Guide Price (£)



**28 755 000 4005176819650** **chrome 105.42**  
**Rainshower® Cosmopolitan 130**  
**Hand shower 3 sprays**  
 Rain / Jet / Pure  
**SpeedClean** anti-limescale system  
**GROHE StarLight®** chrome finish  
**GROHE DreamSpray®** perfect spray pattern  
**Inner WaterGuide** for a longer life  
**min. recommended pressure 1.0 bar**




**28 756 000 4005176819667** **chrome 117.13**  
**Rainshower® Cosmopolitan 160**  
**Hand shower 4 sprays**  
 Rain / Jet / Pure / Champagne spray  
**SpeedClean** anti-limescale system  
**GROHE StarLight®** chrome finish  
**GROHE DreamSpray®** perfect spray pattern  
**Inner WaterGuide** for a longer life  
**min. recommended pressure 1.0 bar**



**28 757 001 4005176875526** **chrome 186.19**  
**Rainshower® Cosmopolitan 130**  
**Shower rail set 3 sprays**  
 shower rail, 600 mm (28 797 000)  
**GROHE QuickFix®** (variable distance between wall shower holders for adaption to existing drillings) with wall holders made of metal  
 hand shower Cosmopolitan (28 755 000)  
 Silverflex shower hose 1750 mm (28 388 000)  
**Twistfree** to prevent hose from twisting  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**  
**GROHE DreamSpray®** perfect spray pattern  
**SpeedClean** anti-limescale system

**28 762 001 4005176875540** **chrome 191.43**  
**Ditto**, 900 mm shower rail




**28 758 001 4005176875533** **chrome 201.92**  
**Rainshower® Cosmopolitan 160**  
**Shower rail set 4 sprays**  
 shower rail, 600 mm (28 797 000)  
**GROHE QuickFix®** (variable distance between wall shower holders for adaption to existing drillings) with wall holders made of metal  
 hand shower Cosmopolitan (28 756 000)  
 Silverflex shower hose 1750 mm (28 388 000)  
**Twistfree** to prevent hose from twisting  
**GROHE StarLight®** chrome finish  
**GROHE DreamSpray®** perfect spray pattern  
**SpeedClean** anti-limescale system  
**min. recommended pressure 1.0 bar**


**28 763 001 4005176875557** **chrome 205.43**  
**Ditto**, 900 mm shower rail

# GROHE RAINSHOWER CLASSIC


Ref.No. EAN code Colour Retail Guide Price (£)



**28 764 000 4005176820113** **chrome 83.40**  
**Rainshower® Classic 130**  
**Hand shower 3 sprays**  
 Rain / Jet / Pure  
**SpeedClean** anti-limescale system  
**GROHE StarLight®** chrome finish  
**GROHE DreamSpray®** perfect spray pattern  
**Inner WaterGuide** for a longer life  
**min. recommended pressure 1.0 bar**




**28 765 000 4005176820120** **chrome 98.08**  
**Rainshower® Classic 160**  
**Hand shower 4 sprays**  
 Rain / Jet / Pure / Champagne spray  
**SpeedClean** anti-limescale system  
**GROHE StarLight®** chrome finish  
**GROHE DreamSpray®** perfect spray pattern  
**Inner WaterGuide** for a longer life  
**min. recommended pressure 1.0 bar**



**28 767 001 4005176875564** **chrome 174.83**  
**Rainshower® Classic 130**  
**Shower rail set 3 sprays**  
 shower rail, 600 mm (28 797 000)  
**GROHE QuickFix®** (variable distance between wall shower holders for adaption to existing drillings) with wall holders made of metal  
 hand shower Classic (28 764 000)  
 Silverflex shower hose 1750 mm (28 388 000)  
**Twistfree** to prevent hose from twisting  
**GROHE StarLight®** chrome finish  
**GROHE DreamSpray®** perfect spray pattern  
**SpeedClean** anti-limescale system  
**min. recommended pressure 1.0 bar**

**28 769 001 4005176875588** **chrome 179.20**  
**Ditto**, 900 mm shower rail



**28 768 001 4005176875571** **chrome 189.69**  
**Rainshower® Classic 160**  
**Shower rail set 4 sprays**  
 shower rail, 600 mm (28 797 000)  
**GROHE QuickFix®** (variable distance between wall shower holders for adaption to existing drillings) with wall holders made of metal  
 Hand shower Classic (28 765 000)  
 Silverflex shower hose 1750 mm (28 388 000)  
**Twistfree** to prevent hose from twisting  
**GROHE StarLight®** chrome finish  
**GROHE DreamSpray®** perfect spray pattern  
**SpeedClean** anti-limescale system  
**min. recommended pressure 1.0 bar**


**28 770 001 4005176875595** **chrome 194.94**  
**Ditto**, 900 mm shower rail



# GROHE RAINSHOWER RUSTIC


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 27 127 000 | 4005176835988 | chrome | 105.42                 |

**Rainshower® Rustic 130**  
**Hand shower 3 sprays**  
 Rain / Jet / Pure  
**SpeedClean** anti-limescale system  
**GROHE StarLight®** chrome finish  
**GROHE DreamSpray®** perfect spray pattern  
**Inner WaterGuide** for a longer life  
**min. recommended pressure 1.0 bar**



|            |               |        |        |
|------------|---------------|--------|--------|
| 27 139 000 | 4005176836688 | chrome | 186.19 |
|------------|---------------|--------|--------|


**Rainshower® Rustic 130**  
**Shower rail set 3 sprays**  
 shower rail, 600 mm (28 666 000)  
 hand shower Rustic 130 (27 127 000)  
 shower hose 1750 mm (28 410 000)  
 soap dish  
**Twistfree** to prevent hose from twisting  
**GROHE StarLight®** chrome finish  
**GROHE DreamSpray®** perfect spray pattern  
**Inner WaterGuide** for a longer life  
**SpeedClean** anti-limescale system  
**min. recommended pressure 1.0 bar**



# GROHE RAINSHOWER ICON

| Ref.No.    | EAN code      | Colour                   | Retail Guide Price (£) |
|------------|---------------|--------------------------|------------------------|
| 27 276 000 | 4005176861437 | chrome                   | 94.05                  |
| 27 276 LS0 | 4005176861451 | moon white/<br>eco green | 94.05                  |

**Rainshower® Icon 150**  
**Hand shower 2 sprays**  
 Rain, SmartRain  
 Eco function (reduction of flow rate)  
**GROHE EcoJoy®** technology for less water and perfect flow  
 Elbow adapter for the combination of handshowers with shower sets  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
 Universal Mounting System. Fitting all standard shower hoses  
**min recommended pressure 1.0 bar**




|            |               |                          |       |
|------------|---------------|--------------------------|-------|
| 27 283 000 | 4005176861444 | chrome                   | 94.05 |
| 27 283 LS0 | 4005176861468 | moon white/<br>eco green | 94.05 |

**Ditto, with GROHE EcoJoy® 9.5 l/min flow limiter**

|            |               |                                  |       |
|------------|---------------|----------------------------------|-------|
| 27 628 000 | 4005176900723 | chrome /<br>natural<br>sandstone | 94.05 |
| 27 630 000 | 4005176900747 | chrome /<br>cloudy limestone     | 94.05 |
| 27 633 000 | 4005176900761 | chrome /<br>fired clay           | 94.05 |
| 27 635 000 | 4005176900785 | chrome /<br>sheer marble         | 94.05 |
| 27 637 000 | 4005176900808 | chrome /<br>misty slate          | 94.05 |
| 27 639 000 | 4005176900822 | chrome /<br>frosted granite      | 94.05 |

**Rainshower® Icon 150**  
**Hand shower 2 sprays**  
 Rain, SmartRain  
 Eco function (reduction of flow rate)  
**GROHE EcoJoy®** technology for less water and perfect flow  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
 Universal Mounting System. Fitting all standard shower hoses



|            |               |                                  |       |
|------------|---------------|----------------------------------|-------|
| 27 629 000 | 4005176900730 | chrome /<br>natural<br>sandstone | 94.05 |
| 27 632 000 | 4005176900754 | chrome /<br>cloudy limestone     | 94.05 |
| 27 634 000 | 4005176900778 | chrome /<br>fired clay           | 94.05 |
| 27 636 000 | 4005176900792 | chrome /<br>sheer marble         | 94.05 |
| 27 638 000 | 4005176900815 | chrome /<br>misty slate          | 94.05 |
| 27 640 000 | 4005176900839 | chrome /<br>frosted granite      | 94.05 |

**Ditto, with GROHE EcoJoy® 9.5 l/min. flow limiter**

# GROHE RAINSHOWER ICON

| Ref.No.    | EAN code      | Colour          | Retail Guide Price (£) |
|------------|---------------|-----------------|------------------------|
| 27 443 000 | 4005176880025 | chrome          | 94.05                  |
| 27 444 000 | 4005176880049 | chrome / red    | 94.05                  |
| 27 446 000 | 4005176880063 | chrome / orange | 94.05                  |
| 27 447 000 | 4005176880087 | chrome / yellow | 94.05                  |
| 27 448 000 | 4005176880100 | chrome / pink   | 94.05                  |
| 27 449 000 | 4005176879982 | chrome / purple | 94.05                  |
|            |               | chrome / blue   | 94.05                  |

**Rainshower® Icon 150**  
Hand shower 2 sprays  
Rain, SmartRain  
Eco function (reduction of flow rate)  
GROHE EcoJoy® technology for less water and perfect flow  
GROHE DreamSpray® perfect spray pattern  
GROHE StarLight® chrome finish  
SpeedClean anti-limescale system  
Inner WaterGuide for a longer life  
Universal Mounting System. Fitting all standard shower hoses

|            |               |                 |       |
|------------|---------------|-----------------|-------|
| 27 443 001 | 4005176880506 | chrome / red    | 94.05 |
| 27 444 001 | 4005176880520 | chrome / orange | 94.05 |
| 27 446 001 | 4005176880544 | chrome / yellow | 94.05 |
| 27 447 001 | 4005176880568 | chrome / pink   | 94.05 |
| 27 448 001 | 4005176880582 | chrome / purple | 94.05 |
| 27 449 001 | 4005176880605 | chrome / blue   | 94.05 |

Ditto, with GROHE EcoJoy® 9.5 l/min. flow limiter

|            |               |        |        |
|------------|---------------|--------|--------|
| 27 277 001 | 4005176875489 | chrome | 180.94 |
|------------|---------------|--------|--------|

**Rainshower® Icon 150**  
Shower rail set 2 sprays  
hand shower Icon 150 (27 276 000)  
shower rail 900 mm (28 819 000)  
GROHE QuickFix® (variable distance between wall shower holders for adaption to existing drillings)  
with wall holders made of metal  
Silverflex shower hose 1750 mm (28 388 000)  
Twistfree to prevent hose from twisting  
Elbow adapter for the combination of handshowers with shower sets  
GROHE DreamSpray® perfect spray pattern  
GROHE StarLight® chrome finish  
SpeedClean anti-limescale system  
Inner WaterGuide for a longer life

|            |               |        |        |
|------------|---------------|--------|--------|
| 27 402 001 | 4005176877919 | chrome | 190.56 |
|------------|---------------|--------|--------|

Ditto, with GROHE EcoJoy® 9.5 l/min flow limiter

|            |               |        |        |
|------------|---------------|--------|--------|
| 27 277 001 | 4005176875489 | chrome | 180.94 |
|------------|---------------|--------|--------|

**Rainshower® Icon 150**  
Shower rail set 2 sprays  
hand shower Icon 150 (27 276 000)  
shower rail 900 mm (28 819 000)  
GROHE QuickFix® (variable distance between wall shower holders for adaption to existing drillings)  
with wall holders made of metal  
Silverflex shower hose 1750 mm (28 388 000)  
Twistfree to prevent hose from twisting  
Elbow adapter for the combination of handshowers with shower sets  
GROHE DreamSpray® perfect spray pattern  
GROHE StarLight® chrome finish  
Inner WaterGuide for a longer life  
SpeedClean anti-limescale system  
min. recommended pressure 1.0 bar

# GROHE RAINSHOWER ICON

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 27 375 000 | 4005176877452 | chrome | 51.75                  |

**Rainshower® Icon 100**  
Hand shower 1 spray  
Rain  
Elbow adapter for the combination of handshowers with shower sets  
GROHE DreamSpray® perfect spray pattern  
GROHE StarLight® chrome finish  
SpeedClean anti-limescale system  
Inner WaterGuide for a longer life  
min. recommended pressure 1.0 bar

|            |               |        |       |
|------------|---------------|--------|-------|
| 27 377 000 | 4005176877476 | chrome | 51.75 |
|------------|---------------|--------|-------|

Ditto, with GROHE EcoJoy® 9.5 l/min flow limiter

|            |               |        |        |
|------------|---------------|--------|--------|
| 27 378 000 | 4005176877780 | chrome | 144.41 |
|------------|---------------|--------|--------|

**Rainshower® Icon 100**  
Shower rail set 1 spray  
hand shower Icon 100 (27 377 000)  
GROHE EcoJoy® 9.5 l/min flow rate  
shower rail, 600 mm (28 797 000)  
GROHE QuickFix® (variable distance between wall shower holders for adaption to existing drillings)  
Silverflex shower hose 1750 mm (28 388 000)  
Twistfree to prevent hose from twisting  
GROHE DreamSpray® perfect spray pattern  
GROHE StarLight® chrome finish  
SpeedClean anti-limescale system  
Inner WaterGuide for a longer life  
min. recommended pressure 1.0 bar

|            |               |        |        |
|------------|---------------|--------|--------|
| 27 379 000 | 4005176877797 | chrome | 156.47 |
|------------|---------------|--------|--------|

Ditto, 900 mm shower rail

|            |               |        |        |
|------------|---------------|--------|--------|
| 27 381 000 | 4005176877810 | chrome | 100.53 |
|------------|---------------|--------|--------|

**Rainshower® Icon 100**  
Wall holder set 1 spray  
hand shower Icon 100 (27 377 000)  
GROHE EcoJoy® technology for less water and perfect flow  
GROHE EcoJoy® 9.5 l/min flow rate  
wall shower holder, adjustable (27 055 000)  
Silverflex shower hose 1750 mm (28 388 000)  
Twistfree to prevent hose from twisting  
GROHE DreamSpray® perfect spray pattern  
GROHE StarLight® chrome finish  
SpeedClean anti-limescale system  
min. recommended pressure 1.0 bar

|            |               |        |       |
|------------|---------------|--------|-------|
| 27 383 000 | 4005176877827 | chrome | 84.61 |
|------------|---------------|--------|-------|

**Rainshower® Icon 100**  
Wall holder set 1 spray  
hand shower Icon 100 (27 377 000)  
GROHE EcoJoy® 9.5 l/min flow rate  
wall shower holder (27 056 000)  
Silverflex shower hose 1250 mm (28 362 000)  
Twistfree to prevent hose from twisting  
GROHE DreamSpray® perfect spray pattern  
GROHE StarLight® chrome finish  
SpeedClean anti-limescale system  
min. recommended pressure 1.0 bar

# GROHE RAINSHOWER SOLO

| Ref.No.    | EAN code      | Colour                   | Retail Guide Price (£) |
|------------|---------------|--------------------------|------------------------|
| 27 272 000 | 4005176860836 | chrome                   | 111.36                 |
| 27 272 LSO | 4005176860850 | moon white/<br>eco green | 111.36                 |

**Rainshower® Solo 150**  
**Hand shower 2 sprays**  
 Rain, SmartRain  
 Eco function (reduction of flow rate)  
 Elbow adapter for the combination of handshowers with shower sets  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**GROHE EcoJoy®** technology for less water and perfect flow  
**Inner WaterGuide** for a longer life  
 Universal Mounting System. Fitting all standard shower hoses  
**min. recommended pressure 1.0 bar**

|            |               |                          |        |
|------------|---------------|--------------------------|--------|
| 27 278 000 | 4005176860843 | chrome                   | 111.36 |
| 27 278 LSO | 4005176860867 | moon white/<br>eco green | 111.36 |

Ditto, with GROHE EcoJoy® 9.5 l/min flow limiter

|            |               |        |        |
|------------|---------------|--------|--------|
| 27 273 001 | 4005176875502 | chrome | 180.94 |
|------------|---------------|--------|--------|

**Rainshower® Solo 150**  
**Shower rail set 2 sprays**  
 hand shower Solo 150 (27 272 000)  
 shower rail 900 mm (28 819 000)  
**GROHE QuickFix®** (variable distance between wall shower holders for adaption to existing drillings) with wall holders made of metal  
 Silverflex shower hose 1750 mm (28 388 000)  
**Twistfree** to prevent hose from twisting  
 Elbow adapter for the combination of handshowers with shower sets  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**min. recommended pressure 1.0 bar**

|            |               |        |       |
|------------|---------------|--------|-------|
| 27 338 000 | 4005176872259 | chrome | 51.75 |
|------------|---------------|--------|-------|

**Rainshower® Solo 100**  
**Hand shower 1 spray**  
 Rain  
 Elbow adapter for the combination of handshowers with shower sets  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
 Universal Mounting System. Fitting all standard shower hoses  
**min. recommended pressure 1.0 bar**

|            |               |        |       |
|------------|---------------|--------|-------|
| 27 376 000 | 4005176877469 | chrome | 51.75 |
|------------|---------------|--------|-------|

Ditto, with GROHE EcoJoy® 9.5 l/min flow limiter

# GROHE RAINSHOWER SOLO

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 27 339 000 | 4005176872266 | chrome | 144.41                 |

**Rainshower® Solo 100**  
**Shower rail set 1 spray**  
 hand shower Solo 100 (27 376 000)  
 Elbow adapter for the combination of handshowers with shower sets  
**GROHE EcoJoy®** 9.5 l/min flow rate shower rail, 600 mm (28 797 000)  
**GROHE QuickFix®** (variable distance between wall shower holders for adaption to existing drillings)  
 Silverflex shower hose 1750 mm (28 388 000)  
**Twistfree** to prevent hose from twisting  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**min. recommended pressure 1.0 bar**

|            |               |        |        |
|------------|---------------|--------|--------|
| 27 345 000 | 4005176872273 | chrome | 156.47 |
|------------|---------------|--------|--------|

Ditto, 900 mm shower rail

|            |               |        |       |
|------------|---------------|--------|-------|
| 27 346 000 | 4005176872280 | chrome | 93.89 |
|------------|---------------|--------|-------|

**Rainshower® Solo 100**  
**Wall holder set 1 spray**  
 hand shower Solo 100 (27 376 000)  
 Elbow adapter for the combination of handshowers with shower sets  
**GROHE EcoJoy®** technology for less water and perfect flow  
**GROHE EcoJoy®** 9.5 l/min flow rate wall shower holder, adjustable (27 055 000)  
 Silverflex shower hose 1750 mm (28 388 000)  
**Twistfree** to prevent hose from twisting  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**min. recommended pressure 1.0 bar**

|            |               |        |       |
|------------|---------------|--------|-------|
| 27 380 000 | 4005176877803 | chrome | 84.61 |
|------------|---------------|--------|-------|

**Rainshower® Solo 100**  
**Wall holder set 1 spray**  
 hand shower Solo 100 (27 376 000)  
**GROHE EcoJoy®** 9.5 l/min flow rate wall shower holder (27 056 000)  
 Silverflex shower hose 1250 mm (28 362 000)  
**Twistfree** to prevent hose from twisting  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**min. recommended pressure 1.0 bar**

# GROHE RAINSHOWER ECO

| Ref.No.    | EAN code      | Colour                   | Retail Guide Price (£) |
|------------|---------------|--------------------------|------------------------|
| 27 274 000 | 4005176861383 | chrome                   | 111.36                 |
| 27 274 LSO | 4005176861406 | moon white/<br>eco green | 111.36                 |

**Rainshower® Eco 120**  
**Hand shower 2 sprays**  
 Rain, SmartRain  
 Eco function (reduction of flow rate)  
 Elbow adapter for the combination of handshowers with shower sets  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
 Universal Mounting System. Fitting all standard shower hoses  
**min recommended pressure 1.0 bar**  
**Inner WaterGuide** for a longer life

|            |               |                          |        |
|------------|---------------|--------------------------|--------|
| 27 281 000 | 4005176861390 | chrome                   | 111.36 |
| 27 281 LSO | 4005176861413 | moon white/<br>eco green | 111.36 |

Ditto, with GROHE EcoJoy® 9.5 l/min flow limiter

|            |               |        |        |
|------------|---------------|--------|--------|
| 27 275 000 | 4005176861420 | chrome | 190.56 |
|------------|---------------|--------|--------|

**Rainshower® Eco 120**  
**Shower rail set 2 sprays**  
 hand shower Eco (27 274 000)  
 shower rail 900 mm (28 819 000)  
 Silverflex shower hose 1750 mm (28 388 000)  
 Elbow adapter for the combination of handshowers with shower sets  
**GROHE QuickFix®** (variable distance between wall shower holders for adaption to existing drillings)  
**Twistfree** to prevent hose from twisting  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**min recommended pressure 1.0 bar**

|            |               |        |        |
|------------|---------------|--------|--------|
| 27 275 001 | 4005176875496 | chrome | 190.56 |
|------------|---------------|--------|--------|

**Rainshower® Eco 120**  
**Shower rail set 2 sprays**  
 hand shower Eco (27 274 000)  
 shower rail 900 mm (28 819 000)  
**GROHE QuickFix®** (variable distance between wall shower holders for adaption to existing drillings)  
 with wall holders made of metal  
 Silverflex shower hose 1750 mm (28 388 000)  
**Twistfree** to prevent hose from twisting  
 Elbow adapter for the combination of handshowers with shower sets  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**min. recommended pressure 1.0 bar**

# GROHE RAINSHOWER® ACCESSORIES

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|

|            |               |        |        |
|------------|---------------|--------|--------|
| 28 797 001 | 4005176870941 | chrome | 100.70 |
|------------|---------------|--------|--------|

**Rainshower®**  
**Shower rail, 600 mm**  
 with wall holders made of metal  
 glide element and swivel holder  
 adjustable distance between wall  
 brackets to adapt to existing drill holes  
**GROHE StarLight®** chrome finish

|            |               |        |        |
|------------|---------------|--------|--------|
| 28 819 001 | 4005176870958 | chrome | 115.91 |
|------------|---------------|--------|--------|

Ditto, 900 mm shower rail

|            |               |        |        |
|------------|---------------|--------|--------|
| 27 136 001 | 4005176870965 | chrome | 122.73 |
|------------|---------------|--------|--------|

Ditto, 1150 mm shower rail

|            |               |        |       |
|------------|---------------|--------|-------|
| 27 057 000 | 4005176830457 | chrome | 45.80 |
|------------|---------------|--------|-------|

**Rainshower®**  
**Shower outlet elbow, 1/2"**  
 male thread  
 with round escutcheon  
 protected against backflow  
**GROHE StarLight®** chrome finish

|            |               |        |       |
|------------|---------------|--------|-------|
| 27 076 000 | 4005176833106 | chrome | 45.80 |
|------------|---------------|--------|-------|

**Rainshower®**  
**Shower outlet elbow**  
 male thread  
 with square escutcheon  
**GROHE StarLight®** chrome finish  
 protected against backflow

|            |               |        |       |
|------------|---------------|--------|-------|
| 27 074 000 | 4005176833083 | chrome | 29.37 |
|------------|---------------|--------|-------|

**Rainshower®**  
**Wall hand Shower holder**  
 not adjustable  
 with round escutcheon  
**GROHE StarLight®** chrome finish


|            |               |        |       |
|------------|---------------|--------|-------|
| 27 075 000 | 4005176833090 | chrome | 29.37 |
|------------|---------------|--------|-------|

**Rainshower®**  
**Wall hand Shower holder**  
 not adjustable  
 with square escutcheon  
**GROHE StarLight®** chrome finish




# GROHE RAINSHOWER® ACCESSORIES

Ref.No. EAN code Colour Retail Guide Price (£)




27 056 000 4005176830440 chrome 25.52

**Rainshower®**  
**Wall hand Shower holder**  
not adjustable  
without escutcheon  
**GROHE StarLight®** chrome finish




27 055 000 4005176830433 chrome 37.24

**Rainshower®**  
**Wall hand Shower holder**  
adjustable  
**GROHE StarLight®** chrome finish



27 151 000 4005176837012 chrome 101.05

**Pull-out shower**  
for bath rim installation and under  
tiled surround  
Lead-through for shower hose  
shower hose 1/2" x 3/8",  
2000 mm (28 158 000)  
**The pull-out shower assembly can be  
combined with all hand showers!**  
**GROHE StarLight®** chrome finish



28 364 000 4005176295294 silver 32.70


**Shower hose Silverflex**  
plastic material with smooth surface  
flexible, easy cleaning  
kink proofing  
Rotation cone for **Twistfree** function  
1500 mm  
1/2" x 1/2"

28 388 000 4005176295362 silver 35.84

ditto, 1750mm


# GROHE RAINSHOWER® F-SERIES

Ref.No. EAN code Colour Retail Guide Price (£)




27 938 001 4005176927072 chrome 2,228.86

**Rainshower® F-Series 15"**  
**Ceiling shower 3 sprays**  
Rain, Bokoma Spray™, Waterfall and combinations  
381 mm (width) x 60 mm (height) x 677 mm (depth)  
metal  
minimum flow rate 20 l/min.  
flow of single spray at 3 bar:  
1 x Rain spray 300 mm: ca. 20 l/min  
2 x XL Waterfall: 1 Waterfall: 20 l, 2 Waterfall: 32 l/min  
4 x Bokoma Spray™ with adjustment angle 20°: 20 l/min  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE XL Waterfall** extra wide waterfall spray  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
head shower has to be controlled by 4 outlets  
recommendation: **Grohtherm F** thermostatic trim with  
integrated 2-way diverter 27 618 000, 35 500 000 and  
triple volume control trim 27 625 000, 35 031 000  
**Requires Rough-in (26 042) - to be ordered separately**



26 042 000 4005176935954 161.01

**Rainshower® F-Series 15"**  
**Roughing-in set for floor mounted bath spout and bath/shower mixer**  
for use with Rainshower® F-Series 15" Multi Spray head shower  
295mm (width) x 121mm (height) x 181mm (depth)  
Max. installation depth: 91mm  
Min. wall thickness: not less than 200mm  
Minimum screw-in depth of stud bolts: 14mm  
Full metal construction  
Waterways: Brass  
1/2" connections



27 939 001 4005176927287 chrome 2,228.86


**Rainshower® F-Series 15"**  
**Ceiling shower 3 sprays**  
Rain, Bokoma Spray™, Waterfall and combinations  
381 mm (width) x 17 mm (height) x 456 mm (depth)  
metal  
minimum flow rate 20 l/min.  
flow of single spray at 3 bar:  
1 x Rain spray 300 mm: ca. 20 l/min  
2 x XL Waterfall: 1 Waterfall: 20 l, 2 Waterfall: 32 l/min  
4 x Bokoma Spray™ with adjustment angle 20°: 20 l/min  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE XL Waterfall** extra wide waterfall spray  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
head shower has to be controlled by 4 outlets  
recommendation: **Grohtherm F** thermostatic trim with  
integrated 2-way diverter 27 618 000, 35 500 000 and  
triple volume control trim 27 625 000, 35 031 000

# GROHE RAINSHOWER® F-SERIES

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|


|            |               |        |          |
|------------|---------------|--------|----------|
| 27 286 000 | 4005176860737 | chrome | 1,475.53 |
|------------|---------------|--------|----------|

**Rainshower® F-Series 20"**  
**Ceiling shower 1 spray**  
 Rain  
 508 x 508 mm  
 connection thread 1/2"  
**GROHE DreamSpray®** perfect spray pattern  
**SpeedClean** anti-limescale system  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**




|            |               |        |        |
|------------|---------------|--------|--------|
| 27 467 000 | 4005176882609 | chrome | 493.01 |
|------------|---------------|--------|--------|

**Rainshower® F-Series 10"**  
**Ceiling shower 1 spray**  
 Rain  
 254 x 254 mm  
 connection thread 1/2"  
**GROHE DreamSpray®** perfect spray pattern  
**SpeedClean** anti-limescale system  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**



|            |               |              |        |
|------------|---------------|--------------|--------|
| 27 271 000 | 4005176860690 | chrome       | 347.03 |
| 27 271 LSO | 4005176898556 | moon white   | 487.76 |
| 27 271 KSO | 4005176898563 | velvet black | 487.76 |

**Rainshower® F-Series 10"**  
**Head shower 1 spray**  
 Rain  
 254 x 254 mm  
 Ball joint +/- 20° rotatable  
 connection thread 1/2"  
**GROHE DreamSpray®** perfect spray pattern  
**SpeedClean** anti-limescale system  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**




|            |               |        |        |
|------------|---------------|--------|--------|
| 27 285 000 | 4005176860713 | chrome | 347.03 |
|------------|---------------|--------|--------|

Ditto, with GROHE EcoJoy® 9.5 l/min. flow limiter


|            |               |        |        |
|------------|---------------|--------|--------|
| 27 479 000 | 4005176883309 | chrome | 374.13 |
|------------|---------------|--------|--------|

**Rainshower® Allure 210**  
**Head shower 1 spray**  
 Rain  
 metal  
 ball joint with turning angle ± 15°  
 connection thread 1/2"  
**GROHE DreamSpray®** perfect spray pattern  
**SpeedClean** anti-limescale system  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**



|            |               |        |        |
|------------|---------------|--------|--------|
| 27 863 000 | 4005176918155 | chrome | 512.24 |
|------------|---------------|--------|--------|

**Rainshower® Allure 210**  
**Ceiling shower 1 spray**  
 Rain  
 metal  
 connection thread 1/2"  
**GROHE DreamSpray®** perfect spray pattern  
**SpeedClean** anti-limescale system  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**




# GROHE RAINSHOWER® F-SERIES

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|


|            |               |        |        |
|------------|---------------|--------|--------|
| 27 253 000 | 4005176856365 | chrome | 126.05 |
|------------|---------------|--------|--------|

**Rainshower® F-Series 5"**  
**Head shower 1 spray**  
 wall mounted  
 127 x 127 mm  
 flow straightener with ball joint  
 (± 12.5° rotatable)  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE FlowBalance** flow regulating screw  
 connection thread with pre-assembled  
 sealing  
**SpeedClean** anti-limescale system  
**GROHE StarLight®** chrome finish  
**min recommended pressure 1.0 bar**




|            |               |              |        |
|------------|---------------|--------------|--------|
| 27 251 000 | 4005176856327 | chrome       | 83.40  |
| 27 251 LSO | 4005176870125 | moon white   | 129.90 |
| 27 251 KSO | 4005176870118 | velvet black | 129.90 |

**Rainshower® F-Series 5"**  
**Side shower 1 spray**  
 Normal  
 including concealed body  
 also to be used as head shower  
 127 x 127 mm  
 flow straightener with ball joint  
 (± 12.5° rotatable)  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE FlowBalance** flow regulating screw  
 connection thread 1/2"  
**SpeedClean** anti-limescale system  
**GROHE StarLight®** chrome finish  
**min recommended pressure 1.0 bar**




|            |               |        |       |
|------------|---------------|--------|-------|
| 27 709 000 | 4005176909092 | chrome | 90.38 |
|------------|---------------|--------|-------|

**Rainshower®**  
**Shower arm 286 mm**  
 metal  
 connection thread 1/2"  
**GROHE StarLight®** chrome finish




|            |               |        |       |
|------------|---------------|--------|-------|
| 27 711 000 | 4005176909115 | chrome | 76.92 |
|------------|---------------|--------|-------|

**Rainshower®**  
**Shower arm ceiling 154 mm**  
 metal  
 connection thread 1/2"  
**GROHE StarLight®** chrome finish




# GROHE RAINSHOWER® HEAD SHOWERS

Ref.No. EAN code Colour Retail Guide Price (£)




**28 778 000 4005176820526** **chrome 1,160.84**  
**Rainshower® Cosmopolitan 400**  
**Head shower 1 spray**  
 diameter 400 mm  
 metal  
**GROHE StarLight®** chrome finish  
**GROHE DreamSpray®** perfect spray pattern  
**SpeedClean** anti-limescale system  
 ball joint with turning angle 20° ± 20°  
 connection thread 1/2"  
**min. recommended pressure 1.0 bar**




**27 477 000 4005176883286** **chrome 398.60**  
**Rainshower® Cosmopolitan 310**  
**Head shower 1 spray**  
 Rain  
 metal  
 connection thread 1/2"  
 ball joint with turning angle 20° ± 20°  
**GROHE DreamSpray®** perfect spray pattern  
**SpeedClean** anti-limescale system  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**



**28 368 000 4005176267253** **chrome 297.20**  
**Rainshower® Cosmopolitan 210**  
**Head shower 1 spray**  
 Rain  
 starting at 0.5 bar flow pressure  
 connection thread 1/2"  
 Ball joint +/- 15° rotatable  
 metal  
 this headshower should only be used in conjunction with shower arm 28 384, 28 497, 28 576 or 28 724!  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**recommended pressure 1.0 - 5.0 bar**



**28 368 00E 4005176867385** **chrome 297.20**  
 Ditto, with GROHE EcoJoy 5.7 l/min flow limiter




**28 369 000 4005176267260** **chrome 326.05**  
**Rainshower® Rustic 210**  
**Head shower 1 spray**  
 212 mm head with 120 outlets  
 ball joint with turning angle 20° ± 20°  
 connection thread 1/2"  
 metal  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**recommended pressure 1.0 - 5.0 bar**


**28 375 000 4005176267338** **chrome 356.65**  
 Ditto, with GROHE EcoJoy® 9.5 l/min flow limiter

# GROHE RAINSHOWER® HEAD SHOWERS


Ref.No. EAN code Colour Retail Guide Price (£)




**27 861 000 4005176918131** **chrome 501.75**  
**Rainshower® Ondus Veris 300**  
**Ceiling shower 1 spray**  
 Rain  
 metal  
 connection thread 1/2"  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**min. recommended pressure 1.0 bar**




**27 470 000 4005176882531** **chrome 374.13**  
**Rainshower® Veris 300**  
**Head shower 1 spray**  
 Rain  
 metal  
 ball joint with turning angle ± 15°  
 connection thread 1/2"  
**GROHE StarLight®** chrome finish  
**GROHE DreamSpray®** perfect spray pattern  
**SpeedClean** anti-limescale system  
**min. recommended pressure 1.0 bar**



**27 437 000 4005176880476** **chrome 198.43**  
**Rainshower® Icon 190**  
**Head shower 1 spray**  
 Rain  
 chrome plated spray plate  
 Ball joint +/- 15° rotatable  
 connection thread 1/2"  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**min. recommended pressure 1.0 bar**



**27 439 000 4005176880490** **chrome 198.43**  
 Ditto, with GROHE EcoJoy® 9.5 l/min flow limiter



**27 371 000 4005176877889** **chrome 148.42**  
**Rainshower® Icon 190**  
**Head shower 1 spray**  
 Rain  
 Ball joint +/- 15° rotatable  
 connection thread 1/2"  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**min. recommended pressure 1.0 bar**

**27 373 000 4005176877902** **chrome 148.42**  
 Ditto, with GROHE EcoJoy® 9.5 l/min flow limiter

**27 436 000 4005176880469** **chrome 198.43**  
**Rainshower® Solo 190**  
**Head shower 1 spray**  
 Rain  
 chrome plated spray plate  
 Ball joint +/- 15° rotatable  
 connection thread 1/2"  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**min. recommended pressure 1.0 bar**


**27 438 000 4005176880483** **chrome 198.43**  
 Ditto, with GROHE EcoJoy® 9.5 l/min flow limiter

# GROHE RAINSHOWER® HEAD SHOWERS

Ref.No. EAN code Colour Retail Guide Price (£)

27 370 000 4005176877773 chrome 148.42


**Rainshower® Solo 190**  
Head shower 1 spray  
Rain  
Ball joint +/- 15° rotatable  
connection thread 1/2"  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
min. recommended pressure 1.0 bar



27 372 000 4005176877896 chrome 148.42  
Ditto, with GROHE EcoJoy® 9.5 l/min flow limiter


27 134 000 4005176836060 chrome 126.57

**Rainshower® Cosmopolitan 160**  
Head shower 4 sprays  
Rain / Jet / Pure / Champagne spray  
connection thread 1/2"  
**GROHE StarLight®** chrome finish  
**GROHE DreamSpray®** perfect spray pattern  
**SpeedClean** anti-limescale system  
min. recommended pressure 1.0 bar




27 128 000 4005176835995 chrome 126.57

**Rainshower® Rustic 160**  
Head shower 4 sprays  
Rain / Jet / Pure / Champagne spray  
connection thread 1/2"  
ball joint with turning angle 15° ± 15°  
recommended for use with Rainshower  
shower arms  
**GROHE StarLight®** chrome finish  
**GROHE DreamSpray®** perfect spray pattern  
**SpeedClean** anti-limescale system  
min. recommended pressure 1.0 bar




28 982 000 4005176829987 chrome 113.29

**Rainshower®**  
Shower arm 378 mm  
connection thread 1/2"  
**GROHE StarLight®** chrome finish



28 576 000 4005176274022 chrome 65.04

**Rainshower®**  
Shower arm 286 mm  
connection thread 1/2"  
**GROHE StarLight®** chrome finish  
can be used for all Rainshower head  
showers except Rainshower Jumbo




# GROHE RAINSHOWER® HEAD SHOWERS

Ref.No. EAN code Colour Retail Guide Price (£)


27 488 000 4005176885525 chrome 38.47

**Rainshower®**  
Shower arm 275 mm  
metal  
connection thread 1/2"  
with square escutcheon  
can be used for all Rainshower head  
showers except Rainshower Jumbo  
**GROHE StarLight®** chrome finish




28 361 000 4005176295157 chrome 100.18

**Rainshower®**  
Shower arm, 380 mm  
connection thread 1/2"  
**GROHE StarLight®** chrome finish  
can be used for all Rainshower® head  
showers except Rainshower® Jumbo




28 384 000 4005176267451 chrome 129.55

**Rainshower® Rustic**  
Shower arm 272 mm  
connection thread 1/2"  
**GROHE StarLight®** chrome finish




28 497 000 4005176270338 chrome 50.52

**Rainshower®**  
Shower ceiling arm 292 mm  
connection thread 1/2"  
**GROHE StarLight®** chrome finish  
can be used for all Rainshower® head  
showers









27 484 000 4005176885488 chrome 56.81

**Rainshower®**  
Shower ceiling arm 292 mm  
metal  
connection thread 1/2"  
with square escutcheon  
can be used for all Rainshower® head  
showers  
**GROHE StarLight®** chrome finish











# GROHE RAINSHOWER® HEAD SHOWERS

|                                                                                                | Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------------------------------------------------------------------------------------------|------------|---------------|--------|------------------------|
|               | 28 724 000 | 4005176812644 | chrome | 47.73                  |
|               | 27 485 000 | 4005176885495 | chrome | 44.58                  |
| <b>NEW</b>   | 26 052 000 | 4005176937064 | chrome | 362.22                 |
|             | 26 062 000 | 4005176937163 | chrome | 362.22                 |
| <b>NEW</b>  | 26 053 000 | 4005176937071 | chrome | 344.92                 |
|             | 26 063 000 | 4005176937170 | chrome | 344.92                 |
| <b>NEW</b>  | 26 054 000 | 4005176937088 | chrome | 464.50                 |
|             | 26 064 000 | 4005176937187 | chrome | 464.50                 |

# GROHE RAINSHOWER® HEAD SHOWERS

|                                                                                                  | Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|--------------------------------------------------------------------------------------------------|------------|---------------|--------|------------------------|
| <b>NEW</b>    | 26 055 000 | 4005176937095 | chrome | 451.03                 |
|               | 26 065 000 | 4005176937194 | chrome | 451.03                 |
| <b>NEW</b>   | 26 056 000 | 4005176937101 | chrome | 498.76                 |
|             | 26 066 000 | 4005176937200 | chrome | 498.76                 |
| <b>NEW</b>  | 26 057 000 | 4005176937118 | chrome | 446.32                 |
|             | 26 067 000 | 4005176937217 | chrome | 446.32                 |
| <b>NEW</b>  | 26 058 000 | 4005176937125 | chrome | 439.15                 |
|             | 26 068 000 | 4005176937224 | chrome | 439.15                 |
| <b>NEW</b>  | 26 059 000 | 4005176937132 | chrome | 421.85                 |
|             | 26 069 000 | 4005176937231 | chrome | 421.85                 |

# GROHE RAINSHOWER® HEAD SHOWERS

| Ref.No.    | EAN code      | Colour | Retail Guide Price (€) |
|------------|---------------|--------|------------------------|
| 26 060 000 | 4005176937149 | chrome | 385.48                 |

**Rainshower® F-Series 10"**  
**Head shower set 286 mm**  
 head shower Rainshower F-Series 10" (27 271 000)  
 Shower arm Rainshower® 286 mm (27 488 000)  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system

|            |               |        |        |
|------------|---------------|--------|--------|
| 26 070 000 | 4005176937248 | chrome | 385.48 |
|------------|---------------|--------|--------|

Ditto, with GROHE EcoJoy® 9.5 l/min flow limiter


|            |               |        |        |
|------------|---------------|--------|--------|
| 26 061 000 | 4005176937156 | chrome | 391.60 |
|------------|---------------|--------|--------|

**Rainshower® F-Series 10"**  
**Head shower set ceiling 142 mm**  
 head shower Rainshower F-Series 10" (27 271 000)  
 shower arm Rainshower® ceiling 142 mm (27 485 000)  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system


|            |               |        |        |
|------------|---------------|--------|--------|
| 26 071 000 | 4005176937255 | chrome | 391.60 |
|------------|---------------|--------|--------|

Ditto, with GROHE EcoJoy® 9.5 l/min flow limiter

NEW



NEW



# GROHE SENA



| Ref.No.    | EAN code      | Colour       | Retail Guide Price (£) |
|------------|---------------|--------------|------------------------|
| 28 034 000 | 4005176231810 | chrome       | 114.34                 |
| 28 034 LSO | 4005176872976 | moon white   | 148.26                 |
| 28 034 KSO | 4005176873584 | velvet black | 148.26                 |

**Sena Stick**  
Hand shower 1 spray  
Normal  
SpeedClean anti-limescale system  
GROHE StarLight® chrome finish  
Inner WaterGuide for a longer life  
GROHE DreamSpray® perfect spray pattern  
min. recommended pressure 1.0 bar

|            |               |        |        |
|------------|---------------|--------|--------|
| 28 341 000 | 4005176259463 | chrome | 118.70 |
|------------|---------------|--------|--------|

Ditto, with GROHE EcoJoy® 9.5 l/min flow limiter

|            |               |        |        |
|------------|---------------|--------|--------|
| 28 348 000 | 4005176263262 | chrome | 116.08 |
|------------|---------------|--------|--------|

**Sena**  
Wall holder set 1 spray  
metal  
hand shower Sena Stick (28 034 000)  
wall shower holder (28 690 000)  
shower hose (28 151 000)  
Inner WaterGuide for a longer life  
GROHE StarLight® chrome finish  
GROHE DreamSpray® perfect spray pattern  
GROHE CoolTouch®  
SpeedClean anti-limescale system  
min. recommended pressure 1.0 bar

|            |               |        |        |
|------------|---------------|--------|--------|
| 28 581 000 | 4005176276996 | chrome | 168.88 |
|------------|---------------|--------|--------|

**Sena**  
Shower rail set 1 spray  
shower rail 600 mm (28 580 000)  
hand shower Sena stick (28 308 000)  
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000)  
angle adapter (28 389 000)  
GROHE StarLight® chrome finish  
Inner WaterGuide for a longer life  
GROHE DreamSpray® perfect spray pattern  
SpeedClean anti-limescale system  
min. recommended pressure 1.0 bar

|            |               |        |        |
|------------|---------------|--------|--------|
| 28 347 000 | 4005176262791 | chrome | 179.20 |
|------------|---------------|--------|--------|

Ditto, 900 mm shower rail

|            |               |        |        |
|------------|---------------|--------|--------|
| 28 308 000 | 4005176254949 | chrome | 104.38 |
|------------|---------------|--------|--------|

**Sena 75**  
Head shower 1 spray  
Normal  
metal  
SpeedClean anti-limescale system  
GROHE StarLight® chrome finish  
min recommended pressure 1.0 bar

|            |               |        |       |
|------------|---------------|--------|-------|
| 28 389 000 | 4005176269837 | chrome | 10.14 |
|------------|---------------|--------|-------|

**Sena**  
Adaptor 1/2" x 1/2"  
metal  
GROHE StarLight® chrome finish  
for use with hand shower holder  
or shower rail

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 28 580 000 | 4005176276965 | chrome | 152.09                 |

**Sena**  
Shower rail, 600 mm  
vertical adjustable glider  
with shower holder  
GROHE StarLight® chrome finish

|            |               |        |        |
|------------|---------------|--------|--------|
| 28 346 000 | 4005176262760 | chrome | 186.19 |
|------------|---------------|--------|--------|

Ditto, 900 mm shower rail

|            |               |        |        |
|------------|---------------|--------|--------|
| 27 151 000 | 4005176837012 | chrome | 101.05 |
|------------|---------------|--------|--------|

**Pull-out shower**  
for bath rim installation and under  
tiled surround  
Lead-through for shower hose  
shower hose 1/2" x 3/8",  
2000 mm (28 158 000)  
The pull-out shower assembly can be  
combined with all hand showers!  
GROHE StarLight® chrome finish

|            |               |        |       |
|------------|---------------|--------|-------|
| 28 690 000 | 4005176256196 | chrome | 81.99 |
|------------|---------------|--------|-------|

**Sena**  
Wall hand Shower holder  
metal  
wall mounted  
GROHE StarLight® chrome finish

|            |               |        |       |
|------------|---------------|--------|-------|
| 27 057 000 | 4005176830457 | chrome | 45.80 |
|------------|---------------|--------|-------|

**Rainshower®**  
Shower outlet elbow, 1/2"  
male thread  
with round escutcheon  
protected against backflow  
GROHE StarLight® chrome finish

# GROHE EUPHORIA CUBE



GROHE  
EcoJoy™



GROHE  
StarLight®



GROHE  
DreamSpray®





# GROHE EUPHORIA CUBE+

| Ref.No.                                                                                                                                                                                                                                                                                                                                                   | EAN code      | Colour | Retail Guide Price (£) |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------|------------------------|
| 27 884 001                                                                                                                                                                                                                                                                                                                                                | 4005176919695 | chrome | 75.70                  |
| <b>Euphoria Cube+ Stick</b><br><b>Hand shower 1 spray</b><br>Normal metal<br>GROHE DreamSpray® perfect spray pattern<br>GROHE CoolTouch®<br>GROHE StarLight® chrome finish<br>SpeedClean anti-limescale system<br>Inner WaterGuide for a longer life<br>Universal Mounting System. Fitting all standard shower hoses<br>min. recommended pressure 1.0 bar |               |        |                        |
| 27 888 000                                                                                                                                                                                                                                                                                                                                                | 4005176921179 | chrome | 75.70                  |
| Ditto, with GROHE EcoJoy® 9.5 l/min. flow limiter                                                                                                                                                                                                                                                                                                         |               |        |                        |

|                                                                                                                                                                                                                                                                                                                                                                                                                                          |               |        |        |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------|--------|
| 27 891 000                                                                                                                                                                                                                                                                                                                                                                                                                               | 4005176921209 | chrome | 189.69 |
| <b>Euphoria Cube+ Stick</b><br><b>Shower rail set 1 spray</b><br>hand shower, metal (27 888 000)<br>shower rail 600 mm (27 892 000)<br>metal shower hose 1750 mm (28 025 000)<br>Twistfree to prevent hose from twisting<br>GROHE EcoJoy® 9.5 l/min flow rate<br>GROHE DreamSpray® perfect spray pattern<br>GROHE CoolTouch®<br>GROHE StarLight® chrome finish<br>SpeedClean anti-limescale system<br>Inner WaterGuide for a longer life |               |        |        |
| 27 890 000                                                                                                                                                                                                                                                                                                                                                                                                                               | 4005176921193 | chrome | 200.18 |
| Ditto, 900 mm shower rail                                                                                                                                                                                                                                                                                                                                                                                                                |               |        |        |

|                                                                                                                                                                                                                                                                                                                                                                                                                                          |               |        |        |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------|--------|
| 27 889 000                                                                                                                                                                                                                                                                                                                                                                                                                               | 4005176921186 | chrome | 116.08 |
| <b>Euphoria Cube+ Stick</b><br><b>Wall holder set 1 spray</b><br>hand shower, metal (27 888 000)<br>wall shower holder (27 706 000)<br>metal shower hose 1500 mm (28 417 000)<br>Twistfree to prevent hose from twisting<br>GROHE EcoJoy® 9.5 l/min flow rate<br>GROHE DreamSpray® perfect spray pattern<br>GROHE CoolTouch®<br>GROHE StarLight® chrome finish<br>SpeedClean anti-limescale system<br>Inner WaterGuide for a longer life |               |        |        |

|                                                                                                                                                     |               |        |       |
|-----------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------|-------|
| 27 707 000                                                                                                                                          | 4005176908446 | chrome | 99.50 |
| <b>Allure Brilliant</b><br><b>Shower outlet elbow, 1/2"</b><br>male thread<br>protected against backflow<br>metal<br>GROHE StarLight® chrome finish |               |        |       |

|                                                                                                      |               |        |       |
|------------------------------------------------------------------------------------------------------|---------------|--------|-------|
| 27 706 000                                                                                           | 4005176908439 | chrome | 89.50 |
| <b>Allure Brilliant</b><br><b>Wall hand Shower holder</b><br>metal<br>GROHE StarLight® chrome finish |               |        |       |

# GROHE EUPHORIA CUBE

| Ref.No.                                                                                                                                                                                                                                                                                                                                  | EAN code      | Colour | Retail Guide Price (£) |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------|------------------------|
| 27 698 000                                                                                                                                                                                                                                                                                                                               | 4005176907098 | chrome | 36.89                  |
| <b>Euphoria Cube Stick</b><br><b>Hand shower 1 spray</b><br>GROHE DreamSpray® perfect spray pattern<br>GROHE CoolTouch®<br>GROHE StarLight® chrome finish<br>SpeedClean anti-limescale system<br>Inner WaterGuide for a longer life<br>Universal Mounting System. Fitting all standard shower hoses<br>min. recommended pressure 1.0 bar |               |        |                        |
| 27 699 000                                                                                                                                                                                                                                                                                                                               | 4005176907104 | chrome | 36.89                  |
| Ditto, with GROHE EcoJoy® 9.5 l/min. flow limiter                                                                                                                                                                                                                                                                                        |               |        |                        |

|                                                                                                                                                                                                                                                                                                                                                                                           |               |        |        |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------|--------|
| 27 700 000                                                                                                                                                                                                                                                                                                                                                                                | 4005176907111 | chrome | 162.58 |
| <b>Euphoria Cube Stick</b><br><b>Shower rail set 1 spray</b><br>Hand shower (27 698 000)<br>Shower Rail 900mm (27 841 000)<br>Silverflex shower hose 1750 mm (28 388 000)<br>GROHE DreamSpray® perfect spray pattern<br>GROHE CoolTouch®<br>GROHE StarLight® chrome finish<br>SpeedClean anti-limescale system<br>Inner WaterGuide for a longer life<br>min. recommended pressure 1.0 bar |               |        |        |
| 27 701 000                                                                                                                                                                                                                                                                                                                                                                                | 4005176907128 | chrome | 162.58 |
| Ditto, with GROHE EcoJoy® 9.5 l/min flow limiter                                                                                                                                                                                                                                                                                                                                          |               |        |        |

|                                                                                                                                                                                                                                                                                                                                                                                            |               |        |       |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------|-------|
| 27 702 000                                                                                                                                                                                                                                                                                                                                                                                 | 4005176907135 | chrome | 61.89 |
| <b>Euphoria Cube Stick</b><br><b>Wall holder set 1 spray</b><br>Hand shower (27 698 000)<br>wall shower holder (27 693 000)<br>Silverflex shower hose 1250 mm (28 362 000)<br>GROHE DreamSpray® perfect spray pattern<br>GROHE CoolTouch®<br>GROHE StarLight® chrome finish<br>SpeedClean anti-limescale system<br>Inner WaterGuide for a longer life<br>min. recommended pressure 1.0 bar |               |        |       |
| 27 703 000                                                                                                                                                                                                                                                                                                                                                                                 | 4005176907142 | chrome | 61.89 |
| Ditto, with GROHE EcoJoy® 9.5 l/min. flow limiter                                                                                                                                                                                                                                                                                                                                          |               |        |       |


|                                                                                                                                            |               |        |        |
|--------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------|--------|
| 27 892 000                                                                                                                                 | 4005176921216 | chrome | 157.70 |
| <b>Euphoria Cube</b><br><b>Shower rail, 600 mm</b><br>with wall holders, glide element and swivel holder<br>GROHE StarLight® chrome finish |               |        |        |
| 27 841 000                                                                                                                                 | 4005176916670 | chrome | 165.39 |
| Ditto, 900 mm shower rail                                                                                                                  |               |        |        |

|                                                                                                                                         |               |        |       |
|-----------------------------------------------------------------------------------------------------------------------------------------|---------------|--------|-------|
| 27 704 000                                                                                                                              | 4005176907159 | chrome | 25.00 |
| <b>Euphoria Cube</b><br><b>Shower outlet elbow, 1/2"</b><br>male thread<br>protected against backflow<br>GROHE StarLight® chrome finish |               |        |       |

# GROHE EUPHORIA CUBE

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 27 693 000 | 4005176907043 | chrome | 19.23                  |



**Euphoria Cube**  
Wall hand Shower holder  
GROHE StarLight® chrome finish



NEW


|            |               |        |        |
|------------|---------------|--------|--------|
| 26 073 000 | 4005176937279 | chrome | 194.76 |
|------------|---------------|--------|--------|

**Euphoria Cube 150**  
Head shower set 286 mm  
head shower Euphoria Cube (27 705 000)  
Shower arm Rainshower® 286 mm (27 709 000)  
GROHE DreamSpray® perfect spray pattern  
GROHE EcoJoy® 9.4l flow limiter  
GROHE StarLight® chrome finish  
SpeedClean anti-limescale system  
GROHE CoolTouch® prevents scalding from hot surfaces  
Inner WaterGuide for a longer life




|            |               |        |        |
|------------|---------------|--------|--------|
| 27 705 000 | 4005176907166 | chrome | 104.38 |
|------------|---------------|--------|--------|

**Euphoria Cube 150**  
Rain  
Ball joint +/- 15° rotatable  
connection thread 1/2"  
GROHE EcoJoy® technology for less water and perfect flow  
GROHE DreamSpray® perfect spray pattern  
GROHE StarLight® chrome finish  
SpeedClean anti-limescale system  
Inner WaterGuide for a longer life  
min. recommended pressure 1.0 bar




|            |               |        |       |
|------------|---------------|--------|-------|
| 27 709 000 | 4005176909092 | chrome | 90.38 |
|------------|---------------|--------|-------|

**Rainshower®**  
Shower arm 286 mm  
metal  
connection thread 1/2"  
GROHE StarLight® chrome finish



|            |               |        |       |
|------------|---------------|--------|-------|
| 27 711 000 | 4005176909115 | chrome | 76.92 |
|------------|---------------|--------|-------|

**Rainshower®**  
Shower arm ceiling 154 mm  
metal  
connection thread 1/2"  
GROHE StarLight® chrome finish



# GROHE EUPHORIA



# GROHE EUPHORIA COSMOPOLITAN STICK

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 27 367 000 | 4005176875939 | chrome | 36.89                  |


**Euphoria Cosmopolitan Stick**  
Hand shower 1 spray  
Normal  
GROHE CoolTouch®  
GROHE StarLight® chrome finish  
SpeedClean anti-limescale system  
Inner WaterGuide for a longer life  
GROHE DreamSpray® perfect spray pattern  
Universal Mounting System. Fitting all standard shower hoses  
Min. recommended pressure 0.5 bar

|            |               |        |       |
|------------|---------------|--------|-------|
| 27 400 000 | 4005176877292 | chrome | 36.89 |
|------------|---------------|--------|-------|

Ditto, with GROHE EcoJoy® 9.5 l/min flow limiter

|            |               |        |       |
|------------|---------------|--------|-------|
| 27 369 000 | 4005176875953 | chrome | 58.04 |
|------------|---------------|--------|-------|


**Euphoria Stick Cosmopolitan**  
Wall holder set 1 spray  
hand shower 27 400 000  
wall shower holder (27 056 000)  
GROHE EcoJoy® 9.5 l/min flow rate  
GROHE StarLight® chrome finish  
Inner WaterGuide for a longer life  
GROHE DreamSpray® perfect spray pattern  
GROHE CoolTouch®  
SpeedClean anti-limescale system  
Min. recommended pressure 0.5 bar



# GROHE EUPHORIA HAND SHOWERS


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 27 224 000 | 4005176854156 | chrome | 22.90                  |

**Euphoria 110 Mono**  
Hand shower 1 spray  
Rain  
GROHE DreamSpray® perfect spray pattern  
GROHE CoolTouch®  
GROHE StarLight® chrome finish  
SpeedClean anti-limescale system  
Min. recommended pressure 0.1 bar




|            |               |        |       |
|------------|---------------|--------|-------|
| 27 493 000 | 4005176885686 | chrome | 22.90 |
|------------|---------------|--------|-------|

**Euphoria 110 Mono**  
Hand shower 1 spray  
1 spray pattern:  
GROHE DreamSpray® perfect spray pattern  
GROHE CoolTouch®  
GROHE StarLight® chrome finish  
SpeedClean anti-limescale system  
GROHE EcoJoy® technology for less water and perfect flow  
Universal Mounting System. Fitting all standard shower hoses  
min. recommended pressure 1.0 bar




|            |               |        |       |
|------------|---------------|--------|-------|
| 27 220 000 | 4005176854118 | chrome | 33.04 |
|------------|---------------|--------|-------|

**Euphoria 110 Duo**  
Hand shower 2 sprays  
Rain, SmartRain  
Smart Rain  
GROHE DreamSpray®  
GROHE SprayDimmer (Stepless flow rate reduction)  
GROHE CoolTouch®  
GROHE StarLight® chrome finish  
SpeedClean anti-limescale system  
Inner WaterGuide for a longer life  
min recommended pressure 1.0 bar



|            |               |        |       |
|------------|---------------|--------|-------|
| 27 221 000 | 4005176854125 | chrome | 47.73 |
|------------|---------------|--------|-------|

**Euphoria**  
Hand shower 3 sprays  
Rain / Massage  
Smart Rain  
GROHE DreamSpray®  
GROHE SprayDimmer (Stepless flow rate reduction)  
GROHE CoolTouch®  
GROHE StarLight® chrome finish  
SpeedClean anti-limescale system  
Inner WaterGuide for a longer life  
min recommended pressure 1.0 bar



|            |               |        |       |
|------------|---------------|--------|-------|
| 27 239 000 | 4005176854323 | chrome | 47.73 |
|------------|---------------|--------|-------|


Ditto, with GROHE EcoJoy® 9.5 l/min flow limiter

# GROHE EUPHORIA SHOWER SETS

Ref.No. EAN code Colour Retail Guide Price (£)


27 256 001 4005176899805 chrome 70.28

**Euphoria 110 Mono**  
**Shower rail set 1 spray**  
 hand shower Mono (27 224 000)  
 shower rail, 600 mm (27 499 000)  
**GROHE QuickFix®** (variable distance between wall shower holders for adaption to existing drillings)  
 shower hose 1500 mm (28 161 000)  
 soap dish  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE CoolTouch®**  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**GROHE EasyReach™** tray (27 596 000)  
**Min. recommended pressure 0.1 bar**




27 230 001 4005176899546 chrome 75.70

**Euphoria 110 Duo**  
**Shower rail set 2 sprays**  
 hand shower Duo (27 220 000)  
 shower rail, 600 mm (27 499 000)  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE EasyReach™** tray (27 596 000)  
**GROHE QuickFix®** (variable distance between wall shower holders for adaption to existing drillings)  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE SprayDimmer** (Stepless flow rate reduction)  
**GROHE CoolTouch®**  
**GROHE StarLight®** chrome finish  
**Inner WaterGuide** for a longer life  
**SpeedClean** anti-limescale system  
**min. recommended pressure 1.0 bar**




27 225 001 4005176899508 chrome 86.19

**Ditto**, 900 mm shower rail



27 231 001 4005176899553 chrome 82.69

**Euphoria 110 Massage**  
**Shower rail set 3 sprays**  
 hand shower Massage (27 221 000)  
 shower rail, 600 mm (27 499 000)  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE EasyReach™** tray (27 596 000)  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE SprayDimmer** (Stepless flow rate reduction)  
**GROHE CoolTouch®**  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**min. recommended pressure 1.0 bar**



27 243 001 4005176899799 chrome 82.69


**Ditto**, with **GROHE EcoJoy®** 9.5 l/min flow limiter

# GROHE EUPHORIA SHOWER SETS

Ref.No. EAN code Colour Retail Guide Price (£)


27 354 000 4005176874444 chrome 44.06

**Euphoria 110 Mono**  
**Wall holder set 1 spray**  
 wall shower holder (27 056 000)  
 Silverflex shower hose 1250 mm (28 362 000)  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**GROHE CoolTouch®**  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
**min. recommended pressure 1.0 bar**




27 356 000 4005176874468 chrome 82.33

**Euphoria 110 Champagne**  
**Wall holder set 3 sprays**  
 wall shower holder (27 056 000)  
 Silverflex shower hose 1250 mm (28 362 000)  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**GROHE CoolTouch®**  
**SpeedClean** anti-limescale system  
**min. recommended pressure 1.0 bar**



27 355 000 4005176874451 chrome 77.45

**Euphoria 110 Champagne**  
**Wall holder set 3 sprays**  
 Wall shower holder 28 401  
 Silverflex shower hose 1750 mm (28 388 000)  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**GROHE CoolTouch®**  
**SpeedClean** anti-limescale system  
**min. recommended pressure 1.0 bar**






# GROHE EUPHORIA ACCESSORIES

Ref.No. EAN code Colour Retail Guide Price (£)

27 499 000 4005176886041 chrome 57.70


**Euphoria**  
Shower rail, 600 mm  
with wall holders, glide element and swivel holder  
**GROHE QuickFix**® (variable distance between wall  
shower holders for adaption to existing drillings)  
**GROHE StarLight**® chrome finish

27 500 000 4005176886058 chrome 67.30  
**Ditto**, 900 mm shower rail




27 596 000 4005176895944 5.77

**New Tempesta**  
**GROHE EasyReach**™ tray  
acrylic




27 206 000 4005176845444 13.64

**Relaxa**  
Soap dish  
transparent  
surface in parts with eroded structure  
shower rail Ø 25 mm




27 057 000 4005176830457 chrome 45.80

**Rainshower**®  
Shower outlet elbow, 1/2"  
male thread  
with round escutcheon  
protected against backflow  
**GROHE StarLight**® chrome finish



27 074 000 4005176833083 chrome 29.37

**Rainshower**®  
Wall hand Shower holder  
not adjustable  
with round escutcheon  
**GROHE StarLight**® chrome finish




# GROHE EUPHORIA ACCESSORIES

Ref.No. EAN code Colour Retail Guide Price (£)


27 056 000 4005176830440 chrome 25.52

**Rainshower**®  
Wall hand Shower holder  
not adjustable  
without escutcheon  
**GROHE StarLight**® chrome finish




28 161 000 4005176038273 chrome 33.39

**Shower hose**  
for low pressure  
1500 mm  
**GROHE StarLight**® chrome finish











28 362 000 4005176295225 silver 27.10

**Shower hose Silverflex**  
plastic material with smooth surface  
flexible, easy cleaning  
kink proofing  
Rotation cone for **Twistfree** function  
1250 mm  
1/2" x 1/2"



# GROHE EUPHORIA HEAD SHOWERS

|                                                                                                 | Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|-------------------------------------------------------------------------------------------------|------------|---------------|--------|------------------------|
| <b>NEW</b><br> | 26 072 000 | 4005176937262 | chrome | 186.54                 |
|                | 28 232 000 | 4005176868009 | chrome | 73.78                  |
|              | 27 491 000 | 4005176885549 | chrome | 121.51                 |
|              | 28 737 000 | 4005176872983 | chrome | 63.29                  |
|                                                                                                 | 28 233 000 | 4005176868016 | chrome | 73.78                  |
|                                                                                                 | 27 492 000 | 4005176885556 | chrome | 121.51                 |



**Euphoria Cosmopolitan 180**  
Head shower set 286 mm  
head shower Euphoria Cosmopolitan (27 492 000)  
Shower arm Rainshower® 286 mm (28 576 000)  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE EcoJoy®** 9.4l flow limiter  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system

**Euphoria Cosmopolitan 160**  
Head shower 1 spray  
Rain  
Ball joint +/- 15° rotatable  
connection thread 1/2"  
**GROHE StarLight®** chrome finish  
**GROHE DreamSpray®** perfect spray pattern  
**SpeedClean** anti-limescale system  
min. recommended pressure 1.0 bar





28 233 000 4005176868016 chrome 73.78  
Ditto, with GROHE EcoJoy® 9.5 l/min flow limiter






**Euphoria Cosmopolitan 180**  
Head shower 1 spray  
Rain  
Ball joint +/- 15° rotatable  
connection thread 1/2"  
**GROHE StarLight®** chrome finish  
**GROHE DreamSpray®** perfect spray pattern  
**SpeedClean** anti-limescale system  
min. recommended pressure 1.0 bar

27 492 000 4005176885556 chrome 121.51  
Ditto, with GROHE EcoJoy® 9.5 l/min flow limiter

**Euphoria Rustic 130**  
Head shower 1 spray  
Rain  
Ball joint +/- 20° rotatable  
connection thread 1/2"  
**GROHE StarLight®** chrome finish  
**GROHE DreamSpray®** perfect spray pattern  
**SpeedClean** anti-limescale system  
min. recommended pressure 1.0 bar

# GROHE EUPHORIA HEAD SHOWERS

|                                                                                       | Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|---------------------------------------------------------------------------------------|------------|---------------|--------|------------------------|
|    | 27 270 000 | 4005176860331 | chrome | 52.80                  |
|    | 27 246 00E | 4005176890901 | chrome | 52.80                  |
|  | 27 235 000 | 4005176854262 | chrome | 58.04                  |
|  | 27 236 000 | 4005176854279 | chrome | 63.29                  |
|  | 28 576 000 | 4005176274022 | chrome | 65.04                  |



**Euphoria 110 Mono**  
Head shower 1 spray  
Rain  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
bellows  
connection thread 1/2"  
min. recommended pressure 1.0 bar

27 545 000 4005176890697 chrome 52.80  
Ditto, with GROHE EcoJoy® 9.5 l/min. flow limiter

**Euphoria 110 Duo**  
Head shower 2 sprays  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE SprayDimmer** (Stepless flow rate reduction)  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
5.7 l/min. flow limiter  
bellows  
connection thread 1/2"  
min. recommended pressure 1.0 bar


**Euphoria 110 Massage**  
Head shower 3 sprays  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE SprayDimmer** (Stepless flow rate reduction)  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
connection thread 1/2"  
min. recommended pressure 1.0 bar

**Euphoria 110 Champagne**  
Head shower 3 sprays  
3 spray patterns:  
Rain, Champagne spray, SmartRain  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE SprayDimmer** (Stepless flow rate reduction)  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
bellows  
connection thread 1/2"  
min. recommended pressure 1.0 bar

**Rainshower®**  
Shower arm 286 mm  
metal  
connection thread 1/2"  
can be used for all Rainshower head showers except Rainshower Jumbo  
**GROHE StarLight®** chrome finish



# GROHE EUPHORIA HEAD SHOWERS

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 28 497 000 | 4005176270338 | chrome | 50.52                  |





**Rainshower®**  
Shower ceiling arm 292 mm  
metal  
connection thread 1/2"  
can be used for all Rainshower® head showers  
**GROHE StarLight®** chrome finish

|            |               |        |       |
|------------|---------------|--------|-------|
| 28 724 000 | 4005176812644 | chrome | 47.73 |
|------------|---------------|--------|-------|





**Rainshower®**  
Shower arm ceiling 142 mm  
connection thread 1/2"  
**GROHE StarLight®** chrome finish

|            |               |        |       |
|------------|---------------|--------|-------|
| 28 429 000 | 4005176601910 | chrome | 36.54 |
|------------|---------------|--------|-------|



**Relaxa**  
Shower arm 55 mm  
connection thread 1/2"  
**GROHE StarLight®** chrome finish

|            |               |        |        |
|------------|---------------|--------|--------|
| 28 541 000 | 4005176040528 | chrome | 104.54 |
|------------|---------------|--------|--------|




**Relaxa**  
Shower arm 147 mm  
connection thread 1/2"  
escutcheon  
**GROHE StarLight®** chrome finish

# GROHE RELEXA




# GROHE RELEXA HAND SHOWERS

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|




|            |               |        |       |
|------------|---------------|--------|-------|
| 28 793 000 | 4005176823961 | chrome | 66.78 |
|------------|---------------|--------|-------|

**Relaxa 100 Trio**  
Hand shower 3 sprays  
Wide Spray/ Needle Jet / Rain  
GROHE DreamSpray® perfect spray pattern  
GROHE CoolTouch®  
GROHE StarLight® chrome finish  
Inner WaterGuide for a longer life  
SpeedClean anti-limescale system  
min. recommended pressure 1.0 bar




|            |               |        |       |
|------------|---------------|--------|-------|
| 28 794 000 | 4005176823978 | chrome | 77.45 |
|------------|---------------|--------|-------|

**Relaxa 100 Champagne**  
Hand shower 4 sprays  
Wide Spray / Needle Jet / Rain / Champagne spray  
GROHE DreamSpray® perfect spray pattern  
GROHE CoolTouch®  
GROHE StarLight® chrome finish  
Inner WaterGuide for a longer life  
SpeedClean anti-limescale system  
min. recommended pressure 1.0 bar



|            |               |        |       |
|------------|---------------|--------|-------|
| 28 795 000 | 4005176824289 | chrome | 85.84 |
|------------|---------------|--------|-------|

**Relaxa 100 Massage**  
Hand shower 4 sprays  
Wide Spray / Needle Jet / Rain / Massage  
GROHE DreamSpray® perfect spray pattern  
GROHE CoolTouch®  
GROHE StarLight® chrome finish  
Inner WaterGuide for a longer life  
SpeedClean anti-limescale system  
min. recommended pressure 1.0 bar




|            |               |        |        |
|------------|---------------|--------|--------|
| 28 796 000 | 4005176824296 | chrome | 103.15 |
|------------|---------------|--------|--------|

**Relaxa 100 Five**  
Hand shower 5 sprays  
Wide spray / Needle Jet / Rain / Massage / Champagne spray  
GROHE DreamSpray® perfect spray pattern  
GROHE CoolTouch®  
GROHE StarLight® chrome finish  
Inner WaterGuide for a longer life  
SpeedClean anti-limescale system  
min. recommended pressure 1.0 bar


# GROHE RELEXA SHOWER SETS

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|




|            |               |        |        |
|------------|---------------|--------|--------|
| 28 942 001 | 4005176877223 | chrome | 126.75 |
|------------|---------------|--------|--------|

**Relaxa 100 Trio**  
Shower rail set 3 sprays  
shower rail, 600 mm (28 797 000)  
GROHE QuickFix™ Plus installation system with wall holders made of metal  
Hand shower Relaxa Trio (28 793 000)  
shower hose 1750 mm (28 410 000)  
Twistfree to prevent hose from twisting  
GROHE DreamSpray® perfect spray pattern  
GROHE CoolTouch®  
SpeedClean anti-limescale system  
Inner WaterGuide for a longer life  
GROHE StarLight® chrome finish  
min. recommended pressure 1.0 bar



|            |               |        |        |
|------------|---------------|--------|--------|
| 28 964 001 | 4005176877254 | chrome | 181.82 |
|------------|---------------|--------|--------|

**Relaxa 100 Five**  
Shower rail set 5 sprays  
shower rail, 600 mm (28 797 000)  
GROHE QuickFix® (variable distance between wall shower holders for adaption to existing drillings) with wall holders made of metal  
Hand shower Relaxa Five (28 796 000)  
shower hose 1750 mm (28 410 000)  
Twistfree to prevent hose from twisting  
GROHE DreamSpray® perfect spray pattern  
GROHE CoolTouch®  
SpeedClean anti-limescale system  
Inner WaterGuide for a longer life  
GROHE StarLight® chrome finish  
min. recommended pressure 1.0 bar



|            |               |        |        |
|------------|---------------|--------|--------|
| 28 843 000 | 4005176824395 | chrome | 117.49 |
|------------|---------------|--------|--------|

**Relaxa 100 Champagne**  
Wall holder set 4 sprays  
wall shower holder (28 623)  
hand shower Relaxa 100 Champagne (28 794)  
shower hose 1750 mm (28 410 000)  
GROHE StarLight® chrome finish  
GROHE DreamSpray® perfect spray pattern  
GROHE CoolTouch®  
SpeedClean anti-limescale system  
Inner WaterGuide for a longer life  
Twistfree to prevent hose from twisting  
min. recommended pressure 1.0 bar



# GROHE RELEXA ACCESSORIES

| Ref.No.                                                                                                                                                                                                                                                                                                  | EAN code      | Colour | Retail Guide Price (£) |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------|------------------------|
| 28 797 001                                                                                                                                                                                                                                                                                               | 4005176870941 | chrome | 100.70                 |
| <b>Rainshower®</b><br><b>Shower rail, 600 mm</b><br>with wall holders made of metal glide element and swivel holder adjustable distance between wall brackets to adapt to existing drill holes<br><b>Metal shower rail 600 mm</b><br><b>GROHE StarLight®</b> chrome finish                               |               |        |                        |
| 28 819 001                                                                                                                                                                                                                                                                                               | 4005176870958 | chrome | 115.91                 |
| <b>Ditto</b> , 900 mm shower rail                                                                                                                                                                                                                                                                        |               |        |                        |
| 27 136 001                                                                                                                                                                                                                                                                                               | 4005176870965 | chrome | 122.73                 |
| <b>Ditto</b> , 1150 mm shower rail                                                                                                                                                                                                                                                                       |               |        |                        |
| 28 405 000                                                                                                                                                                                                                                                                                               | 4005176264559 | chrome | 41.96                  |
| <b>Shower outlet elbow, 1/2"</b><br>protected against backflow<br><b>GROHE StarLight®</b> chrome finish                                                                                                                                                                                                  |               |        |                        |
| 27 151 000                                                                                                                                                                                                                                                                                               | 4005176837012 | chrome | 101.05                 |
| <b>Pull-out shower</b><br>for bath rim installation and under tiled surround<br>Lead-through for shower hose shower hose 1/2" x 3/8", 2000 mm (28 158 000)<br><b>The pull-out shower assembly can be combined with all hand showers!</b><br><b>GROHE StarLight®</b> chrome finish                        |               |        |                        |
| 27 531 000                                                                                                                                                                                                                                                                                               | 4005176889486 | chrome | 219.99                 |
| <b>Pull-out shower</b><br>for bath rim installation and under tiled surround<br>Lead-through for shower hose with square escutcheon shower hose 1/2" x 3/8", 2000 mm (28 158 000)<br><b>The pull-out shower assembly can be combined with all hand showers!</b><br><b>GROHE StarLight®</b> chrome finish |               |        |                        |
| 28 362 000                                                                                                                                                                                                                                                                                               | 4005176295225 | silver | 27.10                  |
| <b>Shower hose Silverflex</b><br>plastic material with smooth surface flexible, easy cleaning<br>kink proofing<br>Rotation cone for <b>Twistfree</b> function<br>1250 mm<br>1/2" x 1/2"                                                                                                                  |               |        |                        |
| 28 364 000                                                                                                                                                                                                                                                                                               | 4005176295294 | silver | 32.70                  |
| <b>ditto</b> , 1500mm                                                                                                                                                                                                                                                                                    |               |        |                        |
| 28 388 000                                                                                                                                                                                                                                                                                               | 4005176295362 | silver | 35.84                  |
| <b>ditto</b> , 1750mm                                                                                                                                                                                                                                                                                    |               |        |                        |
| 27 137 000                                                                                                                                                                                                                                                                                               | 4005176836237 | silver | 38.50                  |
| <b>ditto</b> , 2000mm                                                                                                                                                                                                                                                                                    |               |        |                        |

# GROHE RELEXA HEAD SHOWERS

| Ref.No.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | EAN code      | Colour | Retail Guide Price (£) |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------|------------------------|
| 27 530 000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 4005176889219 | chrome | 405.60                 |
| <b>Relexa Deluxe 130</b><br><b>Head shower 4 sprays</b><br>Normal, Rain, Champagne spray, Champagne spray Deluxe<br><b>GROHE EcoJoy®</b> technology for less water and perfect flow<br><b>GROHE EcoJoy®</b> 9.5 l/min flow rate<br><b>GROHE DreamSpray®</b> perfect spray pattern<br><b>GROHE CoolTouch®</b><br><b>SpeedClean</b> anti-limescale system<br><b>Inner WaterGuide</b> for a longer life<br><b>GROHE StarLight®</b> chrome finish without shower arm<br><b>min. recommended pressure 1.0 bar</b> |               |        |                        |
| 27 065 000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 4005176832109 | chrome | 179.20                 |
| <b>Relexa</b><br><b>Head shower 3 sprays</b><br>3 spray patterns:<br>Wide Spray/ Needle Jet / Rain<br><b>SpeedClean</b> anti-limescale system<br><b>Inner WaterGuide</b> for a longer life<br>integral arm<br>ball-joint<br>connection thread with pre-assembled sealing<br><b>GROHE StarLight®</b> chrome finish<br><b>GROHE DreamSpray®</b> perfect spray pattern<br><b>GROHE CoolTouch®</b><br><b>min. recommended pressure 1.0 bar</b>                                                                   |               |        |                        |
| 27 064 000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 4005176832093 | chrome | 146.68                 |
| <b>Relexa 100 Massage</b><br><b>Head shower 4 sprays</b><br>Wide Spray / Needle Jet / Rain / Massage<br><b>SpeedClean</b> anti-limescale system<br><b>Inner WaterGuide</b> for a longer life<br>integral arm<br>ball-joint<br>connection thread with pre-assembled sealing<br><b>GROHE StarLight®</b> chrome finish<br><b>GROHE DreamSpray®</b> perfect spray pattern<br><b>GROHE CoolTouch®</b><br><b>min. recommended pressure 1.0 bar</b>                                                                 |               |        |                        |
| 27 063 000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 4005176832086 | chrome | 157.17                 |
| <b>Relexa 100 Champagne</b><br><b>Head shower 4 sprays</b><br>Wide Spray / Needle Jet / Rain / Champagne spray<br><b>SpeedClean</b> anti-limescale system<br><b>Inner WaterGuide</b> for a longer life<br>integral arm<br>ball-joint<br>connection thread with pre-assembled sealing<br><b>GROHE StarLight®</b> chrome finish<br><b>GROHE DreamSpray®</b> perfect spray pattern<br><b>GROHE CoolTouch®</b><br><b>min. recommended pressure 1.0 bar</b>                                                       |               |        |                        |
| 27 062 000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 4005176831669 | chrome | 264.86                 |
| <b>Relexa 100 Five</b><br><b>Head shower 5 sprays</b><br>Wide spray / Needle Jet / Rain / Massage / Champagne spray<br><b>SpeedClean</b> anti-limescale system<br><b>Inner WaterGuide</b> for a longer life<br>integral arm<br>ball-joint<br>connection thread with pre-assembled sealing<br><b>GROHE StarLight®</b> chrome finish<br><b>GROHE DreamSpray®</b> perfect spray pattern<br><b>GROHE CoolTouch®</b><br><b>min. recommended pressure 1.0 bar</b>                                                  |               |        |                        |

# GROHE RELEXA SIDE SHOWERS

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 27 066 000 | 4005176832116 | chrome | 97.38                  |

**Relaxa 65**  
**Side shower 2 sprays**  
 Normal, Eco spray  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
 ball-joint  
**GROHE StarLight®** chrome finish  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE CoolTouch®**  
 min. recommended pressure 1.0 bar

|            |               |        |       |
|------------|---------------|--------|-------|
| 27 067 000 | 4005176832123 | chrome | 97.38 |
|------------|---------------|--------|-------|

**Relaxa**  
**Side shower 2 sprays**  
 Wide Spray/Massage  
**GROHE StarLight®** chrome finish  
**Inner WaterGuide** for a longer life  
**SpeedClean** anti-limescale system  
**GROHE CoolTouch®**  
 ball-joint  
**GROHE DreamSpray®** perfect spray pattern  
 min. recommended pressure 1.0 bar

|            |               |        |       |
|------------|---------------|--------|-------|
| 28 286 000 | 4005176198526 | chrome | 85.49 |
|------------|---------------|--------|-------|

**Relaxa plus**  
**Side shower 2 sprays**  
 Wide Spray/ Needle Jet  
 adjustable flow rate  
 ball-joint  
**GROHE StarLight®** chrome finish  
**GROHE DreamSpray®** perfect spray pattern  
**SpeedClean** anti-limescale system  
 min. recommended pressure 1.0 bar

# GROHE TEMPESTA



# NEW TEMPESTA

**ShockProof**  
Anti-slip silicone ring  
prevents damage  
(Contemporary).



**Spray face Ø 100 mm**  
for bigger shower enjoyment.



**SpeedClean**  
Remove lime scale  
with a single wipe.



**Rain**  
A wide, luxurious and delicate spray  
to soothe the skin. Simulating warm  
summer rain, the spray provides a full  
and even coverage.



**GROHE Rain O<sup>2</sup>**  
A soft, smooth and wide spray based  
on our original Rain spray. Air is drawn  
into the shower head and mixed with  
the water for a wider and fuller spray.



**Massage**  
A pulsating spray pattern  
for a stimulating massage.



**Jet**  
A focused circular spray, which  
delivers a refreshing burst of water.  
Ideal for stimulating the skin or simply  
cleaning the bathtub or shower.



**SpraySwitch**  
Closely-positioned pattern  
selection on the spray plate  
for easy spray switching.



**ErgoHandle**  
Extra-long handle  
for better ergonomics.



**GROHE StarLight®**  
A radiant chrome finish that  
resists soiling and tarnishing  
for enduring pristine looks.



**GROHE DreamSpray®**  
Even distribution of water  
for a perfect spray.




**GROHE CoolTouch®**  
No risk of scalding yourself  
on a hot chrome surface.



**GROHE EcoJoy™**  
Less water. Perfect flow.  
(5.8 and 9.4 l/min variants)

# GROHE NEW TEMPESTA



| Ref.No.                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EAN code      | Colour | Retail Guide Price (£) |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------|------------------------|
| 27 852 000                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 4005176917493 | chrome | 17.31                  |
| <b>New Tempesta 100</b><br><b>Hand shower 1 spray</b><br>Rain<br>GROHE DreamSpray® perfect spray pattern<br>GROHE CoolTouch®<br>GROHE StarLight® chrome finish<br>SpeedClean anti-limescale system<br>Inner WaterGuide for a longer life<br>ShockProof silicone ring prevents damages<br>caused by shower falling<br>Universal Mounting System. Fitting all<br>standard shower hoses<br>min. recommended pressure 1.0 bar                                             |               |        |                        |
| 27 923 000                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 4005176923371 | chrome | 17.31                  |
| Ditto, with GROHE EcoJoy® 9.5 l/min flow limiter                                                                                                                                                                                                                                                                                                                                                                                                                      |               |        |                        |
| 27 597 000                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 4005176914287 | chrome | 17.65                  |
| <b>New Tempesta 100</b><br><b>Hand shower 2 sprays</b><br>GROHE DreamSpray® perfect spray pattern<br>GROHE CoolTouch®<br>GROHE StarLight® chrome finish<br>SpeedClean anti-limescale system<br>Inner WaterGuide for a longer life<br>ShockProof silicone ring prevents damages<br>caused by shower falling<br>Universal Mounting System. Fitting all<br>standard shower hoses<br>min. recommended pressure 1.0 bar                                                    |               |        |                        |
| 27 597 00E                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 4005176895951 | chrome | 17.65                  |
| Ditto, with GROHE EcoJoy® 5.7 l/min flow limiter                                                                                                                                                                                                                                                                                                                                                                                                                      |               |        |                        |
| 28 261 001                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 4005176895968 | chrome | 22.90                  |
| <b>New Tempesta 100</b><br><b>Hand shower 3 sprays</b><br>GROHE Rain O <sup>2</sup> , Rain, Massage<br>GROHE DreamSpray® perfect spray pattern<br>GROHE CoolTouch®<br>GROHE StarLight® chrome finish<br>SpeedClean anti-limescale system<br>Inner WaterGuide for a longer life<br>ShockProof silicone ring prevents damages<br>caused by shower falling<br>min. recommended pressure 1.0 bar                                                                          |               |        |                        |
| 28 419 001                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 4005176895982 | chrome | 22.90                  |
| Ditto, with GROHE EcoJoy® 9.5 l/min flow limiter                                                                                                                                                                                                                                                                                                                                                                                                                      |               |        |                        |
| 28 578 001                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 4005176895975 | chrome | 29.90                  |
| <b>New Tempesta 100</b><br><b>Hand shower 4 sprays</b><br>GROHE Rain O <sup>2</sup> , Rain, Massage, Jet<br>GROHE DreamSpray® perfect spray pattern<br>GROHE CoolTouch®<br>GROHE StarLight® chrome finish<br>SpeedClean anti-limescale system<br>Inner WaterGuide for a longer life<br>ShockProof silicone ring prevents damages<br>caused by shower falling<br>min. recommended pressure 1.0 bar                                                                     |               |        |                        |
| 28 421 001                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 4005176895999 | chrome | 29.90                  |
| Ditto, with GROHE EcoJoy® 9.5 l/min flow limiter                                                                                                                                                                                                                                                                                                                                                                                                                      |               |        |                        |
| 27 853 000                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 4005176917509 | chrome | 43.36                  |
| <b>New Tempesta 100</b><br><b>Shower rail set 1 spray</b><br>hand shower (27 852 000)<br>shower rail, 600 mm (27 523 000)<br>Relaxflex hose 1750 mm 1/2" x 1/2" (28 154 000)<br>GROHE DreamSpray® perfect spray pattern<br>GROHE CoolTouch®<br>GROHE StarLight® chrome finish<br>SpeedClean anti-limescale system<br>Inner WaterGuide for a longer life<br>ShockProof silicone ring prevents damages<br>caused by shower falling<br>min. recommended pressure 1.0 bar |               |        |                        |
| 27 924 000                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 4005176923784 | chrome | 43.36                  |
| Ditto, with GROHE EcoJoy® 9.5 l/min flow limiter                                                                                                                                                                                                                                                                                                                                                                                                                      |               |        |                        |



# GROHE NEW TEMPESTA

| Ref.No.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | EAN code      | Colour | Retail Guide Price (£) |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------|------------------------|
| 27 598 000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 4005176914294 | chrome | 49.30                  |
| <b>New Tempesta 100</b><br><b>Shower rail set 2 sprays</b><br>hand shower (27 597 000)<br>shower rail, 600 mm (27 523 000)<br>Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000)<br>GROHE DreamSpray® perfect spray pattern<br>GROHE CoolTouch®<br>GROHE StarLight® chrome finish<br>SpeedClean anti-limescale system<br>Inner WaterGuide for a longer life<br>ShockProof silicone ring prevents damages caused by shower falling<br>min. recommended pressure 1.0 bar                                                                            |               |        |                        |
| 27 598 00E                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 4005176896019 | chrome | 46.16                  |
| Ditto, with GROHE Ecojoy 5.7 l/min flow limiter                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |               |        |                        |
| 27 794 000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 4005176914300 | chrome | 54.55                  |
| <b>New Tempesta 100</b><br><b>Shower rail set 3 sprays</b><br>shower rail, 600 mm (27 523 000)<br>Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000)<br>GROHE DreamSpray® perfect spray pattern<br>GROHE CoolTouch®<br>GROHE StarLight® chrome finish<br>SpeedClean anti-limescale system<br>Inner WaterGuide for a longer life<br>ShockProof silicone ring prevents damages caused by shower falling<br>min. recommended pressure 1.0 bar                                                                                                        |               |        |                        |
| 27 644 000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 4005176904806 | chrome | 54.55                  |
| Ditto, with GROHE EcoJoy® 9.5 l/min flow limiter                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |               |        |                        |
| 27 600 000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 4005176896033 | chrome | 51.42                  |
| <b>New Tempesta 100</b><br><b>Shower rail set 3 sprays</b><br>hand shower (28 419 001)<br>shower rail, 600 mm (27 523 000)<br>Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000)<br>GROHE EasyReach™ tray (27 596 000)<br>GROHE EcoJoy® 9.5 l/min flow rate<br>GROHE DreamSpray® perfect spray pattern<br>GROHE CoolTouch®<br>GROHE StarLight® chrome finish<br>SpeedClean anti-limescale system<br>Inner WaterGuide for a longer life<br>ShockProof silicone ring prevents damages caused by shower falling<br>min. recommended pressure 1.0 bar |               |        |                        |
| 27 795 000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 4005176914317 | chrome | 61.53                  |
| <b>New Tempesta 100</b><br><b>Shower rail set 4 sprays</b><br>shower rail, 600 mm (27 523 000)<br>Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000)<br>GROHE DreamSpray® perfect spray pattern<br>GROHE CoolTouch®<br>GROHE StarLight® chrome finish<br>SpeedClean anti-limescale system<br>Inner WaterGuide for a longer life<br>ShockProof silicone ring prevents damages caused by shower falling<br>min. recommended pressure 1.0 bar                                                                                                        |               |        |                        |
| 27 645 000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 4005176904813 | chrome | 61.53                  |
| Ditto, with GROHE EcoJoy® 9.5 l/min flow limiter                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |               |        |                        |
| 27 799 000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 4005176914362 | chrome | 28.14                  |
| <b>New Tempesta 100</b><br><b>Wall holder set 2 sprays</b><br>hand shower (27 597 000)<br>wall shower holder (28 605 000), not adjustable<br>Relaxaflex hose 1250 mm 1/2" x 1/2" (28 150)<br>GROHE DreamSpray® perfect spray pattern<br>GROHE CoolTouch®<br>GROHE StarLight® chrome finish<br>SpeedClean anti-limescale system<br>Inner WaterGuide for a longer life<br>ShockProof silicone ring prevents damages caused by shower falling<br>min. recommended pressure 1.0 bar                                                                 |               |        |                        |
| 27 803 00E                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 4005176914386 | chrome | 30.77                  |
| Ditto, with GROHE Ecojoy 5.7 l/min flow limiter                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |               |        |                        |


# GROHE NEW TEMPESTA

| Ref.No.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | EAN code      | Colour | Retail Guide Price (£) |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------|------------------------|
| 27 601 00E                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 4005176896088 | chrome | 34.17                  |
| <b>New Tempesta 100</b><br><b>Wall holder set 2 sprays</b><br>hand shower (27 597 00E)<br>wall shower holder adjustable (27 595 000)<br>Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000)<br>5.7 l/min. flow limiter<br>GROHE EcoJoy® technology for less water and perfect flow<br>GROHE DreamSpray® perfect spray pattern<br>GROHE CoolTouch®<br>GROHE StarLight® chrome finish<br>SpeedClean anti-limescale system<br>Inner WaterGuide for a longer life<br>ShockProof silicone ring prevents damages caused by shower falling<br>min. recommended pressure 1.0 bar |               |        |                        |
| 27 606 000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 4005176896163 | chrome | 42.14                  |
| <b>New Tempesta 100</b><br><b>Head shower 4 sprays</b><br>GROHE Rain O², Rain, Massage, Jet<br>GROHE EcoJoy® 9.5 l/min flow rate<br>GROHE EcoJoy® technology for less water and perfect flow<br>GROHE DreamSpray® perfect spray pattern<br>GROHE CoolTouch®<br>GROHE StarLight®<br>SpeedClean anti-limescale system<br>Inner WaterGuide for a longer life<br>min. recommended pressure 1.0 bar                                                                                                                                                                        |               |        |                        |
| 28 429 000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 4005176601910 | chrome | 36.54                  |
| <b>Relaxa</b><br><b>Shower arm 55 mm</b><br>connection thread 1/2"<br>GROHE StarLight® chrome finish                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |               |        |                        |
| 27 523 000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 4005176886522 | chrome | 63.46                  |
| <b>New Tempesta</b><br><b>Shower rail, 600 mm</b><br>with wall brackets, glider and swivel holder<br>GROHE StarLight®                                                                                                                                                                                                                                                                                                                                                                                                                                                 |               |        |                        |
| 27 524 000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 4005176886539 | chrome | 73.07                  |
| Ditto, 900 mm shower rail                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |               |        |                        |
| 27 596 000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 4005176895944 |        | 5.77                   |
| <b>New Tempesta</b><br><b>GROHE EasyReach™ tray</b><br>acrylic                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |               |        |                        |




| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 28 671 000 | 4005176103070 | chrome | 32.70                  |

**Relaxa plus**  
Shower outlet elbow, 1/2"  
male thread  
GROHE StarLight® chrome finish




|            |               |        |       |
|------------|---------------|--------|-------|
| 28 680 000 | 4005176116780 | chrome | 32.70 |
|------------|---------------|--------|-------|

**Relaxa plus**  
Shower outlet elbow, 1/2"  
male thread  
protected against backflow  
GROHE StarLight® chrome finish




|            |               |        |       |
|------------|---------------|--------|-------|
| 28 605 000 | 4005176041105 | chrome | 18.01 |
|------------|---------------|--------|-------|

**Relaxa plus**  
Wall hand Shower holder  
GROHE StarLight® chrome finish



|            |               |        |       |
|------------|---------------|--------|-------|
| 28 161 000 | 4005176038273 | chrome | 33.39 |
|------------|---------------|--------|-------|











**Shower hose**  
1500 mm  
1/2" x 1/2" x 12 mm bore  
GROHE StarLight® chrome finish  
Min. recommended pressure 0.1 bar












# GROHE TEMPESTA COSMOPOLITAN



# GROHE NEW TEMPESTA COSMOPOLITAN

|                                                                                              | Ref.No.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | EAN code      | Colour | Retail Guide Price (£) |
|----------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------|------------------------|
|             | 27 571 000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 4005176914188 | chrome | 19.41                  |
|                                                                                              | <p><b>New Tempesta Cosmopolitan 100 Hand shower 2 sprays</b><br/>                     GROHE DreamSpray® perfect spray pattern<br/>                     GROHE CoolTouch®<br/>                     GROHE StarLight® chrome finish<br/>                     SpeedClean anti-limescale system<br/>                     Inner WaterGuide for a longer life<br/>                     Universal Mounting System. Fitting all standard shower hoses<br/>                     min. recommended pressure 1.0 bar</p>                                                                                                                         |               |        |                        |
|             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |               |        |                        |
| <b>NEW</b>  | 27 571 001                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 4005176940170 | chrome | 19.41                  |
|                                                                                              | <p><b>New Tempesta Cosmopolitan 100 Hand shower 2 sprays</b><br/>                     Rain, Jet<br/>                     GROHE DreamSpray® perfect spray pattern<br/>                     GROHE CoolTouch®<br/>                     GROHE StarLight® chrome finish<br/>                     GROHE AquaZoom<br/>                     SpeedClean anti-limescale system<br/>                     Inner WaterGuide for a longer life<br/>                     Universal Mounting System. Fitting all standard shower hoses<br/>                     min. recommended pressure 1.0 bar<br/>                     available June 2014</p> |               |        |                        |
|             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |               |        |                        |
|            | 27 572 001                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 4005176940286 | chrome | 24.65                  |
|                                                                                              | <p><b>New Tempesta Cosmopolitan 100 Hand shower 3 sprays</b><br/>                     GROHE Rain O<sup>2</sup>, Rain<br/>                     Massage<br/>                     GROHE DreamSpray® perfect spray pattern<br/>                     GROHE CoolTouch®<br/>                     GROHE StarLight® chrome finish<br/>                     SpeedClean anti-limescale system<br/>                     Inner WaterGuide for a longer life<br/>                     Universal Mounting System. Fitting all standard shower hoses<br/>                     min. recommended pressure 1.0 bar</p>                                |               |        |                        |
|            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |               |        |                        |
|                                                                                              | 27 574 001                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 4005176940132 | chrome | 24.65                  |
|                                                                                              | Ditto, with GROHE EcoJoy® 9.5 l/min flow limiter                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |               |        |                        |
|           | 27 573 001                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 4005176940293 | chrome | 33.39                  |
|                                                                                              | <p><b>New Tempesta Cosmopolitan 100 Hand shower 4 sprays</b><br/>                     GROHE Rain O<sup>2</sup>, Rain<br/>                     Massage, Jet<br/>                     GROHE DreamSpray® perfect spray pattern<br/>                     GROHE CoolTouch®<br/>                     GROHE StarLight® chrome finish<br/>                     SpeedClean anti-limescale system<br/>                     Inner WaterGuide for a longer life<br/>                     Universal Mounting System. Fitting all standard shower hoses<br/>                     min. recommended pressure 1.0 bar</p>                           |               |        |                        |
|           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |               |        |                        |
|                                                                                              | 27 575 001                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 4005176940149 | chrome | 33.39                  |
|                                                                                              | Ditto, with GROHE EcoJoy® 9.5 l/min flow limiter                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |               |        |                        |
|           | 27 578 000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 4005176914195 | chrome | 51.04                  |
|                                                                                              | <p><b>New Tempesta Cosmopolitan 100 Shower rail set 2 sprays</b><br/>                     hand shower (27 571 000)<br/>                     shower rail, 600mm (27 521 000)<br/>                     Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000)<br/>                     GROHE DreamSpray® perfect spray pattern<br/>                     GROHE CoolTouch®<br/>                     GROHE StarLight® chrome finish<br/>                     SpeedClean anti-limescale system<br/>                     Inner WaterGuide for a longer life<br/>                     min. recommended pressure 1.0 bar</p>                      |               |        |                        |
|           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |               |        |                        |

# GROHE NEW TEMPESTA COSMOPOLITAN

|                                                                                                  | Ref.No.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | EAN code      | Colour | Retail Guide Price (£) |
|--------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------|------------------------|
| <b>NEW</b>    | 27 578 001                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 4005176940354 | chrome | 51.04                  |
|                                                                                                  | <p><b>New Tempesta Cosmopolitan 100 Shower rail set 2 sprays</b><br/>                     hand shower (27 571 001)<br/>                     shower rail, 600mm (27 521 000)<br/>                     Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000)<br/>                     GROHE DreamSpray® perfect spray pattern<br/>                     GROHE CoolTouch®<br/>                     GROHE StarLight® chrome finish<br/>                     GROHE AquaZoom<br/>                     SpeedClean anti-limescale system<br/>                     Inner WaterGuide for a longer life<br/>                     min. recommended pressure 1.0 bar<br/>                     available June 2014</p>                                                               |               |        |                        |
|               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |               |        |                        |
|               | 27 578 10E                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 4005176940309 | chrome | 50.00                  |
|                                                                                                  | Ditto, with GROHE EcoJoy 5.7 l/min flow limiter                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |               |        |                        |
|               | 27 786 001                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 4005176940361 | chrome | 56.29                  |
|                                                                                                  | <p><b>New Tempesta Cosmopolitan 100 Shower rail set 3 sprays</b><br/>                     hand shower (27 572 001)<br/>                     shower rail, 600mm (27 521 000)<br/>                     Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000)<br/>                     GROHE DreamSpray® perfect spray pattern<br/>                     GROHE CoolTouch®<br/>                     GROHE StarLight® chrome finish<br/>                     SpeedClean anti-limescale system<br/>                     Inner WaterGuide for a longer life<br/>                     min. recommended pressure 1.0 bar</p>                                                                                                                                                    |               |        |                        |
|               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |               |        |                        |
|                                                                                                  | 27 579 001                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 4005176940330 | chrome | 56.29                  |
|                                                                                                  | Ditto, with GROHE EcoJoy® 9.5 l/min flow limiter                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |               |        |                        |
|              | 27 787 001                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 4005176940378 | chrome | 65.04                  |
|                                                                                                  | <p><b>New Tempesta Cosmopolitan 100 Shower rail set 4 sprays</b><br/>                     hand shower (27 573 001)<br/>                     shower rail, 600mm (27 521 000)<br/>                     Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000)<br/>                     GROHE DreamSpray® perfect spray pattern<br/>                     GROHE CoolTouch®<br/>                     GROHE StarLight® chrome finish<br/>                     SpeedClean anti-limescale system<br/>                     Inner WaterGuide for a longer life<br/>                     min. recommended pressure 1.0 bar</p>                                                                                                                                                    |               |        |                        |
|              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |               |        |                        |
|                                                                                                  | 27 580 001                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 4005176940347 | chrome | 65.04                  |
|                                                                                                  | Ditto, with GROHE EcoJoy® 9.5 l/min flow limiter                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |               |        |                        |
| <b>NEW</b>  | 27 586 001                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 4005176940507 | chrome | 35.14                  |
|                                                                                                  | <p><b>New Tempesta Cosmopolitan 100 Shower set 3 sprays</b><br/>                     hand shower (27 574 001)<br/>                     wall shower holder non-adjustable (27 594 000)<br/>                     Relaxaflex hose 1250 mm 1/2" x 1/2" (28 150)<br/>                     GROHE EcoJoy® 9.5 l/min flow rate<br/>                     GROHE EcoJoy® technology for less water and perfect flow<br/>                     GROHE DreamSpray® perfect spray pattern<br/>                     GROHE CoolTouch®<br/>                     GROHE StarLight® chrome finish<br/>                     SpeedClean anti-limescale system<br/>                     Inner WaterGuide for a longer life<br/>                     min. recommended pressure 1.0 bar</p> |               |        |                        |
|             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |               |        |                        |
|                                                                                                  | 27 588 001                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 4005176940514 | chrome | 38.47                  |
|                                                                                                  | Ditto, with GROHE EcoJoy® 9.5 l/min flow limiter                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |               |        |                        |

# GROHE NEW TEMPESTA COSMOPOLITAN

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|

|            |               |        |       |
|------------|---------------|--------|-------|
| 27 584 001 | 4005176940491 | chrome | 45.80 |
|------------|---------------|--------|-------|

**New Tempesta Cosmopolitan 100**  
**Shower set 3 sprays**  
 hand shower (27 574 001)  
 wall shower holder adjustable (27 595 000)  
 Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000)  
**GROHE EcoJoy®** 9.5 l/min flow rate  
**GROHE EcoJoy®** technology for less water and perfect flow  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE CoolTouch®**  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
 min. recommended pressure 1.0 bar

|            |               |        |       |
|------------|---------------|--------|-------|
| 27 591 000 | 4005176895890 | chrome | 45.45 |
|------------|---------------|--------|-------|

**New Tempesta Cosmopolitan 100**  
**Head shower 4 sprays**  
 GROHE Rain O<sup>2</sup>, Rain, Massage, Jet  
**GROHE EcoJoy®** 9.5 l/min flow rate  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE CoolTouch®**  
**GROHE StarLight®**  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
 min. recommended pressure 1.0 bar

|            |               |        |       |
|------------|---------------|--------|-------|
| 28 429 000 | 4005176601910 | chrome | 36.54 |
|------------|---------------|--------|-------|

**Relaxa**  
**Shower arm 55 mm**  
 connection thread 1/2"  
**GROHE StarLight®** chrome finish

|            |               |        |       |
|------------|---------------|--------|-------|
| 27 521 000 | 4005176886508 | chrome | 63.46 |
|------------|---------------|--------|-------|

**New Tempesta Cosmopolitan 100**  
**Shower rail, 600 mm**  
 with wall brackets, glider and swivel holder  
**GROHE StarLight®**

|            |               |        |       |
|------------|---------------|--------|-------|
| 27 522 000 | 4005176886515 | chrome | 73.07 |
|------------|---------------|--------|-------|

**Ditto**, 900 mm shower rail

|            |               |  |      |
|------------|---------------|--|------|
| 27 596 000 | 4005176895944 |  | 5.77 |
|------------|---------------|--|------|

**New Tempesta**  
**GROHE EasyReach™** tray  
 acrylic

# GROHE NEW TEMPESTA COSMOPOLITAN

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|

|            |               |        |       |
|------------|---------------|--------|-------|
| 28 671 000 | 4005176103070 | chrome | 32.70 |
|------------|---------------|--------|-------|

**Relaxa**  
**Shower outlet elbow, 1/2"**  
 male thread  
 suitable for the Relaxa plus handsprays  
 Single (28 212)  
 Exquisit (28 215)  
**GROHE StarLight®** chrome finish

|            |               |        |       |
|------------|---------------|--------|-------|
| 28 680 000 | 4005176116780 | chrome | 32.70 |
|------------|---------------|--------|-------|

**Relaxa**  
**Shower outlet elbow, 1/2"**  
 male thread  
 suitable for the Relaxa plus handsprays  
 Single (28 212)  
 Exquisit (28 215)  
 protected against backflow  
**DVGW Reg. No. NW-6506AT2066**  
**GROHE StarLight®** chrome finish

|            |               |        |       |
|------------|---------------|--------|-------|
| 27 594 000 | 4005176895920 | chrome | 11.54 |
|------------|---------------|--------|-------|

**New Tempesta Cosmopolitan 100**  
**Wall hand Shower holder**  
 not adjustable  
**GROHE StarLight®** chrome finish

|            |               |        |       |
|------------|---------------|--------|-------|
| 28 161 000 | 4005176038273 | chrome | 33.39 |
|------------|---------------|--------|-------|

**Shower hose**  
 for low pressure  
 1500 mm  
**GROHE StarLight®** chrome finish

# GROHE TEMPESTA RUSTIC



GROHE  
EcoJoy™



GROHE  
DreamSpray®



GROHE  
CoolTouch®




GROHE  
StarLight®





# GROHE NEW TEMPESTA RUSTIC

Ref.No. EAN code Colour Retail Guide Price (£)



26 085 000 4005176940538 chrome 36.72

**New Tempesta Rustic 100**  
Hand shower 4 sprays  
GROHE Rain O<sup>2</sup>, Rain  
Massage, Jet  
hand shower 100 mm  
GROHE DreamSpray® perfect spray pattern  
GROHE CoolTouch®  
GROHE StarLight® chrome finish  
SpeedClean anti-limescale system  
Inner WaterGuide for a longer life  
Universal Mounting System. Fitting all  
standard shower hoses  
**min recommended pressure 1.0 bar**

27 608 000 4005176895661 chrome 36.72

Ditto, with GROHE EcoJoy® 9.5 l/min flow limiter

26 086 000 4005176940545 chrome 70.28



**New Tempesta Rustic 100**  
Shower rail set 4 sprays  
hand shower 4 sprays (26 085 000)  
shower rail, 600 mm (27 519 000)  
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000)  
GROHE EasyReach™ tray (27 596 000)  
GROHE DreamSpray® perfect spray pattern  
GROHE CoolTouch®  
GROHE StarLight® chrome finish  
SpeedClean anti-limescale system  
Inner WaterGuide for a longer life  
**min recommended pressure 1.0 bar**

27 609 000 4005176895678 chrome 70.28

Ditto, with GROHE EcoJoy® 9.5 l/min flow limiter



27 805 000 4005176914133 chrome 54.55


**New Tempesta Rustic 100**  
Wall holder set 4 sprays  
hand shower (27 608 000)  
wall shower holder adjustable (27 595 000)  
Relaxaflex hose 1750 mm 1/2" x 1/2" (28 154 000)  
GROHE EcoJoy® 9.5 l/min flow rate  
GROHE DreamSpray® perfect spray pattern  
GROHE CoolTouch®  
GROHE StarLight® chrome finish  
SpeedClean anti-limescale system  
Inner WaterGuide for a longer life  
**min. recommended pressure 1.0 bar**

27 610 000 4005176895685 chrome 45.45



**New Tempesta Rustic 100**  
Head shower 4 sprays  
GROHE Rain O<sup>2</sup>, Rain, Massage, Jet  
Ball joint +/- 15° rotatable  
GROHE EcoJoy® 9.5 l/min flow rate  
GROHE DreamSpray® perfect spray pattern  
GROHE CoolTouch®  
GROHE StarLight® chrome finish  
SpeedClean anti-limescale system  
Inner WaterGuide for a longer life  
**min. recommended pressure 1.0 bar**


28 429 000 4005176601910 chrome 36.54



**Relexa**  
Shower arm 55 mm  
connection thread 1/2"  
GROHE StarLight® chrome finish

# GROHE NEW TEMPESTA RUSTIC

Ref.No. EAN code Colour Retail Guide Price (£)




27 519 000 4005176886485 chrome 63.46

**New Tempesta Rustic**  
Shower rail, 600 mm  
with wall brackets, glider and swivel holder  
GROHE StarLight®


27 520 000 4005176886492 chrome 73.07

Ditto, 900 mm shower rail




27 596 000 4005176895944 5.77

**New Tempesta**  
GROHE EasyReach™ tray  
acrylic




28 671 000 4005176103070 chrome 32.70

**Relexa**  
Shower outlet elbow, 1/2"  
male thread  
suitable for the Relexa plus handsprays  
Single (28 212)  
Exquisit (28 215)  
GROHE StarLight® chrome finish



28 680 000 4005176116780 chrome 32.70


**Relexa**  
Shower outlet elbow, 1/2"  
male thread  
suitable for the Relexa plus handsprays  
Single (28 212)  
Exquisit (28 215)  
protected against backflow  
DVGW Reg. No. NW-6506AT2066  
GROHE StarLight® chrome finish



28 605 000 4005176041105 chrome 18.01

**Relexa**  
Wall hand Shower holder  
GROHE StarLight® chrome finish

# GROHE NEW TEMPESTA RUSTIC



| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 28 161 000 | 4005176038273 | chrome | 33.39                  |


Shower hose  
for low pressure  
1500 mm  
GROHE StarLight® chrome finish

# GROHE TRIGGER SPRAYS





# GROHE TRIGGER SPRAYS

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 27 512 000 | 4005176886386 | chrome | 28.50                  |




**Trigger Spray 30**  
**Hand shower 1 spray**  
 for use with spray combinations  
 Universal Mounting System. Fitting all standard shower hoses  
**min. recommended pressure 1.0 bar**

|            |               |       |       |
|------------|---------------|-------|-------|
| 28 020 L00 | 4005176194825 | white | 26.57 |
| 28 020 K00 | 4005176194818 | black | 26.57 |




**Trigger Spray 30**  
**Hand shower 1 spray**  
 for use with spray combinations  
 Universal Mounting System. Fitting all standard shower hoses  
**min. recommended pressure 1.0 bar**

|            |               |        |       |
|------------|---------------|--------|-------|
| 27 513 000 | 4005176886393 | chrome | 50.70 |
|------------|---------------|--------|-------|




**Trigger Spray 30**  
**Wall holder set 1 spray**  
 hand shower with trigger control (27 512 000)  
 wall shower holder (28 605 000)  
 shower hose  
 28 102 000  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**

|            |               |                  |       |
|------------|---------------|------------------|-------|
| 27 812 000 | 4005176222009 | chrome           | 48.78 |
| 27 812 IL0 | 4005176191367 | silver met. matt | 48.78 |
| 27 812 IK0 | 4005176191350 | chrome/white     | 48.78 |
|            |               | chrome/black     | 48.78 |



**Trigger Spray 30**  
**Wall holder set 1 spray**  
 hand shower (28 020 000)  
 wall shower holder (28 605 000)  
 shower hose  
 28 102 000  
**min. recommended pressure 1.0 bar**



|            |               |        |       |
|------------|---------------|--------|-------|
| 27 514 000 | 4005176886409 | chrome | 83.22 |
|------------|---------------|--------|-------|



**Trigger spray**  
**Wall holder set 1 spray**  
 hand shower with trigger control (27 512 000)  
 wall shower holder (28 605 000)  
 shower hose  
 28 102 000  
 angle valve 1/2" (22 940 000)  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**

# GROHE TRIGGER SPRAYS

| Ref.No.    | EAN code      | Colour       | Retail Guide Price (£) |
|------------|---------------|--------------|------------------------|
| 27 813 IL0 | 4005176191381 | chrome/white | 97.56                  |



**Trigger Spray 30**  
**Wall holder set 1 spray**  
 hand shower (28 020 000)  
 wall shower holder (28 605 000)  
 shower hose  
 28 102 000  
 angle valve 1/2" (22 940 000)  
**min. recommended pressure 1.0 bar**

# GROHE SHOWER ACCESSORIES





# GROHE SHOWER ACCESSORIES

| Ref.No.                                                                                                                                                                                                                                 | EAN code      | Colour | Retail Guide Price (£) |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------|------------------------|
| 27 523 000                                                                                                                                                                                                                              | 4005176886522 | chrome | 63.46                  |
| <b>New Tempesta</b><br>Shower rail, 600 mm<br>with wall brackets, glider and swivel holder<br>GROHE StarLight®                                                                                                                          |               |        |                        |
| 27 524 000                                                                                                                                                                                                                              | 4005176886539 | chrome | 73.07                  |
| Ditto, 900 mm shower rail                                                                                                                                                                                                               |               |        |                        |
| 27 521 000                                                                                                                                                                                                                              | 4005176886508 | chrome | 63.46                  |
| <b>New Tempesta Cosmopolitan 100</b><br>Shower rail, 600 mm<br>with wall brackets, glider and swivel holder<br>GROHE StarLight®                                                                                                         |               |        |                        |
| 27 522 000                                                                                                                                                                                                                              | 4005176886515 | chrome | 73.07                  |
| Ditto, 900 mm shower rail                                                                                                                                                                                                               |               |        |                        |
| 27 519 000                                                                                                                                                                                                                              | 4005176886485 | chrome | 63.46                  |
| <b>New Tempesta Rustic</b><br>Shower rail, 600 mm<br>with wall brackets, glider and swivel holder<br>GROHE StarLight®                                                                                                                   |               |        |                        |
| 27 520 000                                                                                                                                                                                                                              | 4005176886492 | chrome | 73.07                  |
| Ditto, 900 mm shower rail                                                                                                                                                                                                               |               |        |                        |
| 27 499 000                                                                                                                                                                                                                              | 4005176886041 | chrome | 57.70                  |
| <b>Euphoria</b><br>Shower rail, 600 mm<br>with wall holders, glide element and swivel holder<br>GROHE QuickFix® (variable distance between wall<br>shower holders for adaption to existing drillings)<br>GROHE StarLight® chrome finish |               |        |                        |
| 27 500 000                                                                                                                                                                                                                              | 4005176886058 | chrome | 67.30                  |
| Ditto, 900 mm shower rail                                                                                                                                                                                                               |               |        |                        |
| 27 892 000                                                                                                                                                                                                                              | 4005176921216 | chrome | 157.70                 |
| <b>Euphoria Cube</b><br>Shower rail, 600 mm<br>with wall holders, glide element and swivel holder<br>GROHE StarLight® chrome finish                                                                                                     |               |        |                        |
| 27 841 000                                                                                                                                                                                                                              | 4005176916670 | chrome | 165.39                 |
| Ditto, 900 mm shower rail                                                                                                                                                                                                               |               |        |                        |

# GROHE SHOWER ACCESSORIES

| Ref.No.                                                                                                                                                                                                                                                                                                  | EAN code      | Colour | Retail Guide Price (£) |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------|------------------------|
| 28 587 000                                                                                                                                                                                                                                                                                               | 4005176282966 | chrome | 135.66                 |
| <b>Relaxa</b><br>Shower rail, 900 mm<br>with handle<br>handle can be mounted right or left handed<br>with wall brackets (3 pieces)<br>gliding element with metal sleeve<br>angle of inclination adjustable by<br>click stop device<br>height adjustment by locking nut<br>GROHE StarLight® chrome finish |               |        |                        |
| 28 797 001                                                                                                                                                                                                                                                                                               | 4005176870941 | chrome | 100.70                 |
| <b>Rainshower®</b><br>Shower rail, 600 mm<br>with wall holders made of metal<br>glide element and swivel holder<br>adjustable distance between wall<br>brackets to adapt to existing drill holes<br>GROHE StarLight® chrome finish                                                                       |               |        |                        |
| 28 819 001                                                                                                                                                                                                                                                                                               | 4005176870958 | chrome | 115.91                 |
| Ditto, 900 mm shower rail                                                                                                                                                                                                                                                                                |               |        |                        |
| 27 136 001                                                                                                                                                                                                                                                                                               | 4005176870965 | chrome | 122.73                 |
| Ditto, 1150mm shower rail                                                                                                                                                                                                                                                                                |               |        |                        |
| 27 784 000                                                                                                                                                                                                                                                                                               | 4005176913976 | chrome | 93.36                  |
| <b>Power&amp;Soul®</b><br>Shower rail, 600 mm<br>with wall holders made of metal<br>GROHE QuickFix® (variable distance between wall<br>shower holders for adaption to existing drillings)<br>GROHE StarLight® chrome finish                                                                              |               |        |                        |
| 27 785 000                                                                                                                                                                                                                                                                                               | 4005176913983 | chrome | 97.56                  |
| Ditto, 900 mm shower rail                                                                                                                                                                                                                                                                                |               |        |                        |
| 28 580 000                                                                                                                                                                                                                                                                                               | 4005176276965 | chrome | 152.09                 |
| <b>Sena</b><br>Shower rail, 600 mm<br>metal<br>vertical adjustable glider<br>with shower holder<br>swivelling<br>GROHE StarLight® chrome finish                                                                                                                                                          |               |        |                        |
| 28 346 000                                                                                                                                                                                                                                                                                               | 4005176262760 | chrome | 186.19                 |
| Ditto, 900 mm shower rail                                                                                                                                                                                                                                                                                |               |        |                        |
| 27 206 000                                                                                                                                                                                                                                                                                               | 4005176845444 |        | 13.64                  |
| <b>Relaxa</b><br>Soap dish<br>transparent<br>surface in parts with eroded structure                                                                                                                                                                                                                      |               |        |                        |


# GROHE SHOWER ACCESSORIES

Ref.No. EAN code Colour Retail Guide Price (£)

27 596 000 4005176895944

5.77

**New Tempesta**  
**GROHE EasyReach™ tray**  
acrylic




28 671 000 4005176103070

chrome

32.70

**Relaxa**  
**Shower outlet elbow, 1/2"**  
male thread  
**GROHE StarLight®** chrome finish




28 680 000 4005176116780

chrome

32.70

**Relaxa**  
**Shower outlet elbow, 1/2"**  
male thread  
protected against backflow  
DVGW Reg. No. NW-6506AT2066  
**GROHE StarLight®** chrome finish




27 704 000 4005176907159

chrome

25.00

**Euphoria Cube**  
**Shower outlet elbow, 1/2"**  
male thread  
protected against backflow  
**GROHE StarLight®** chrome finish




28 628 000 4005176041396

chrome

41.96

**Relaxa**  
**Shower outlet elbow, 1/2"**  
with wall shower holder  
**GROHE StarLight®** chrome finish



# GROHE SHOWER ACCESSORIES


Ref.No. EAN code Colour Retail Guide Price (£)

28 679 000 4005176116759

chrome

41.96

**Relaxa**  
**Shower outlet elbow, 1/2"**  
with wall shower holder  
protected against backflow  
DVGW Reg. No. NW-6506AT2066  
**GROHE StarLight®** chrome finish




28 626 000 4005176041358

chrome

40.56

**Relaxa**  
**Shower outlet elbow, 1/2"**  
A also for AG combinations  
L also for LG-combinations  
shower connection 1/2"  
wall connection 1/2"  
**GROHE StarLight®** chrome finish




28 678 000 4005176116711

chrome

40.56

**Relaxa**  
**Shower outlet elbow**  
protected against backflow  
DVGW Reg. No. NW-6506AT2066  
**GROHE StarLight®** chrome finish




28 636 000 4005176078606

chrome

40.56

**Relaxa**  
**Shower outlet elbow, 1/2"**  
for IG-combination  
**GROHE StarLight®** chrome finish




28 405 000 4005176264559

chrome

41.96

**Movario**  
**Shower outlet elbow, 1/2"**  
protected against backflow  
DVGW Reg. No. NW-6506AT2066  
**GROHE StarLight®** chrome finish




# GROHE SHOWER ACCESSORIES

Ref.No. EAN code Colour Retail Guide Price (£)


27 057 000 4005176830457 **chrome** 45.80

**Rainshower®**  
Shower outlet elbow, 1/2"  
male thread  
with round escutcheon  
protected against backflow  
GROHE StarLight® chrome finish




27 076 000 4005176833106 **chrome** 45.80

**Rainshower®**  
Shower outlet elbow  
male thread  
with square escutcheon  
GROHE StarLight® chrome finish  
protected against backflow




27 707 000 4005176908446 **chrome** 99.50

**Allure Brilliant**  
Shower outlet elbow, 1/2"  
male thread  
protected against backflow  
metal  
GROHE StarLight® chrome finish




27 190 000 4005176842221 **chrome** 93.89  
27 190 LS0 4005176842245 **moon white** 123.26  
27 190 KSO 4005176842238 **velvet black** 123.26

**GROHE Ondus**  
Shower outlet elbow  
connection thread 1/2"  
protected against backflow



28 605 000 4005176041105 **chrome** 18.01

**Relaxa**  
Wall hand Shower holder  
GROHE StarLight® chrome finish




# GROHE SHOWER ACCESSORIES

Ref.No. EAN code Colour Retail Guide Price (£)


27 594 000 4005176895920 **chrome** 11.54

**New Tempesta Cosmopolitan 100**  
Wall hand Shower holder  
not adjustable  
GROHE StarLight® chrome finish




27 595 000 4005176895937 **chrome** 17.31

**New Tempesta**  
Wall hand Shower holder  
adjustable  
GROHE StarLight® chrome finish




27 693 000 4005176907043 **chrome** 19.23

**Euphoria Cube**  
Wall hand Shower holder  
GROHE StarLight® chrome finish




28 622 000 4005176041297 **chrome** 25.52

**Relaxa**  
Wall hand Shower holder  
GROHE StarLight® chrome finish



28 623 000 4005176031595 **chrome** 30.42

**Relaxa**  
Wall hand Shower holder  
adjustable  
GROHE StarLight® chrome finish




# GROHE SHOWER ACCESSORIES

Ref.No. EAN code Colour Retail Guide Price (£)


27 056 000 4005176830440 chrome 25.52

**Rainshower®**  
Wall hand Shower holder  
not adjustable  
without escutcheon  
GROHE StarLight® chrome finish




27 074 000 4005176833083 chrome 29.37

**Rainshower®**  
Wall hand Shower holder  
not adjustable  
with round escutcheon  
GROHE StarLight® chrome finish




27 075 000 4005176833090 chrome 29.37

**Rainshower®**  
Wall hand Shower holder  
not adjustable  
GROHE StarLight® chrome finish  
with square escutcheon




27 055 000 4005176830433 chrome 37.24

**Rainshower®**  
Wall hand Shower holder  
adjustable  
GROHE StarLight® chrome finish



28 690 000 4005176256196 chrome 81.99

**Sena**  
Wall hand Shower holder  
metal  
GROHE StarLight® chrome finish




# GROHE SHOWER ACCESSORIES

Ref.No. EAN code Colour Retail Guide Price (£)


27 706 000 4005176908439 chrome 89.50

**Allure Brilliant**  
Wall hand Shower holder  
metal  
GROHE StarLight® chrome finish



27 188 000 4005176842160 chrome 83.40  
27 188 KSO 4005176842177 velvet black 103.23  
27 188 LSO 4005176842184 moon white 103.23

**GROHE Ondus**  
Hand shower holder  
wall mounted  
not adjustable



11 521 9 4005176910067 chrome 24.17

**Shower hose**  
WRAS Approved  
Non EPDM Health Care construction  
1500 mm  
chrome finish  
Min. recommended pressure 0.1 bar




11 522 0 4005176910074 chrome 241.66

**Shower hose**  
WRAS Approved  
Non EPDM Health Care construction  
Pack of 10  
1500 mm  
chrome finish  
Min. recommended pressure 0.1 bar



28 105 000 4005176601217 chrome 29.90

**Relaxa**  
Metal hose  
1500 mm  
1/2" x 1/2"  
GROHE StarLight® chrome finish



28 140 000 4005176601323 chrome 33.39  
Ditto, 2000 mm





# GROHE SHOWER ACCESSORIES

| Ref.No.                                                                                                                                                                             | EAN code      | Colour | Retail Guide Price (£) |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------|------------------------|
| 28 150 000                                                                                                                                                                          | 4005176601439 | chrome | 27.10                  |
| <b>Relaxflex hose</b><br>1250 mm<br>1/2" x 1/2"<br>bendproof<br>GROHE StarLight® chrome finish                                                                                      |               |        |                        |
| 28 151 000                                                                                                                                                                          | 4005176601514 | chrome | 30.24                  |
| <b>ditto</b> , 1500mm hose                                                                                                                                                          |               |        |                        |
| 28 154 000                                                                                                                                                                          | 4005176601552 | chrome | 33.39                  |
| <b>Ditto</b> , 1750 mm                                                                                                                                                              |               |        |                        |
| 28 155 000                                                                                                                                                                          | 4005176601576 | chrome | 36.37                  |
| <b>Ditto</b> , 2000 mm                                                                                                                                                              |               |        |                        |
| 28 161 000                                                                                                                                                                          | 4005176038273 | chrome | 33.39                  |
| <b>Shower hose</b><br>for low pressure<br>1500 mm<br>GROHE StarLight® chrome finish                                                                                                 |               |        |                        |
| 28 362 000                                                                                                                                                                          | 4005176295225 | silver | 27.10                  |
| <b>Shower hose Silverflex</b><br>plastic material with smooth surface<br>flexible, easy cleaning<br>kink proofing<br>Rotation cone for Twistfree function<br>1250 mm<br>1/2" x 1/2" |               |        |                        |
| 28 364 000                                                                                                                                                                          | 4005176295294 | silver | 32.70                  |
| <b>ditto</b> , 1500mm hose                                                                                                                                                          |               |        |                        |
| 28 388 000                                                                                                                                                                          | 4005176295362 | silver | 35.84                  |
| <b>Ditto</b> , 1750 mm                                                                                                                                                              |               |        |                        |
| 27 137 000                                                                                                                                                                          | 4005176836237 | silver | 38.50                  |
| <b>Ditto</b> , 2000 mm                                                                                                                                                              |               |        |                        |
| 28 158 000                                                                                                                                                                          | 4005176601606 | chrome | 43.36                  |
| <b>Relaxa Metal hose</b><br>2000 mm<br>for bath rim, installation under tiled surround and shower sets<br>GROHE StarLight® chrome finish                                            |               |        |                        |
| 28 409 000                                                                                                                                                                          | 4005176264580 | chrome | 33.39                  |
| <b>Rotaflex Shower hose</b><br>Rotation cone for Twistfree function<br>1 500 mm<br>GROHE StarLight® chrome finish                                                                   |               |        |                        |
| 28 410 000                                                                                                                                                                          | 4005176264627 | chrome | 36.54                  |
| <b>Ditto</b> , 1750 mm                                                                                                                                                              |               |        |                        |
| 28 413 000                                                                                                                                                                          | 4005176264665 | chrome | 40.39                  |
| <b>ditto</b> , 2000mm                                                                                                                                                               |               |        |                        |

# GROHE SHOWER ACCESSORIES


| Ref.No.                                                                                                                                                                        | EAN code      | Colour       | Retail Guide Price (£) |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------------|------------------------|
| 28 143 LS0                                                                                                                                                                     | 4005176842269 | moon white   | 81.12                  |
| 28 143 KS0                                                                                                                                                                     | 4005176842252 | velvet black | 103.85                 |
| 28 143 000                                                                                                                                                                     | 4005176601347 | chrome       | 54.19                  |
| <b>Relaxa Metal hose</b><br>1500 mm<br>1/2" x 1/2"<br>Longlife<br>strengthened model<br>tensile strength 750 N<br>pressure resistance 10 bar<br>GROHE StarLight® chrome finish |               |              |                        |
| 28 142 000                                                                                                                                                                     | 4005176601330 | chrome       | 48.42                  |
| <b>ditto</b> , 1250 mm                                                                                                                                                         |               |              |                        |
| 28 145 000                                                                                                                                                                     | 4005176601354 | chrome       | 62.94                  |
| <b>ditto</b> , 2000 mm                                                                                                                                                         |               |              |                        |
| 28 429 000                                                                                                                                                                     | 4005176601910 | chrome       | 36.54                  |
| <b>Relaxa Shower arm 55 mm</b><br>connection thread 1/2"<br>GROHE StarLight® chrome finish                                                                                     |               |              |                        |
| 28 541 000                                                                                                                                                                     | 4005176040528 | chrome       | 104.54                 |
| <b>Relaxa Shower arm 147 mm</b><br>connection thread 1/2"<br>escutcheon<br>GROHE StarLight® chrome finish                                                                      |               |              |                        |
| 28 724 000                                                                                                                                                                     | 4005176812644 | chrome       | 47.73                  |
| <b>Rainshower® Shower arm ceiling 142 mm</b><br>connection thread 1/2"<br>GROHE StarLight® chrome finish                                                                       |               |              |                        |

# GROHE SHOWER ACCESSORIES

Ref.No. EAN code Colour Retail Guide Price (£)


28 497 000 4005176270338 chrome 50.52

**Rainshower®**  
Shower ceiling arm 292 mm  
metal  
connection thread 1/2"  
can be used for all Rainshower® head showers  
**GROHE StarLight®** chrome finish




27 711 000 4005176909115 chrome 76.92

**Rainshower®**  
Shower arm ceiling 154 mm  
metal  
connection thread 1/2"  
**GROHE StarLight®** chrome finish




28 576 000 4005176274022 chrome 65.04

**Rainshower®**  
Shower arm 286 mm  
metal  
connection thread 1/2"  
can be used for all Rainshower head showers except Rainshower Jumbo  
**GROHE StarLight®** chrome finish




27 709 000 4005176909092 chrome 90.38

**Rainshower®**  
Shower arm 286 mm  
metal  
connection thread 1/2"  
**GROHE StarLight®** chrome finish



28 361 000 4005176295157 chrome 100.18

**Rainshower®**  
Shower arm, 380 mm  
connection thread 1/2"  
can be used for all Rainshower head showers except Rainshower Jumbo  
**GROHE StarLight®** chrome finish  
with circle escutcheon




# GROHE SHOWER ACCESSORIES

Ref.No. EAN code Colour Retail Guide Price (£)


28 384 000 4005176267451 chrome 129.55

**Rainshower® Rustic**  
Shower arm 272 mm  
metal  
connection thread 1/2"  
**GROHE StarLight®** chrome finish




28 982 000 4005176829987 chrome 113.29

**Rainshower®**  
Shower arm 378 mm  
metal  
connection thread 1/2"  
**GROHE StarLight®** chrome finish  
can be used for all Rainshower® head showers




27 151 000 4005176837012 chrome 101.05

**Pull-out shower**  
for bath rim installation and under tiled surround  
Lead-through for shower hose  
shower hose 1/2" x 3/8", 2000 mm (28 158 000)  
**The pull-out shower assembly can be combined with all hand showers!**  
**GROHE StarLight®** chrome finish




27 531 000 4005176889486 chrome 219.99

**Pull-out shower**  
for bath rim installation and under tiled surround  
Lead-through for shower hose  
with square escutcheon  
shower hose 1/2" x 3/8", 2000 mm (28 158 000)  
**The pull-out shower assembly can be combined with all hand showers!**  
**GROHE StarLight®** chrome finish



27 304 000 4005176600142 chrome 59.44

**Relaxa**  
Riser pipe 1300 mm  
shower riser Ø 18 mm  
union nut 3/4"  
1300 mm high  
projection 330 mm  
**GROHE StarLight®** chrome finish



# GROHE KITCHEN FITTINGS

|                         |                        |              |                       |              |
|-------------------------|------------------------|--------------|-----------------------|--------------|
| <b>Kitchen Fittings</b> | GROHE Blue®            | <b>44.02</b> | GROHE Red®            | <b>44.13</b> |
|                         | K7 F-Digital           | <b>44.15</b> | K7                    | <b>44.16</b> |
|                         | Veris                  | <b>44.17</b> | Bridgeford            | <b>44.17</b> |
|                         | Atrio                  | <b>44.18</b> | Zedra Touch           | <b>44.19</b> |
|                         | Zedra                  | <b>44.19</b> | K4                    | <b>44.20</b> |
|                         | Alira                  | <b>44.20</b> | Minta Touch           | <b>44.21</b> |
|                         | Minta                  | <b>44.21</b> | Ambi Two Handled      | <b>44.23</b> |
|                         | Essence                | <b>44.24</b> | Eurocube              | <b>44.24</b> |
|                         | Europlus               | <b>44.24</b> | Eurodisc Cosmopolitan | <b>44.25</b> |
|                         | Eurodisc               | <b>44.26</b> | Concetto              | <b>44.26</b> |
|                         | Eurostyle Cosmopolitan | <b>44.27</b> | Eurostyle             | <b>44.28</b> |
|                         | Eurosmart Cosmopolitan | <b>44.28</b> | Eurosmart             | <b>44.29</b> |
|                         | Costa S                | <b>44.29</b> | BauLoop               | <b>44.30</b> |
|                         | BauEdge                | <b>44.30</b> | Soap Dispensers       | <b>44.31</b> |

# GROHE KITCHEN FITTINGS






# GROHE BLUE® CHILLED AND SPARKLING

| Ref.No.    | EAN code      | Colour     | Retail Guide Price (€) |
|------------|---------------|------------|------------------------|
| 31 355 001 | 4005176988073 | chrome     | 2,264.70               |
| 31 355 DC1 | 4005176988080 | supersteel | 2,387.43               |

**GROHE Blue® K7 Chilled and Sparkling Starter kit**  
consisting of:  
**GROHE Blue® K7** single-lever sink mixer with filter function and **SpeedClean** side spray  
two hole installation  
separate handle for 3 types of filtered and chilled table water  
still, medium, sparkling  
headpart 1/2"  
**GROHE SilkMove®** 35 mm ceramic cartridge  
adjustable flow rate limiter  
**GROHE StarLight®** chrome finish  
swivel cast spout  
swivel area 140°  
separate inner water ways for filtered and non-filtered water  
flexible connection hoses  
type of protection IP 55  
CE approved  
adjustable for 600 litre, 1500 litre or 3000 litre filter cartridges  
GROHE Blue Cube  
270 Watt cooling unit, 230 V, 50 Hz  
**GROHE Blue®** 600 l filter  
**GROHE Blue®** filter head with flexible adjustment  
**GROHE Blue®** 425gr CO<sub>2</sub>-carbonization bottle  
**Min. recommended pressure 2.0 bar**




NEW



|            |               |            |          |
|------------|---------------|------------|----------|
| 31 346 001 | 4005176988035 | chrome     | 1,951.07 |
| 31 346 DC1 | 4005176988042 | supersteel | 2,125.89 |


**GROHE Blue® K7 Chilled and Sparkling Starter kit**  
consisting of:  
GROHE Blue K7 single-lever sink mixer with filtration  
monobloc installation  
separate handle for 3 types of filtered and chilled table water  
still, medium, sparkling  
headpart 1/2"  
**GROHE SilkMove®** 35 mm ceramic cartridge  
adjustable flow rate limiter  
**GROHE StarLight®** chrome finish  
swivel cast spout  
swivel area 140°  
separate inner water ways for filtered and non-filtered water  
flexible connection hoses  
type of protection IP 55  
CE approved  
adjustable for 600 litre, 1500 litre or 3000 litre filter cartridges  
GROHE Blue Cube  
270 Watt cooling unit, 230 V, 50 Hz  
**GROHE Blue®** 600 l filter  
**GROHE Blue®** filter head with flexible adjustment  
**GROHE Blue®** 425gr CO<sub>2</sub>-carbonization bottle  
**Min. recommended pressure 2.0 bar**



# GROHE BLUE® CHILLED AND SPARKLING


| Ref.No.    | EAN code      | Colour     | Retail Guide Price (€) |
|------------|---------------|------------|------------------------|
| 31 347 002 | 4005176988059 | chrome     | 1,846.17               |
| 31 347 DC2 | 4005176988066 | supersteel | 2,020.99               |

**GROHE Blue® Minta Chilled and Sparkling Starter kit**  
consisting of:  
GROHE Blue Minta single-lever sink mixer with filtration function  
monobloc installation  
separate handle for 3 types of filtered and chilled table water  
still, medium, sparkling  
headpart 1/2"  
**GROHE SilkMove®** 35 mm ceramic cartridge  
adjustable flow rate limiter  
**GROHE StarLight®** chrome finish  
swivel tubular spout  
swivel area 140°  
separate inner water ways for filtered and non-filtered water  
flexible connection hoses  
type of protection IP 55  
adjustable for 600 litre, 1500 litre or 3000 litre filter cartridges  
GROHE Blue Cube  
270 Watt cooling unit, 230 V, 50 Hz  
**GROHE Blue®** 600 l filter  
**GROHE Blue®** filter head with flexible adjustment  
**GROHE Blue®** 425gr CO<sub>2</sub>-carbonization bottle  
**Min. recommended pressure 2.0 bar**



|            |               |            |          |
|------------|---------------|------------|----------|
| 31 324 001 | 4005176987960 | chrome     | 2,056.73 |
| 31 324 DC1 | 4005176987977 | supersteel | 2,159.57 |

**GROHE Blue® Chilled and Sparkling Starter kit**  
consisting of:  
**GROHE Blue®** single-lever sink mixer with filter function  
monobloc installation  
U spout  
separate handle for 3 types of filtered and chilled table water  
headpart 1/2"  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 180°  
separate inner water ways for filtered and non-filtered water  
flexible connection hoses  
type of protection IP 55  
CE approved  
adjustable for 600 litre, 1500 litre or 3000 litre filter cartridges  
GROHE Blue Cube  
270 Watt cooling unit, 230 V, 50 Hz  
**GROHE Blue®** 600 l filter  
**GROHE Blue®** filter head with flexible adjustment  
**GROHE Blue®** 425gr CO<sub>2</sub>-carbonization bottle  
**DVGW Reg. No. ordered**  
noise classification 1 in accordance with DIN4109  
**Min. recommended pressure 2.0 bar**




44

# GROHE BLUE® CHILLED AND SPARKLING


| Ref.No.    | EAN code      | Colour     | Retail Guide Price (£) |
|------------|---------------|------------|------------------------|
| 31 323 001 | 4005176987946 | chrome     | 2,056.73               |
| 31 323 DC1 | 4005176987953 | supersteel | 2,159.57               |

**GROHE Blue® Chilled and Sparkling Starter kit**  
consisting of:  
**GROHE Blue®** single-lever sink mixer with filter function  
monobloc installation  
C-spout  
separate handle for 3 types of filtered and chilled table water  
headpart 1/2"  
**GROHE SilkMove®** 35 mm ceramic cartridge  
adjustable flow rate limiter  
**GROHE StarLight®** chrome finish  
swivel tubular spout  
swivel area 180°  
separate inner water ways for filtered and non-filtered water  
flexible connection hoses  
type of protection IP 55  
CE approved  
adjustable for 600 litre, 1500 litre or 3000 litre filter cartridges  
**GROHE Blue Cube**  
270 Watt cooling unit, 230 V, 50 Hz  
**GROHE Blue®** 600 l filter  
**GROHE Blue®** filter head with flexible adjustment  
**GROHE Blue®** 425gr CO<sub>2</sub>-carbonization bottle  
**DVGW Reg. No. ordered**  
noise classification 1 in accordance with DIN4109  
**Min. recommended pressure 2.0 bar**



|            |               |            |          |
|------------|---------------|------------|----------|
| 31 302 001 | 4005176988097 | chrome     | 1,677.29 |
| 31 302 DC1 | 4005176988103 | supersteel | 1,845.12 |


**GROHE Blue® Mono Chilled and Sparkling Starter kit**  
consisting of:  
**GROHE Blue® Minta** Mono faucet with filter function  
monobloc installation  
handle for 3 types of filtered and chilled table water  
still, medium, sparkling  
**GROHE StarLight®** chrome finish  
swivel tubular spout  
swivel area 140°  
flexible connection hoses  
type of protection IP 55  
CE approved  
adjustable for 600 litre, 1500 litre or 3000 litre filter cartridges  
**GROHE Blue Cube**  
270 Watt cooling unit, 230 V, 50 Hz  
**GROHE Blue®** 600 l filter  
**GROHE Blue®** filter head with flexible adjustment  
**GROHE Blue®** 425gr CO<sub>2</sub>-carbonization bottle  
**Min. recommended pressure 2.0 bar**



# GROHE BLUE® CHILLED


| Ref.No.    | EAN code      | Colour     | Retail Guide Price (£) |
|------------|---------------|------------|------------------------|
| 31 381 001 | 4005176984488 | chrome     | 1,678.27               |
| 31 381 DC1 | 4005176984495 | supersteel | 1,786.60               |

**GROHE Blue® Minta Chilled Starter kit**  
consisting of:  
**GROHE Blue Minta** single-lever sink mixer with filtration function  
monobloc installation  
separate handle for 3 types of filtered and chilled table water  
unchilled, medium chilled, full chilled  
headpart 1/2"  
**GROHE SilkMove®** 35 mm ceramic cartridge  
adjustable flow rate limiter  
**GROHE StarLight®** chrome finish  
swivel tubular spout  
swivel area 140°  
separate inner water ways for filtered and non-filtered water  
flexible connection hoses  
**GROHE Blue® Pure Cube**  
180 Watt cooling unit, 230 V, 50 Hz  
type of protection IP 21  
6 V DC to filter change display unit  
adjustable for 600 litre, 1500 litre or 3000 litre filter cartridges  
CE approved  
**GROHE Blue®** 600 l filter  
**GROHE Blue®** filter head with flexible adjustment  
**Min. recommended pressure 2.0 bar**




|            |               |            |          |
|------------|---------------|------------|----------|
| 31 382 000 | 4005176984501 | chrome     | 1,688.27 |
| 31 382 DC0 | 4005176984518 | supersteel | 1,798.26 |

**GROHE Blue® Chilled Starter kit**  
consisting of:  
**GROHE Blue®** single-lever sink mixer with filter function  
monobloc installation  
C-spout  
separate handle for 3 types of filtered and chilled table water  
unchilled, medium chilled, full chilled  
headpart 1/2"  
**GROHE SilkMove®** 35 mm ceramic cartridge  
adjustable flow rate limiter  
**GROHE StarLight®** chrome finish  
swivel tubular spout  
swivel area 140°  
separate inner water ways for filtered and non-filtered water  
flexible connection hoses  
**GROHE Blue® Pure Cube**  
180 Watt cooling unit, 230 V, 50 Hz  
type of protection IP 21  
6 V DC to filter change display unit  
adjustable for 600 litre, 1500 litre or 3000 litre filter cartridges  
CE approved  
**GROHE Blue®** 600 l filter  
**GROHE Blue®** filter head with flexible adjustment  
**Min. recommended pressure 2.0 bar**



# GROHE BLUE® CHILLED


NEW



| Ref.No.    | EAN code      | Colour     | Retail Guide Price (£) |
|------------|---------------|------------|------------------------|
| 31 383 000 | 4005176984525 | chrome     | 1,688.27               |
| 31 383 DC0 | 4005176984532 | supersteel | 1,798.26               |

**GROHE Blue® Chilled Starter kit**  
consisting of:  
**GROHE Blue®** single-lever sink mixer with filter function  
monobloc installation  
U spout  
separate handle for 3 types of filtered and chilled table water  
unchilled, medium chilled, full chilled  
headpart 1/2"  
**GROHE SilkMove®** 35 mm ceramic cartridge  
adjustable flow rate limiter  
**GROHE StarLight®** chrome finish  
swivel tubular spout  
swivel area 140°  
separate inner water ways for filtered and non-filtered water  
flexible connection hoses  
**GROHE Blue® Pure Cube**  
180 Watt cooling unit, 230 V, 50 Hz  
type of protection IP 21  
6 V DC to filter change display unit  
adjustable for 600 litre, 1500 litre or 3000 litre filter cartridges  
CE approved  
**GROHE Blue®** 600 l filter  
**GROHE Blue®** filter head with flexible adjustment  
**Min. recommended pressure 2.0 bar**

NEW




|            |               |            |          |
|------------|---------------|------------|----------|
| 31 384 000 | 4005176984549 | chrome     | 1,534.94 |
| 31 384 DC0 | 4005176984556 | supersteel | 1,644.93 |

**GROHE Blue® Mono Chilled Starter kit**  
consisting of:  
**GROHE Blue®** Mono mixer with filter function  
monobloc installation  
separate handle for 3 types of filtered and chilled table water  
unchilled, medium chilled, full chilled  
**GROHE StarLight®** chrome finish  
swivel tubular spout  
swivel area 360°  
flexible connection hoses  
**GROHE Blue® Pure Cube**  
180 Watt cooling unit, 230 V, 50 Hz  
type of protection IP 21  
6 V DC to filter change display unit  
adjustable for 600 litre, 1500 litre or 3000 litre filter cartridges  
CE approved  
**GROHE Blue®** 600 l filter  
**GROHE Blue®** filter head with flexible adjustment  
**Min. recommended pressure 2.0 bar**

# GROHE BLUE® PURE

NEW



| Ref.No.    | EAN code      | Colour     | Retail Guide Price (£) |
|------------|---------------|------------|------------------------|
| 31 354 001 | 4005176987908 | chrome     | 989.52                 |
| 31 354 DC1 | 4005176987915 | supersteel | 1,033.22               |

**GROHE Blue® K7 Pure Starter kit**  
consisting of:  
**GROHE Blue® K7** single-lever sink mixer with filter function and **SpeedClean** side spray  
two hole installation  
separate handle for filtered water  
headpart 1/2"  
**GROHE SilkMove®** 35 mm ceramic cartridge  
adjustable flow rate limiter  
**GROHE StarLight®** chrome finish  
swivel cast spout  
swivel area 140°  
separate inner water ways for filtered and non-filtered water  
flexible connection hoses  
type of protection IP 55  
CE approved  
main switching power supply 100 - 240 V AC  
50/60 Hz with safety extra-low voltage (SELV)  
6 V DC to filter change display unit  
adjustable for 600 litre, 1500 litre or 3000 litre filter cartridges  
**GROHE Blue®** 600 l filter  
**GROHE Blue®** filter head with flexible adjustment  
**Min. recommended pressure 2.0 bar**


|            |               |            |        |
|------------|---------------|------------|--------|
| 31 344 001 | 4005176987861 | chrome     | 676.57 |
| 31 344 DC1 | 4005176987878 | supersteel | 772.74 |

**GROHE Blue® K7 Pure Starter kit**  
consisting of:  
**GROHE Blue K7** single-lever sink mixer with filtration  
monobloc installation  
separate handle for filtered water  
headpart 1/2"  
**GROHE SilkMove®** 35 mm ceramic cartridge  
adjustable flow rate limiter  
**GROHE StarLight®** chrome finish  
swivel cast spout  
swivel area 140°  
separate inner water ways for filtered and non-filtered water  
flexible connection hoses  
type of protection IP 55  
CE approved  
main switching power supply 100 - 240 V AC  
50/60 Hz with safety extra-low voltage (SELV)  
6 V DC to filter change display unit  
adjustable for 600 litre, 1500 litre or 3000 litre filter cartridges  
**GROHE Blue®** 600 l filter  
**GROHE Blue®** filter head with flexible adjustment  
**Min. recommended pressure 2.0 bar**

# GROHE BLUE® PURE

| Ref.No.    | EAN code      | Colour     | Retail Guide Price (£) |
|------------|---------------|------------|------------------------|
| 31 345 002 | 4005176987885 | chrome     | 661.98                 |
| 31 345 DC2 | 4005176987892 | supersteel | 664.34                 |



**GROHE Blue Minta Pure Starter kit**  
 consisting of:  
 GROHE Blue Minta single-lever sink mixer with filtration function  
 monobloc installation  
 separate handle for filtered water  
 headpart 1/2"  
**GROHE SilkMove®** 35 mm ceramic cartridge  
 adjustable flow rate limiter  
**GROHE StarLight®** chrome finish  
 swivel tubular spout  
 swivel area 140°  
 separate inner water ways for filtered  
 and non-filtered water  
 flexible connection hoses  
 type of protection IP 55  
 CE approved  
 main switching power supply 100 - 240 V AC  
 50/60 Hz with safety extra-low voltage (SELV)  
 6 V DC to filter change display unit  
 adjustable for 600 litre, 1500 litre or  
 3000 litre filter cartridges  
**GROHE Blue®** 600 l filter  
**GROHE Blue®** filter head with flexible adjustment  
**Min. recommended pressure 2.0 bar**



# GROHE BLUE® PURE



| Ref.No.    | EAN code      | Colour     | Retail Guide Price (£) |
|------------|---------------|------------|------------------------|
| 31 338 001 | 4005176987823 | chrome     | 571.31                 |
| 31 338 DC1 | 4005176987830 | supersteel | 674.15                 |

**GROHE Blue® Pure Starter kit**  
 consisting of:  
**GROHE Blue®** single-lever sink mixer with filter function  
 monobloc installation  
 U spout  
 separate handle for filtered water  
 headpart 1/2"  
**GROHE SilkMove®** 35 mm ceramic cartridge  
 adjustable flow rate limiter  
**GROHE StarLight®** chrome finish  
 swivel tubular spout  
 swivel area 180°  
 separate inner water ways for filtered  
 and non-filtered water  
 flexible connection hoses  
 type of protection IP 55  
 CE approved  
 main switching power supply 100 - 240 V AC  
 50/60 Hz with safety extra-low voltage (SELV)  
 6 V DC to filter change display unit  
 adjustable for 600 litre, 1500 litre or  
 3000 litre filter cartridges  
**GROHE Blue®** 600 l filter  
**GROHE Blue®** filter head with flexible adjustment  
 noise classification 1 in accordance  
 with DIN4109  
**Min. recommended pressure 2.0 bar**




| Ref.No.    | EAN code      | Colour     | Retail Guide Price (£) |
|------------|---------------|------------|------------------------|
| 31 087 001 | 4005176987809 | chrome     | 571.31                 |
| 31 087 DC1 | 4005176987816 | supersteel | 674.15                 |

**GROHE Blue® Pure Starter kit**  
 consisting of:  
**GROHE Blue®** single-lever sink mixer with filter function  
 monobloc installation  
 C-spout  
 separate handle for filtered water  
 headpart 1/2"  
**GROHE SilkMove®** 35 mm ceramic cartridge  
 adjustable flow rate limiter  
**GROHE StarLight®** chrome finish  
 swivel tubular spout  
 swivel area 180°  
 separate inner water ways for filtered  
 and non-filtered water  
 flexible connection hoses  
 type of protection IP 55  
 CE approved  
 adjustable for 600 litre, 1500 litre or  
 3000 litre filter cartridges  
**GROHE Blue®** 600 l filter  
**GROHE Blue®** filter head with flexible adjustment  
 noise classification 1 in accordance  
 with DIN4109  
**Min. recommended pressure 2.0 bar**



| Ref.No.    | EAN code      | Colour     | Retail Guide Price (£) |
|------------|---------------|------------|------------------------|
| 31 301 001 | 4005176987922 | chrome     | 510.30                 |
| 31 301 DC1 | 4005176987939 | supersteel | 587.95                 |

**GROHE Blue® Mono Pure Starter kit**  
 consisting of:  
**GROHE Blue® Minta Mono** faucet with filter function  
 monobloc installation  
 handle for filtered table water  
**GROHE StarLight®** chrome finish  
 swivel tubular spout  
 swivel area 140°  
 flexible connection hoses  
 type of protection IP 55  
 CE approved  
 main switching power supply 100 - 240 V AC  
 50/60 Hz with safety extra-low voltage (SELV)  
 6 V DC to filter change display unit  
 adjustable for 600 litre, 1500 litre or  
 3000 litre filter cartridges  
**GROHE Blue®** 600 l filter  
**GROHE Blue®** filter head with flexible adjustment  
**Min. recommended pressure 2.0 bar**







Ref.No. EAN code Colour Retail Guide Price (£)




40 405 000 4005176860812  
**GROHE Blue® Glass carafe**  
crystal glass with stainless steel plug  
volume 1l




40 437 000 4005176885471  
**GROHE Blue® Water glasses**  
6 crystal glasses with GROHE Blue® decor  
volume 0.25 l



40 404 001 4005176984068  
**GROHE Blue® Filter**  
BWT replacement filter for GROHE Blue®  
Upto 600 Liters  
4 Stage Filtration




40 430 001 4005176984075  
**GROHE Blue® Filter**  
BWT replacement filter for GROHE Blue®  
Upto 1500 Liters  
4 Stage Filtration




40 412 001 4005176984082  
**GROHE Blue® Filter**  
BWT replacement filter for GROHE Blue®  
Upto 3000 Liters  
4 Stage Filtration

Ref.No. EAN code Colour Retail Guide Price (£)




40 547 001 4005176984099  
**GROHE Blue® Active carbon filter**  
BWT replacement filter for GROHE Blue® systems  
**for regions with very low water hardness**  
Upto 3000 Liters




40 691 001 4005176984129  
**GROHE Blue® Magnesium Filter**  
BWT replacement filter for GROHE Blue®  
for recharge of the water with magnesium  
Upto 600 Liters  
4 Stage Filtration




64 508 001 4005176984112  
**GROHE Blue® Filter Head**  
for use with GROHE Blue® BWT filters



40 434 001 4005176985294  
**GROHE Blue® Cleaning cartridge**  
for 100% biological disinfection of the GROHE Blue® collar and filter head  
including spray head and water test stripes




40 694 000 4005176985300  
**GROHE Blue® Cleaning cartridge adaptor**  
for GROHE Blue® BWT filterhead  
**Only use in combination with 40434001**




| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 40 699 000 | 4005176994081 |        | 173.33                 |

**GROHE Blue®**  
Cleaning cartridge for adapter set  
for old GROHE Blue® filterhead version  
**Only use in combination with 40434001**



| Ref.No.    | EAN code      | Colour     | Retail Guide Price (£) |
|------------|---------------|------------|------------------------|
| 30 058 000 | 4005176880827 | chrome     | 1,407.35               |
| 30 058 DC0 | 4005176893582 | supersteel | 1,547.21               |

**GROHE Red™ Duo**  
**Faucet and single-boiler (4 liters)**  
monobloc installation  
C-spout  
**GROHE ChildLock** handle  
certified safety handle with a pull and turn closure  
headpart 1/2"  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
**GROHE CoolTouch®**  
insulated spout  
swivel area 180°  
separate water ways  
flexible connection hoses  
protected against backflow  
connection for GROHE Red boiler  
**GROHE Red™ single boiler**  
CE approved  
power consumption 2100 W  
power supply 230 V 50 Hz 30 VA  
standby power consumption 15 W  
measurements boiler: 325 x 210 x 300 mm  
**GROHE Blue®** 600 l filter  
**Min. recommended pressure 2.0 bar**




|            |               |            |          |
|------------|---------------|------------|----------|
| 30 060 000 | 4005176880841 | chrome     | 1,318.19 |
| 30 060 DC0 | 4005176893599 | supersteel | 1,451.06 |

**GROHE Red Mono**  
**Pillar tap and single-boiler (4 liters)**  
**GROHE Red Mono pillar tap**  
monobloc installation  
C-spout  
**GROHE ChildLock** handle  
certified safety handle with a pull and turn closure  
headpart 1/2"  
**GROHE StarLight®** chrome finish  
**GROHE CoolTouch®**  
insulated spout  
stop limiter  
flexible connection hoses  
protected against backflow  
connection for GROHE Red boiler  
**GROHE Red™ single boiler**  
CE approved  
power supply 230 V 50 Hz 30 VA  
power consumption 2100 W  
standby power consumption 15 W  
measurements boiler: 325 x 210 x 300 mm  
**GROHE Blue®** 600 l filter  
**Min. recommended pressure 2.0 bar**


| Ref.No.    | EAN code      | Colour     | Retail Guide Price (£) |
|------------|---------------|------------|------------------------|
| 30 153 000 | 4005176904127 | chrome     | 1,407.35               |
| 30 153 DC0 | 4005176904134 | supersteel | 1,547.21               |

**GROHE Red™ Duo**  
**Faucet and single-boiler (4 liters)**  
monobloc installation  
U spout  
**GROHE ChildLock** handle  
certified safety handle with a pull and turn closure  
headpart 1/2"  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
**GROHE CoolTouch®**  
insulated spout  
swivel area 180°  
separate water ways  
flexible connection hoses  
protected against backflow  
connection for GROHE Red boiler  
**GROHE Red™ single boiler**  
CE approved  
power consumption 2100 W  
power supply 230 V 50 Hz 30 VA  
standby power consumption 15 W  
measurements boiler: 325 x 210 x 300 mm  
**GROHE Blue®** 600 l filter  
**Min. recommended pressure 2.0 bar**




|            |               |            |          |
|------------|---------------|------------|----------|
| 30 155 000 | 4005176904165 | chrome     | 1,318.19 |
| 30 155 DC0 | 4005176904172 | supersteel | 1,451.06 |

**GROHE Red Mono**  
**Pillar tap and single-boiler (4 liters)**  
**GROHE Red Mono pillar tap**  
monobloc installation  
U spout  
**GROHE ChildLock** handle  
certified safety handle with a pull and turn closure  
headpart 1/2"  
**GROHE StarLight®** chrome finish  
**GROHE CoolTouch®**  
insulated spout  
stop limiter  
flexible connection hoses  
protected against backflow  
connection for GROHE Red boiler  
**GROHE Red™ single boiler**  
CE approved  
power supply 230 V 50 Hz 30 VA  
power consumption 2100 W  
standby power consumption 15 W  
measurements boiler: 325 x 210 x 300 mm  
**GROHE Blue®** 600 l filter  
**Min. recommended pressure 2.0 bar**




| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 31 247 000 | 4005176895524 | chrome | 714.97                 |

**GROHE K7 F-Digital**  
**Digital sink mixer**  
including digital mixing device  
monobloc installation  
Digital Controller - intuitive multifunctional operating unit  
- Wireless technology  
- Temperature and flow control  
- Pause-function  
- Memory function  
- LED ring  
digital mixing device  
- digitally controlled valve  
- integrated temperature sensor  
default setting configurable during installation  
- automatic safety shut-off after 60 sec.  
**GROHE StarLight®** chrome finish  
swivel cast spout  
swivel area 140°  
**SpeedClean** mousseur  
flexible connection hoses  
incl. plug power supply 65790000  
**requires build-in power supply 36 078 000**  
**min. recommended pressure 1.0 bar**




|            |               |  |       |
|------------|---------------|--|-------|
| 36 078 000 | 4005176856532 |  | 56.81 |
|------------|---------------|--|-------|

**Plug power supply 110-240 V**  
operating voltage 6V  
cable length 400 mm



|            |               |  |        |
|------------|---------------|--|--------|
| 36 356 000 | 4005176911347 |  | 118.88 |
|------------|---------------|--|--------|


**GROHE F-digital**  
**Transceiver**  
optional accessory for digital mixing unit



# GROHE KITCHEN FITTINGS

| Ref.No.    | EAN code      | Colour     | Retail Guide Price (£) |
|------------|---------------|------------|------------------------|
| 32 950 000 | 4005176879838 | chrome     | 678.33                 |
| 32 950 DC0 | 4005176879845 | supersteel | 776.23                 |


**K7 Sink mixer 1/2"**  
 monobloc installation  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 metal lever  
 swivel area 140°  
 flexible connection hoses  
 rapid installation system  
 diverter: mousseur/shower jet  
 professional spray  
 swivel spout  
 automatic return to mousseur  
 adjustable flow rate limiter  
 protected against backflow  
**min. recommended pressure 1.0 bar**



NEW


|            |               |            |        |
|------------|---------------|------------|--------|
| 31 379 000 | 4005176938085 | chrome     | 523.43 |
| 31 379 DC0 | 4005176938092 | supersteel | 680.77 |

**K7 Single-lever sink mixer, 1/2"**  
 monobloc installation  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 adjustable flow rate limiter  
 professional spray  
 spout with SpeedClean mousseur  
 rocker-diverter  
 automatic return to mousseur  
 swivel spout, swivel area 140°  
 flexible connection hoses  
 rapid installation system  
 protected against backflow  
**min. recommended pressure 1.0 bar**




|            |               |            |        |
|------------|---------------|------------|--------|
| 32 175 000 | 4005176860232 | chrome     | 536.72 |
| 32 175 DC0 | 4005176860249 | supersteel | 695.81 |

**K7 Sink mixer 1/2"**  
 monobloc installation  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 metal lever  
 swivel cast spout  
**SpeedClean** mousseur  
 swivel area 140°  
 flexible connection hoses  
 rapid installation system  
**min. recommended pressure 1.0 bar**



|            |               |            |        |
|------------|---------------|------------|--------|
| 32 176 000 | 4005176860256 | chrome     | 589.16 |
| 32 176 DC0 | 4005176860263 | supersteel | 748.25 |


**K7 Sink mixer 1/2"**  
 monobloc installation  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 metal lever  
 swivel area 140°  
 flexible connection hoses  
 rapid installation system  
 extactable pull out handspray integrated  
 protected against backflow  
 diverter: mousseur/shower jet  
**min. recommended pressure 1.0 bar**



# GROHE KITCHEN FITTINGS


| Ref.No.    | EAN code      | Colour     | Retail Guide Price (£) |
|------------|---------------|------------|------------------------|
| 32 179 000 | 4005176860447 | chrome     | 786.72                 |
| 32 179 DC0 | 4005176860454 | supersteel | 1,026.23               |

**K7 Sink mixer 1/2"**  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 metal lever  
 swivel cast spout  
**SpeedClean** mousseur  
 swivel area 140°  
 flexible connection hoses  
 rapid installation system  
 pull-out spray  
**min. recommended pressure 1.0 bar**




|            |               |            |          |
|------------|---------------|------------|----------|
| 32 948 000 | 4005176879791 | chrome     | 980.77   |
| 32 948 DC0 | 4005176879807 | supersteel | 1,376.61 |

**K7 Sink mixer 1/2"**  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 metal lever  
 swivel cast spout  
**SpeedClean** mousseur  
 swivel area 140°  
 flexible connection hoses  
 rapid installation system  
 diverter: mousseur/shower jet  
**min. recommended pressure 1.0 bar**




|            |               |        |        |
|------------|---------------|--------|--------|
| 32 198 000 | 4005176860539 | chrome | 629.38 |
|------------|---------------|--------|--------|

**Veris Sink mixer 1/2"**  
 monobloc installation  
 28 mm ceramic cartridge  
 with **GROHE SilkMove®**  
**GROHE StarLight®** chrome finish  
 swivel cast spout  
**SpeedClean** mousseur  
 swivel area 140°  
 flexible connection hoses  
 rapid installation system  
**min. recommended pressure 1.0 bar**




|            |               |        |        |
|------------|---------------|--------|--------|
| 30 188 000 | 4005176914096 | chrome | 275.35 |
|------------|---------------|--------|--------|

**Bridgeford Two handle sink mixer 1/2"**  
 monobloc installation  
 projection 177 mm  
 ceramic headpart  
 with lever handles  
**GROHE StarLight®** chrome finish  
 swivel tubular spout  
 selectable swivel area : 0° / 150° / 360°  
 mousseur  
 flexible connection hoses  
 rapid installation system  
**min. recommended pressure 0.4 bar**



|            |               |        |        |
|------------|---------------|--------|--------|
| 30 187 000 | 4005176914089 | chrome | 414.33 |
|------------|---------------|--------|--------|



**Bridgeford Two handle sink mixer 1/2"**  
 two hole installation  
 projection 235 mm  
 ceramic headpart  
 with lever handles  
**GROHE StarLight®** chrome finish  
 swivel tubular spout  
 mousseur  
**min. recommended pressure 0.4 bar**







# GROHE KITCHEN FITTINGS



Ref.No. EAN code Colour Retail Guide Price (£)





**30 192 000 4005176918308 chrome 396.86**  
**Atrio**  
**Sink mixer 1/2"**  
 monobloc installation  
 ceramic headparts 1/2", 90°  
 with Jota handle  
**GROHE StarLight®** chrome finish  
 swivel tubular spout  
 selectable swivel area : 180° / 360°  
 mousseur  
 flexible connection hoses  
 rapid installation system  
**min. recommended pressure 1.0 bar**



**31 000 000 4005176237379 chrome 396.86**  
**Atrio**  
**Sink mixer 1/2"**  
 swivel tubular spout  
 ceramic headparts 1/2" - 90°  
 flexible connection hoses  
 rapid installation system  
 with Ypsilon handle  
**GROHE StarLight®** chrome finish  
 swivel area 180°  
 selectable swivel area : 180° / 360°  
**min recommended pressure 1.0 bar**





**32 003 001 4005176849565 chrome 368.88**  
**Atrio**  
**Single-lever sink mixer 1/2"**  
 monobloc installation  
 28 mm ceramic cartridge  
 with **GROHE SilkMove®**  
**GROHE StarLight®** chrome finish  
 swivel tubular C-spout with mousseur  
 selectable swivel area : 180° / 360°  
 flexible connection hoses  
 rapid installation system  
**min. recommended pressure 1.0 bar**





**32 136 001 4005176857584 chrome 368.88**  
**Atrio**  
**Single-lever sink mixer 1/2"**  
 monobloc installation  
 28 mm ceramic cartridge  
 with **GROHE SilkMove®**  
**GROHE StarLight®** chrome finish  
 swivel tubular 7° spout with mousseur  
 selectable swivel area : 180° / 360°  
 flexible connection hoses  
 rapid installation system  
**min. recommended pressure 1.0 bar**

# GROHE KITCHEN FITTINGS

Ref.No. EAN code Colour Retail Guide Price (£)





**30 219 000 4005176983313 chrome 549.98**  
**30 219 DC0 4005176983320 chrome supersteel 666.64**  
**Zedra Touch**  
**Electronic single-lever sink mixer 1/2"**  
 monobloc installation  
**Touch: activation of cold water via skin contact**  
**battery supply 6 V lithium-battery,**  
 type CR-P2  
 CE approved  
 indication of battery status through different pulses of water  
 safety shut down circuit (when battery nearly empty)  
 solenoid valve  
 automatically safety stop after 60 sec.  
 (factory set)  
 type of protection IP 44  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
**GROHE SuperSteel** Infinity Finish™  
**SpeedClean** anti-limescale system  
 swivel tubular spout  
 swivel area 360°  
 adjustable flow rate limiter  
**pull-out locking dual spray control - switches back and forth between regular flow and spray**  
 automatic return  
 integrated non-return valve  
 diverter: mousseur/shower jet  
 automatic return to mousseur  
 flexible connection hoses  
 rapid installation system  
 protected against backflow  
**min. recommended pressure 1.0 bar**



**32 294 SD1 4005176932397 stainless steel 511.65**  
**32 294 001 4005176932380 chrome 411.65**

**Zedra**  
**Sink mixer 1/2"**  
 monobloc installation  
 swivel tubular spout  
 swivel area 360°  
 adjustable flow rate limiter  
**pull-out dual spray control - switches back and forth between regular flow and spray**  
 automatic return  
 integrated non-return valve  
 locking diverter: mousseur/**SpeedClean** shower jet  
 automatic return to mousseur  
 flexible connection hoses  
 rapid installation system  
 protected against backflow  
**SpeedClean** anti-limescale system  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
**GROHE RealSteel®** product material  
 (stainless steel body)  
 projection 211 mm  
**min. recommended pressure 1.0 bar**




**32 553 000 4005176864506 chrome 431.82**  
**32 553 SD0 4005176864520 stainless steel 536.72**

**Zedra**  
**Sink mixer 1/2"**  
 monobloc installation, swivel tubular spout  
 adjustable flow rate limiter, pull-out spray  
 automatic return, integrated non-return valve  
 diverter: mousseur/shower jet  
 automatic return to mousseur  
 flexible connection hoses  
 rapid installation system  
 protected against backflow  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**


# GROHE KITCHEN FITTINGS

Ref.No. EAN code Colour Retail Guide Price (£)




32 296 000 4005176864599 chrome 379.37  
32 296 SD0 4005176864612 stainless steel 484.27

**Zedra**  
**Sink mixer 1/2"**  
monobloc installation, swivel tubular spout  
adjustable flow rate limiter  
extractable trigger spray Dual integrated  
automatic return, integrated non-return valve  
diverter: mousseur/shower jet  
automatic return to mousseur  
flexible connection hoses  
rapid installation system  
protected against backflow  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**




33 782 000 4005176819827 chrome 431.82  
33 782 SD0 4005176819803 stainless steel 568.19

**K4**  
**Sink mixer 1/2"**  
monobloc installation  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
adjustable flow rate limiter  
swivel tubular spout  
extractable pull out handspray integrated  
integrated non-return valve  
diverter: mousseur/shower jet  
**SpeedClean** anti-limescale system  
flexible connection hoses  
protected against backflow  
**min. recommended pressure 1.0 bar**




33 786 000 4005176819865 chrome 379.37  
33 786 SD0 4005176819858 stainless steel 506.99

**K4**  
**Sink mixer 1/2"**  
monobloc installation  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
adjustable flow rate limiter  
swivel tubular spout  
extractable mousseur spout integrated  
integrated non-return valve  
flexible connection hoses  
rapid installation system  
protected against backflow  
**min. recommended pressure 1.0 bar**



32 997 SD0 4005176239106 stainless steel 431.82

**Alira**  
**Sink mixer 1/2"**  
monobloc installation  
solid stainless steel body/lever  
**GROHE SilkMove®** 46 mm ceramic cartridge  
adjustable flow rate limiter  
swivel spout  
with stop restriction  
mousseur  
rapid installation system  
flexible connection hoses  
**min. recommended pressure 1.0 bar**




32 998 SD0 4005176239113 stainless steel 484.27

**Alira**  
**Sink mixer 1/2"**  
monobloc installation  
solid stainless steel body/lever  
**GROHE SilkMove®** 46 mm ceramic cartridge  
adjustable flow rate limiter  
swivel spout, with stop restriction  
extractable handspray  
integrated non-return valve  
automatic return from mousseur to shower spray  
**SpeedClean** anti-limescale system  
flexible connection hoses  
rapid installation system  
protected against backflow  
**min. recommended pressure 1.0 bar**


# GROHE KITCHEN FITTINGS

Ref.No. EAN code Colour Retail Guide Price (£)




31 358 000 4005176929830 chrome 408.21  
31 358 DC0 4005176929847 supersteel 530.49

**Minta Touch**  
**Electronic single-lever sink mixer 1/2"**  
monobloc installation  
**Touch: activation of cold water via skin contact**  
**battery supply** 6 V lithium-battery,  
type CR-P2  
CE approved  
indication of battery status through different pulses of water  
safety shutdown circuit  
solenoid valve  
automatically safety stop after 60 sec.  
(factory set)  
type of protection IP 44  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
C-spout  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
with extractable dual spray  
automatic return  
integrated non-return valve  
diverter: mousseur/shower jet  
automatic return to mousseur  
flexible connection hoses  
rapid installation system  
protected against backflow  
**min. recommended pressure 1.0 bar**



31 360 000 4005176931642 chrome 397.42  
31 360 DC0 4005176931659 supersteel 516.10

**Minta Touch**  
**Electronic single-lever sink mixer 1/2"**  
monobloc installation  
**Touch: activation of cold water via skin contact**  
**battery supply** 6 V lithium-battery,  
type CR-P2  
CE approved  
indication of battery status through different pulses of water  
safety shutdown circuit  
solenoid valve  
automatically safety stop after 60 sec.  
(factory set)  
type of protection IP 44  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
L-spout  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
pull out mousseur spout  
automatic return  
integrated non-return valve  
flexible connection hoses  
rapid installation system  
protected against backflow  
**min. recommended pressure 1.0 bar**




32 321 000 4005176830228 chrome 310.32  
32 321 DC0 4005176830235 supersteel 368.32

**Minta**  
**Sink mixer 1/2"**  
monobloc installation  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
adjustable flow rate limiter  
swivel tubular spout  
integrated non-return valve  
flexible connection hoses  
rapid installation system  
protected against backflow  
extractable trigger spray Dual integrated  
**min. recommended pressure 1.0 bar**

# GROHE KITCHEN FITTINGS


| Ref.No.    | EAN code      | Colour     | Retail Guide Price (£) |
|------------|---------------|------------|------------------------|
| 32 918 000 | 4005176230967 | chrome     | 273.60                 |
| 32 918 DC0 | 4005176804953 | supersteel | 341.79                 |

**Minta**  
Sink mixer 1/2"  
pull out mousseur spout  
monobloc installation  
GROHE SilkMove® 46 mm ceramic cartridge  
GROHE StarLight® chrome finish  
adjustable flow rate limiter  
swivel tubular spout  
extractable mousseur spout integrated  
integrated non-return valve  
flexible connection hoses  
rapid installation system  
optional temperature limiter ref. no. 46 308 000  
protected against backflow  
automatic return to mousseur  
**min. recommended pressure 1.0 bar**




|            |               |            |        |
|------------|---------------|------------|--------|
| 32 917 000 | 4005176230950 | chrome     | 243.01 |
| 32 917 DC0 | 4005176804946 | supersteel | 303.33 |

**Minta**  
Sink mixer 1/2"  
monobloc installation  
GROHE SilkMove® 46 mm ceramic cartridge  
GROHE StarLight® chrome finish  
adjustable flow rate limiter  
swivel tubular spout  
mousseur  
flexible connection hoses  
rapid installation system  
optional temperature limiter ref. no. 46 308 000  
**min. recommended pressure 1.0 bar**




|            |               |            |        |
|------------|---------------|------------|--------|
| 32 322 000 | 4005176830242 | chrome     | 310.32 |
| 32 322 DC0 | 4005176830259 | supersteel | 386.37 |

**Minta**  
Sink mixer 1/2"  
monobloc installation  
GROHE SilkMove® 46 mm ceramic cartridge  
GROHE StarLight® chrome finish  
adjustable flow rate limiter  
swivel tubular spout, automatic return  
integrated non-return valve  
flexible connection hoses  
rapid installation system  
protected against backflow  
diverter: mousseur/shower jet  
extractable trigger spray Dual integrated  
**min. recommended pressure 1.0 bar**



|            |               |            |        |
|------------|---------------|------------|--------|
| 32 067 000 | 4005176811142 | chrome     | 273.60 |
| 32 067 DC0 | 4005176811166 | supersteel | 273.60 |


**Minta**  
Sink mixer 1/2"  
U spout  
monobloc installation  
GROHE SilkMove® 46 mm ceramic cartridge  
GROHE StarLight® chrome finish  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
pull out mousseur spout  
integrated non-return valve  
flexible connection hoses  
rapid installation system  
protected against backflow  
**min. recommended pressure 1.0 bar**



# GROHE KITCHEN FITTINGS


| Ref.No.    | EAN code      | Colour     | Retail Guide Price (£) |
|------------|---------------|------------|------------------------|
| 32 488 000 | 4005176289552 | chrome     | 243.01                 |
| 32 488 DC0 | 4005176804939 | supersteel | 303.33                 |

**Minta**  
Sink mixer 1/2"  
monobloc installation  
GROHE SilkMove® 46 mm ceramic cartridge  
GROHE StarLight® chrome finish  
adjustable flow rate limiter  
U spout, swivelling  
mousseur  
flexible connection hoses  
rapid installation system  
optional temperature limiter ref. no. 46 308 000  
**min. recommended pressure 1.0 bar**




|            |               |            |        |
|------------|---------------|------------|--------|
| 32 168 000 | 4005176824425 | chrome     | 291.09 |
| 32 168 DC0 | 4005176824432 | supersteel | 365.39 |

**Minta**  
Sink mixer 1/2"  
monobloc installation  
GROHE SilkMove® 46 mm ceramic cartridge  
GROHE StarLight® chrome finish  
adjustable flow rate limiter  
swivel tubular spout  
pull out mousseur spout  
integrated non-return valve  
flexible connection hoses  
rapid installation system  
protected against backflow  
automatic return  
**min. recommended pressure 1.0 bar**




|            |               |            |        |
|------------|---------------|------------|--------|
| 31 375 000 | 4005176934155 | chrome     | 218.54 |
| 31 375 DC0 | 4005176934162 | supersteel | 278.85 |

**Minta**  
Single-lever sink mixer, 1/2"  
L-spout  
monobloc installation  
GROHE SilkMove® 46 mm ceramic cartridge  
GROHE StarLight® chrome finish  
adjustable flow rate limiter  
swivel tubular spout  
swivel range 0°/150°/360°  
flexible connection hoses  
rapid installation system  
**min. recommended pressure 1.0 bar**




|            |               |        |        |
|------------|---------------|--------|--------|
| 30 190 000 | 4005176914119 | chrome | 220.28 |
|------------|---------------|--------|--------|

**Ambi Cosmopolitan**  
Two handle sink mixer 1/2"  
monobloc installation  
ceramic headpart  
with lever handles  
GROHE StarLight® chrome finish  
swivel tubular spout  
selectable swivel area : 0° / 150° / 360°  
mousseur  
flexible connection hoses  
rapid installation system  
no backsplash, lever opens to the front  
**min. recommended pressure 0.4 bar**



|            |               |        |        |
|------------|---------------|--------|--------|
| 30 189 000 | 4005176914102 | chrome | 206.30 |
|------------|---------------|--------|--------|

**Ambi Contemporary**  
Two handle sink mixer 1/2"  
monobloc installation  
ceramic headparts 1/2", 90°  
with lever handles  
GROHE StarLight® chrome finish  
swivel tubular spout  
selectable swivel area : 0° / 150° / 360°  
mousseur  
flexible connection hoses  
rapid installation system  
no backsplash, lever opens to the front  
**min. recommended pressure 0.4 bar**






# GROHE KITCHEN FITTINGS

Ref.No. EAN code Colour Retail Guide Price (£)


32 171 000 4005176824975 chrome 344.41  
32 171 DC0 4005176824982 supersteel 454.98

**Essence**  
**Sink mixer 1/2"**  
monobloc installation  
GROHE SilkMove® 35 mm ceramic cartridge  
GROHE StarLight® chrome finish  
adjustable flow rate limiter  
swivel tubular spout  
pull out mousseur spout  
integrated non-return valve  
flexible connection hoses  
rapid installation system  
protected against backflow  
**min. recommended pressure 1.0 bar**



32 105 000 4005176820380 chrome 316.43  
32 105 DC0 4005176820403 supersteel 401.65


**Essence**  
**Sink mixer 1/2"**  
monobloc installation  
GROHE SilkMove® 35 mm ceramic cartridge  
GROHE StarLight® chrome finish  
adjustable flow rate limiter  
swivel tubular spout  
mousseur  
flexible connection hoses  
rapid installation system  
**min. recommended pressure 1.0 bar**



32 105 00E 4005176866630 chrome 301.65  
Ditto, with GROHE Ecojoy 5.7 l/min flow limiter


31 255 000 4005176901416 chrome 241.26

**Eurocube**  
**Sink mixer 1/2"**  
high spout  
monobloc installation  
28 mm ceramic cartridge  
with GROHE SilkMove®  
GROHE StarLight® chrome finish  
swivel cast spout  
swivel area 360°  
mousseur  
flexible connection hoses  
rapid installation system  
**min. recommended pressure 1.0 bar**




33 933 002 4005176865572 chrome 294.58

**Europlus**  
**Sink mixer 1/2"**  
monobloc installation  
GROHE SilkMove® 35 mm ceramic cartridge  
GROHE StarLight® chrome finish  
adjustable flow rate limiter  
swivel area 100°  
flexible connection hoses  
rapid installation system  
diverter: mousseur/shower jet  
automatic return to mousseur  
extractable handspray  
protected against backflow  
**min. recommended pressure 1.0 bar**



33 930 002 4005176865558 chrome 251.75

**Europlus**  
**Sink mixer 1/2"**  
monobloc installation  
GROHE SilkMove® 35 mm ceramic cartridge  
GROHE StarLight® chrome finish  
adjustable flow rate limiter  
swivel cast spout  
SpeedClean mousseur  
swivel area 140°  
flexible connection hoses  
rapid installation system  
**min. recommended pressure 1.0 bar**




# GROHE KITCHEN FITTINGS

Ref.No. EAN code Colour Retail Guide Price (£)


32 942 002 4005176879067 chrome 273.60

**Europlus**  
**Sink mixer 1/2"**  
low spout, monobloc installation  
GROHE SilkMove® 35 mm ceramic cartridge  
GROHE StarLight® chrome finish  
metal lever, adjustable flow rate limiter  
pull-out spray  
diverter: mousseur/shower jet  
automatic return to mousseur  
SpeedClean anti-limescale system  
swivel area 120°  
flexible connection hoses  
rapid installation system  
protected against backflow  
**min. recommended pressure 1.0 bar**




32 941 002 4005176879050 chrome 230.77

**Europlus**  
**Sink mixer 1/2"**  
low spout  
monobloc installation  
GROHE SilkMove® 35 mm ceramic cartridge  
GROHE StarLight® chrome finish  
metal lever  
adjustable flow rate limiter  
swivel cast spout  
SpeedClean mousseur  
swivel area 140°  
flexible connection hoses  
rapid installation system  
**min. recommended pressure 1.0 bar**




31 122 002 4005176888199 chrome 280.82

**Eurodisc Cosmopolitan**  
**Sink mixer 1/2"**  
high spout  
monobloc installation  
GROHE SilkMove® 35 mm ceramic cartridge  
GROHE StarLight® chrome finish  
adjustable flow rate limiter  
swivel tubular spout  
swivel area 360°  
pull out mousseur spout  
flexible connection hoses  
rapid installation system  
protected against backflow  
**min. recommended pressure 1.0 bar**




32 259 002 4005176888182 chrome 194.05

**Eurodisc Cosmopolitan**  
**Sink mixer 1/2"**  
high spout  
monobloc installation  
GROHE SilkMove® 35 mm ceramic cartridge  
GROHE StarLight® chrome finish  
adjustable flow rate limiter  
swivel tubular spout  
selectable swivel area : 0° / 150° / 360°  
mousseur  
flexible connection hoses  
rapid installation system  
**min. recommended pressure 1.0 bar**



32 257 002 4005176886591 chrome 255.24


**Eurodisc Cosmopolitan**  
**Sink mixer 1/2"**  
low spout, monobloc installation  
GROHE SilkMove® 35 mm ceramic cartridge  
GROHE StarLight® chrome finish  
adjustable flow rate limiter  
swivel cast spout, swivel area 100°  
pull-out SpeedClean spray  
diverter: mousseur/shower jet  
automatic return to mousseur  
flexible connection hoses  
rapid installation system  
protected against backflow  
**min. recommended pressure 1.0 bar**






# GROHE KITCHEN FITTINGS


Ref.No. EAN code Colour Retail Guide Price (£)




**33 770 002 4005176888137 chrome 220.28**  
**Eurodisc Cosmopolitan Sink mixer 1/2"**  
 low spout  
 monobloc installation  
 GROHE SilkMove® 35 mm ceramic cartridge  
 GROHE StarLight® chrome finish  
 adjustable flow rate limiter  
 swivel cast spout  
 swivel area 140°  
 mousseur  
 flexible connection hoses  
 rapid installation system  
**min. recommended pressure 1.0 bar**




**32 257 001 4005176834165 chrome 255.24**  
**Eurodisc Sink mixer 1/2"**  
 monobloc installation  
 GROHE SilkMove® 46 mm ceramic cartridge  
 GROHE StarLight® chrome finish  
 adjustable flow rate limiter  
 swivel cast spout with stop limiter  
 extractable handspray  
 automatic diverter  
 mousseur/handshower  
 flexible connection hoses  
 rapid installation system  
 protected against backflow  
**min. recommended pressure 1.0 bar**



**33 770 001 4005176828959 chrome 178.32**  
**Eurodisc Sink mixer 1/2"**  
 monobloc installation  
 GROHE SilkMove® 46 mm ceramic cartridge  
 GROHE StarLight® chrome finish  
 adjustable flow rate limiter  
 swivel tubular spout  
 mousseur  
 with stop restriction  
 flexible connection hoses  
 rapid installation system  
**min. recommended pressure 1.0 bar**




**32 663 001 4005176886768 chrome 220.28**  
**32 663 DC1 4005176890994 chrome supersteel 273.60**  
**Conchetto Sink mixer 1/2"**  
 monobloc installation  
 GROHE SilkMove® 35 mm ceramic cartridge  
 GROHE StarLight® chrome finish  
 adjustable flow rate limiter  
 swivel tubular spout  
 swivel area 360°  
 pull out mousseur spout  
 flexible connection hoses  
 rapid installation system  
 automatic return to mousseur  
 protected against backflow  
**min. recommended pressure 1.0 bar**




**32 661 001 4005176886751 chrome 188.81**  
**32 661 DC1 4005176890987 chrome supersteel 241.26**  
**Conchetto Sink mixer 1/2"**  
 high spout  
 monobloc installation  
 GROHE SilkMove® 35 mm ceramic cartridge  
 GROHE StarLight® chrome finish  
 adjustable flow rate limiter  
 swivel tubular spout  
 selectable swivel area : 0° / 150° / 360°  
 mousseur  
 flexible connection hoses  
 rapid installation system  
**min. recommended pressure 1.0 bar**

# GROHE KITCHEN FITTINGS


Ref.No. EAN code Colour Retail Guide Price (£)




**31 129 001 4005176886744 chrome 241.26**  
**31 129 DC1 4005176891021 chrome supersteel 294.58**  
**Conchetto Sink mixer 1/2"**  
 medium spout  
 monobloc installation  
 GROHE SilkMove® 35 mm ceramic cartridge  
 GROHE StarLight® chrome finish  
 adjustable flow rate limiter  
 swivel cast spout  
 swivel area 100°  
 pull out mousseur spout  
 flexible connection hoses  
 rapid installation system  
 protected against backflow  
**min. recommended pressure 1.0 bar**




**31 128 001 4005176886737 chrome 209.79**  
**31 128 DC1 4005176891007 chrome supersteel 263.11**  
**Conchetto Sink mixer 1/2"**  
 medium spout  
 monobloc installation  
 GROHE SilkMove® 35 mm ceramic cartridge  
 GROHE StarLight® chrome finish  
 adjustable flow rate limiter  
 swivel cast spout  
 swivel area 140°  
 mousseur  
 flexible connection hoses  
 rapid installation system  
**min. recommended pressure 1.0 bar**



**32 659 001 4005176886713 chrome 167.83**  
**32 659 DC1 4005176890772 chrome supersteel 220.28**  
**Conchetto Sink mixer 1/2"**  
 low spout  
 monobloc installation  
 GROHE SilkMove® 35 mm ceramic cartridge  
 GROHE StarLight® chrome finish  
 adjustable flow rate limiter  
 swivel cast spout  
 swivel area 140°  
 mousseur  
 flexible connection hoses  
 rapid installation system  
**min. recommended pressure 1.0 bar**




**31 126 002 4005176886645 chrome 199.30**  
**Eurostyle Cosmopolitan Sink mixer 1/2"**  
 high spout  
 monobloc installation  
 GROHE SilkMove® 35 mm ceramic cartridge  
 GROHE StarLight® chrome finish  
 adjustable flow rate limiter  
 swivel tubular spout  
 selectable swivel area : 0° / 150° / 360°  
 pull out mousseur spout  
 flexible connection hoses  
 protected against backflow  
 rapid installation system  
**min. recommended pressure 1.0 bar**




**33 975 002 4005176886638 chrome 167.83**  
**Eurostyle Cosmopolitan Sink mixer 1/2"**  
 high spout  
 monobloc installation  
 GROHE SilkMove® 35 mm ceramic cartridge  
 GROHE StarLight® chrome finish  
 adjustable flow rate limiter  
 swivel tubular spout  
 selectable swivel area : 0° / 150° / 360°  
 mousseur  
 flexible connection hoses  
 rapid installation system  
**min. recommended pressure 1.0 bar**

# GROHE KITCHEN FITTINGS


Ref.No. EAN code Colour Retail Guide Price (£)




**31 124 002 4005176886614 chrome 188.81**  
**Eurostyle Cosmopolitan**  
**Sink mixer 1/2"**  
 medium spout  
 monobloc installation  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 adjustable flow rate limiter  
 swivel tubular spout  
 swivel area 140°  
 mousseur  
 flexible connection hoses  
 rapid installation system  
**min. recommended pressure 1.0 bar**




**33 977 002 4005176886560 chrome 146.68**  
**Eurostyle Cosmopolitan**  
**Sink mixer 1/2"**  
 low spout  
 monobloc installation  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 adjustable flow rate limiter  
 swivel tubular spout  
 swivel area 140°  
 mousseur  
 flexible connection hoses  
 rapid installation system  
**min. recommended pressure 1.0 bar**



**33 975 001 4005176828515 chrome 196.68**  
**Eurostyle**  
**Sink mixer 1/2"**  
 monobloc installation  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 adjustable flow rate limiter  
 swivel tubular spout  
 mousseur  
 flexible connection hoses  
 rapid installation system  
**min. recommended pressure 1.0 bar**




**33 977 001 4005176828522 chrome 176.58**  
**Eurostyle**  
**Sink mixer 1/2"**  
 monobloc installation  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 adjustable flow rate limiter  
 swivel tubular spout  
 mousseur  
 flexible connection hoses  
 rapid installation system  
**min. recommended pressure 1.0 bar**




**32 843 000 4005176874840 chrome 146.68**  
**Eurosmart Cosmopolitan**  
**Sink mixer 1/2"**  
 high spout  
 monobloc installation  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 adjustable flow rate limiter  
 swivel tubular spout  
 selectable swivel area : 0° / 150° / 360°  
 mousseur  
 flexible connection hoses  
 rapid installation system  
**min. recommended pressure 1.0 bar**

# GROHE KITCHEN FITTINGS


Ref.No. EAN code Colour Retail Guide Price (£)




**30 193 000 4005176919459 chrome 167.83**  
**Eurosmart Cosmopolitan**  
**Sink mixer 1/2"**  
 medium spout  
 monobloc installation  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 adjustable flow rate limiter  
 swivel tubular spout  
 swivel area 140°  
 mousseur  
 flexible connection hoses  
 rapid installation system  
**min. recommended pressure 1.0 bar**




**32 842 000 4005176874833 chrome 125.52**  
**Eurosmart Cosmopolitan**  
**Sink mixer 1/2"**  
 low spout  
 monobloc installation  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 adjustable flow rate limiter  
 swivel tubular spout  
 swivel area 140°  
 mousseur  
 flexible connection hoses  
 rapid installation system  
**min. recommended pressure 1.0 bar**



**33 202 001 4005176828690 chrome 175.70**  
**Eurosmart**  
**Sink mixer 1/2"**  
 monobloc installation  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 adjustable flow rate limiter  
 swivel tubular spout  
 mousseur  
 flexible connection hoses  
 rapid installation system  
**min. recommended pressure 1.0 bar**




**33 281 001 4005176828676 chrome 175.70**  
**Eurosmart**  
**Sink mixer 1/2"**  
 monobloc installation  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 adjustable flow rate limiter  
 swivel tubular spout  
 swivel area 140°  
 mousseur  
 flexible connection hoses  
 rapid installation system  
**min. recommended pressure 1.0 bar**



**31 819 001 4005176843471 chrome 104.38**  
**Costa S**  
**Sink mixer 1/2"**  
 metal handles  
 heat-insulated  
 screwable  
 Carbodur® headpart  
**GROHE StarLight®** chrome finish  
 swivel tubular spout  
 mousseur  
 flexible connection hoses  
**min. recommended pressure 1.0 bar**

# GROHE KITCHEN FITTINGS


NEW



| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 31 368 000 | 4005176934483 | chrome | 115.00                 |

**BauLoop**  
Single-lever sink mixer, 1/2"  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with GROHE SilkMove®  
GROHE StarLight® chrome finish  
swivel tubular spout  
mousseur  
flexible connection hoses  
rapid installation system  
**min. recommended pressure 1.0 bar**

NEW



| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 31 367 000 | 4005176934346 | chrome | 115.00                 |


**BauEdge**  
Single-lever sink mixer, 1/2"  
monobloc installation  
metal lever  
28 mm ceramic cartridge  
with GROHE SilkMove®  
GROHE StarLight® chrome finish  
swivel tubular spout  
mousseur  
flexible connection hoses  
rapid installation system  
**min. recommended pressure 1.0 bar**

# GROHE SOAP DISPENSERS FOR KITCHEN

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|


|            |               |            |       |
|------------|---------------|------------|-------|
| 40 535 000 | 4005176905490 | chrome     | 43.01 |
| 40 535 DC0 | 4005176905520 | supersteel | 62.06 |

**Cosmopolitan Soap Dispenser**  
for liquid soaps,  
storage bin 0.4 l  
GROHE StarLight® chrome finish




|            |               |            |       |
|------------|---------------|------------|-------|
| 40 536 000 | 4005176905506 | chrome     | 43.01 |
| 40 536 DC0 | 4005176905537 | supersteel | 51.66 |

**Contemporary Soap Dispenser**  
for liquid soaps,  
storage bin 0.4 l  
GROHE StarLight® chrome finish




|            |               |        |       |
|------------|---------------|--------|-------|
| 40 537 000 | 4005176905513 | chrome | 43.01 |
|------------|---------------|--------|-------|

**Authentic Soap Dispenser**  
for liquid soaps,  
storage bin 0.4 l



|            |               |            |       |
|------------|---------------|------------|-------|
| 40 553 000 | 4005176911422 | chrome     | 61.19 |
| 40 553 DC0 | 4005176911439 | supersteel | 73.43 |

**Zedra Soap Dispenser**  
for liquid soaps,  
storage bin 0.4 l  
GROHE StarLight® chrome finish



# GROHE ALLURE E



45



GROHE  
EcoJoy™



GROHE  
StarLight®






# GROHE ALLURE E


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 36 096 000 | 4005176870194 | chrome | 846.15                 |

**Allure E**  
**Infra-red electronic basin tap 1/2"**  
**with plug transformer 230 V, 50 Hz,**  
**3,2 VA**  
**main supply**  
 monobloc installation  
**GROHE StarLight®** chrome finish  
 CE approved  
 solenoid valve  
 6.0 l/min flow rate  
 integrated mousseur  
 type of protection IP 59K  
 flexible connection hoses  
 dirt strainer  
 rapid installation system  
 thermal disinfection for 3,5 or 11 min  
 automatic flushing after 1 or 3 days  
 without use  
 automatically safety stop after 60 sec.  
 (factory set)  
**GROHE EcoJoy®** technology for  
 less water and perfect flow  
 functions to activate with remote  
 control 36 206:  
**min. recommended pressure 1.0 bar**



|            |               |        |        |
|------------|---------------|--------|--------|
| 36 095 000 | 4005176870187 | chrome | 886.37 |
|------------|---------------|--------|--------|

**Allure E**  
**Infra-red electronic basin mixer 1/2"**  
**with plug transformer 230 V, 50 Hz,**  
**3,2 VA**  
**main supply**  
 monobloc installation  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for  
 less water and perfect flow  
 U spout  
 CE approved  
 solenoid valve  
 mixing device with hot water stop-valve  
 adjustable  
 6.0 l/min flow rate  
 integrated mousseur  
 type of protection IP 59K  
 flexible connection hoses  
 dirt strainer  
 rapid installation system  
 thermal disinfection for 3,5 or 11 min  
 automatic flushing after 1 or 3 days  
 without use  
 automatically safety stop after 60 sec.  
 (factory set)  
 functions to activate with remote  
 control 36 206:  
**min. recommended pressure 1.0 bar**




|            |               |        |        |
|------------|---------------|--------|--------|
| 36 097 000 | 4005176870200 | chrome | 818.19 |
|------------|---------------|--------|--------|

**Ditto**, with pop up waste set

# GROHE ALLURE E


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 36 099 000 | 4005176870224 | chrome | 748.25                 |

**Allure E**  
**Infra-red electronic basin tap 1/2"**  
**battery operated**  
 monobloc installation  
**battery supply** 6 V lithium-battery,  
 type CR-P2  
**GROHE StarLight®** chrome finish  
 multistage battery status display  
 CE approved  
 solenoid valve  
 6.0 l/min flow rate  
 integrated mousseur  
 type of protection IP 59K  
 noise classification 1 in accordance  
 with DIN4109  
 flexible connection hoses  
 dirt strainer  
 rapid installation system  
 automatic flushing after 1 or 3 days  
 without use  
 automatically safety stop after 60 sec.  
 (factory set)  
**GROHE EcoJoy®** technology for  
 less water and perfect flow  
 functions to activate with remote  
 control 36 206:  
**min. recommended pressure 1.0 bar**



|            |               |        |        |
|------------|---------------|--------|--------|
| 36 098 000 | 4005176870217 | chrome | 786.72 |
|------------|---------------|--------|--------|

**Allure E**  
**Infra-red electronic basin mixer 1/2"**  
**battery operated**  
 monobloc installation  
**GROHE StarLight®** chrome finish  
**battery supply** 6 V lithium-battery,  
 type CR-P2  
 CE approved  
 multistage battery status display  
 safety shutdown circuit  
 solenoid valve  
 mixing device with hot water stop-valve  
 adjustable  
 6.0 l/min flow rate  
 integrated mousseur  
 type of protection IP 59K  
 noise classification 1 in accordance  
 with DIN4109  
 flexible connection hoses  
 dirt strainer  
 rapid installation system  
 automatic flushing after 1 or 3 days  
 without use  
 automatically safety stop after 60 sec.  
 (factory set)  
**GROHE EcoJoy®** technology for  
 less water and perfect flow  
 functions to activate with remote  
 control 36 206:  
**min. recommended pressure 1.0 bar**




|            |               |        |        |
|------------|---------------|--------|--------|
| 36 234 000 | 4005176870231 | chrome | 858.40 |
|------------|---------------|--------|--------|

**Ditto**, with pop up waste set


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 36 235 000 | 4005176870248 | chrome | 958.05                 |

**Allure E**  
**Infra-red electronic basin mixer 1/2" wall mounted**  
**GROHE StarLight®** chrome finish set for final installation for IR-electronic with detection in the handwashing area transformer 230 V AC/12 V DC wall spout, 6.0 l/min flow rate integrated mousseur automatically safety stop after 60 sec. (factory set), CE approved thermal disinfection for 3,5 or 11 min **GROHE EcoJoy®** technology for less water and perfect flow functions to activate with remote control 36 206:  
**min. recommended pressure 1.0 bar without roughing-in set**




|            |               |  |        |
|------------|---------------|--|--------|
| 38 748 001 | 4005176863387 |  | 414.33 |
|------------|---------------|--|--------|

**Rapid SL for basin**  
**1.13 m installation height**  
with Roughing-in Set for infra-red electronic Europlus E 36 042 000, Essence E 36 252 000 and Allure E 36 235 000 for on-the-wall installations or studded walls powder coated steel frame self-supporting for dry-cladding, completely pre-assembled for single or series installation quick adjustment, lockable fixing material wash basin fixing bolts with fixing device for ceramic variable distance of fixing bolts PE-outlet bend 50 mm dia seal Ø 32 mm for installation with pre-mixed or cold water **without front wall brackets 38 558 00M (pair)**



|            |               |  |        |
|------------|---------------|--|--------|
| 36 264 000 | 4005176888250 |  | 251.75 |
|------------|---------------|--|--------|

**Roughing-in set for infra-red electronic**  
Allure E 36 235, Europlus E 36 042, Essence E 36 252 for installation with pre-mixed or cold water installation box for water group with protecting block installation box for infra-red sensor with protecting block connecting box for mains supply 230 V water group with stop valve and flush elbow




# GROHE ESSENCE E



# GROHE ESSENCE E


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 36 089 000 | 4005176869938 | chrome | 590.91                 |

**Essence E**  
**Infra-red electronic basin tap 1/2"**  
**with plug transformer 230 V, 50 Hz,**  
**3,2 VA**  
**main supply**  
 monobloc installation  
**GROHE StarLight®** chrome finish  
 CE approved  
 solenoid valve  
 6.0 l/min flow rate  
 integrated mousseur  
 type of protection IP 59K  
 flexible connection hoses, dirt strainer  
 rapid installation system  
 automatic flushing after 1 or 3 days  
 without use  
 thermal disinfection for 3,5 or 11 min  
 automatically safety stop after 60 sec.  
 (factory set)  
**GROHE EcoJoy®** technology for  
 less water and perfect flow  
 functions to activate with remote  
 control 36 206:  
**min. recommended pressure 1.0 bar**



|            |               |        |        |
|------------|---------------|--------|--------|
| 36 088 000 | 4005176869921 | chrome | 634.62 |
|------------|---------------|--------|--------|

**Essence E**  
**Infra-red electronic basin mixer 1/2"**  
**with plug transformer 230 V, 50 Hz,**  
**3,2 VA**  
**main supply**  
 monobloc installation  
**GROHE StarLight®** chrome finish  
 CE approved  
 solenoid valve  
 mixing device with hot water stop-valve  
 6.0 l/min flow rate  
 integrated mousseur  
 type of protection IP 59K  
 flexible connection hoses  
 dirt strainer  
 rapid installation system  
 automatic flushing after 1 or 3 days  
 without use  
 thermal disinfection for 3,5 or 11 min  
 automatically safety stop after 60 sec.  
 (factory set)  
**GROHE EcoJoy®** technology for  
 less water and perfect flow  
 functions to activate with remote  
 control 36 206:  
**min. recommended pressure 1.0 bar**




|            |               |        |        |
|------------|---------------|--------|--------|
| 36 091 000 | 4005176869945 | chrome | 678.33 |
|------------|---------------|--------|--------|

**Ditto**, with pop up waste set

# GROHE ESSENCE E


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 36 093 000 | 4005176869969 | chrome | 559.44                 |

**Essence E**  
**Infra-red electronic basin tap 1/2"**  
 monobloc installation  
**battery supply** 6 V lithium-battery,  
 type CR-P2  
**GROHE StarLight®** chrome finish  
 multistage battery status display  
 CE approved  
 safety shutdown circuit  
 solenoid valve  
 6.0 l/min flow rate  
 integrated mousseur  
 type of protection IP 59K  
 flexible connection hoses  
 dirt strainer  
 rapid installation system  
 automatic flushing after 1 or 3 days  
 without use  
 automatically safety stop after 60 sec.  
 (factory set)  
 thermal disinfection for 3,5 or 11 min  
 automatically safety stop after 60 sec.  
 (factory set)  
**GROHE EcoJoy®** technology for  
 less water and perfect flow  
 functions to activate with remote  
 control 36 206:  
**min. recommended pressure 1.0 bar**



|            |               |        |        |
|------------|---------------|--------|--------|
| 36 092 000 | 4005176869952 | chrome | 603.15 |
|------------|---------------|--------|--------|

**Essence E**  
**Infra-red electronic basin mixer 1/2"**  
 monobloc installation  
**battery supply** 6 V lithium-battery,  
 type CR-P2  
**GROHE StarLight®** chrome finish  
 CE approved  
 multistage battery status display  
 safety shutdown circuit  
 solenoid valve  
 mixing device with hot water stop-valve  
 6.0 l/min flow rate  
 integrated mousseur  
 type of protection IP 59K  
 noise classification 1 in accordance  
 with DIN4109  
 flexible connection hoses  
 dirt strainer  
 rapid installation system  
 automatic flushing after 1 or 3 days  
 without use  
 automatically safety stop after 60 sec.  
 (factory set)  
 thermal disinfection for 3,5 or 11 min  
 automatically safety stop after 60 sec.  
 (factory set)  
**GROHE EcoJoy®** technology for  
 less water and perfect flow  
 functions to activate with remote  
 control 36 206:  
**min. recommended pressure 1.0 bar**




|            |               |        |        |
|------------|---------------|--------|--------|
| 36 094 000 | 4005176869976 | chrome | 645.11 |
|------------|---------------|--------|--------|

**Ditto**, with pop up waste set


| Ref.No.    | EAN code      | Colour | Retail Guide Price (€) |
|------------|---------------|--------|------------------------|
| 36 252 000 | 4005176870255 | chrome | 812.94                 |

**Essence E**  
**Infra-red electronic basin mixer 1/2" wall mounted**  
**GROHE StarLight®** chrome finish set for final installation for IR-electronic with detection in the handwashing area transformer 230 V AC/12 V DC wall spout, 6.0 l/min flow rate integrated mousseur automatically safety stop after 60 sec. (factory set), CE approved thermal disinfection for 3,5 or 11 min **GROHE EcoJoy®** technology for less water and perfect flow functions to activate with remote control 36 206:  
**without roughing-in set**  
**min. recommended pressure 1.0 bar**




|            |               |  |        |
|------------|---------------|--|--------|
| 38 748 001 | 4005176863387 |  | 414.33 |
|------------|---------------|--|--------|

**Rapid SL for basin**  
**1.13 m installation height**  
with Roughing-in Set for infra-red electronic Europlus E 36 042 000, Essence E 36 252 000 and Allure E 36 235 000 for on-the-wall installations or studded walls powder coated steel frame self-supporting for dry-cladding, completely pre-assembled for single or series installation quick adjustment, lockable fixing material wash basin fixing bolts with fixing device for ceramic variable distance of fixing bolts PE-outlet bend 50 mm dia seal Ø 32 mm for installation with pre-mixed or cold water **without front wall brackets**  
**38 558 00M (pair)**



|            |               |  |        |
|------------|---------------|--|--------|
| 36 264 000 | 4005176888250 |  | 251.75 |
|------------|---------------|--|--------|

**Roughing-in set for infra-red electronic**  
Allure E 36 235, Europlus E 36 042, Essence E 36 252 for installation with pre-mixed or cold water installation box for water group with protecting block installation box for infra-red sensor with protecting block connecting box for mains supply 230 V water group with stop valve and flush elbow



# GROHE EUROPLUS E






# GROHE EUROPLUS E

Ref.No. EAN code Colour Retail Guide Price (£)


36 208 001 4005176929380 chrome 573.31

**Europlus E**  
**Infra-red electronic basin tap 1/2"**  
**battery supply** 6 V lithium-battery, type CR-P2  
 CE approved  
 monobloc installation  
 LongLife battery electronic  
 battery lifetime approx. 7 years (150 actuations a day)  
 7 pre-set programs  
 with 24/72 hours autoflush  
 time or user dependent  
 with cleaning mode  
 safety stop after 60 sec.  
 additional functions by remote control 36 206 000:  
 adjustable flow time  
 adjustment reflection range by remote  
 activation of thermal disinfection for 3, 5 or 11 min by hand  
 battery status check  
 mousseur 5.7 l/min  
 mixing device with hot water stop-valve  
 2 flexible hoses  
 dirt strainer  
 non-return valve  
 type of protection IP 59K  
 noise classification 1 in accordance with DIN4109  
**GROHE EcoJoy®** technology for less water and perfect flow  
**GROHE StarLight®** chrome finish  
 for cold or premixed water  
**min. recommended pressure 1.0 bar**




36 207 001 4005176929373 chrome 609.98

**Europlus E**  
**Infra-red electronic basin tap 1/2" with mixing device**  
**battery supply** 6 V lithium-battery, type CR-P2  
 CE approved  
 monobloc installation  
 LongLife battery electronic  
 battery lifetime approx. 7 years (150 actuations a day)  
 7 pre-set programs  
 with 24/72 hours autoflush  
 time or user dependent  
 with cleaning mode  
 safety stop after 60 sec.  
 additional functions by remote control 36 206 000:  
 adjustable flow time  
 adjustment reflection range by remote  
 activation of thermal disinfection for 3, 5 or 11 min by hand  
 battery status check  
 mousseur 5.7 l/min  
 mixing device with hot water stop-valve  
 2 flexible hoses  
 dirt strainer  
 non-return valve  
 type of protection IP 59K  
 noise classification 1 in accordance with DIN4109  
**GROHE EcoJoy®** technology for less water and perfect flow  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**



36 338 000 4005176896743 78.68

**Switch mode power supply**  
 for one eye infra-red wash basin mixer  
 switch mode power supply with operating voltage  
 100-230 V AC, 50 - 60 Hz  
 for concealed socket with cover and strain relief




# GROHE EUROPLUS E

Ref.No. EAN code Colour Retail Guide Price (£)

36 243 SD1 4005176929441 stainless steel 763.30



**Europlus E**  
**Infra-red electronic basin tap 1/2"**  
 with transformer 230 V AC, 50-60 Hz, 6 V DC  
 set for final installation for concealed fitting box  
 36 009  
 36 241  
 IR-electronic with detection in the handwashing area  
 7 pre-set programs  
 with 24/72 hours autoflush  
 time or user dependent  
 with cleaning mode  
 safety stop after 60 sec.  
 additional functions by remote control 36 206 000:  
 adjustable flow time  
 adjustment reflection range by remote  
 activation of thermal disinfection for 3, 5 or 11 min by hand  
 stainless steel escutcheon  
 stainless steel spout 169 mm  
 laminar flow straightener 9 l/min.  
 type of protection IP 54  
 noise classification 1 in accordance with DIN4109  
 CE approved  
**GROHE EcoJoy®** technology for less water and perfect flow  
**without concealed body**



36 242 SD1 4005176929434 stainless steel 799.97  
 Ditto, spout projection 245 mm


36 241 000 4005176252594 176.58

**Europlus E**  
**Concealed mounting box 1/2"**  
 for installation with pre-mixed or cold water  
 wall installation  
 suitable for IR-sets for final installation  
 36 242 SD0  
 36 243 SD0  
 stop valve  
 flexible connection-/flush hose  
 230 V connecting plug




36 009 000 4005176256097 229.02

**Europlus E**  
**Concealed mounting box**  
 with integrated pre-adjustable  
 thermostatic mixer  
 wall installation  
 suitable for IR-sets for final installation  
 36 242 SD0  
 36 243 SD0  
 2 stop valves  
 Grotherm Micro integrated  
 pre-adjustable thermostatic mixer  
 flexible connection-/flush hose  
 max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**



| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 36 239 001 | 4005176929410 | chrome | 975.53                 |


**Europlus E**  
**Infrared electronic wash basin thermostat, 1/2"**  
**battery supply** 6 V lithium-battery, type CR-P2  
 wall mounted  
 IR-electronic with proximity start-detection  
 LongLife battery electronic  
 battery lifetime approx. 7 years (150 actuations a day)  
 7 pre-set programs  
 with 24/72 hours autoflush time or user dependent  
 with cleaning mode  
 safety stop after 60 sec.  
 additional functions by remote control 36 206 000:  
 adjustable flow time  
 adjustment reflection range by remote  
 activation of thermal disinfection for 3, 5 or 11 min by hand  
 battery status check  
 3 types of starting modes  
 mousseur 9 l/min  
 temperature scale handle with safety stop between 35°C and 45°C  
 non-return valve  
 dirt strainers  
 swivel cast spout  
 192 mm  
 swivel range stop at 130°, lockable  
 laminar flow straightener 9 l/min.  
 S-unions  
 covered stop screw  
 type of protection IP 69K (planned)  
 noise classification 1 in accordance with DIN4109  
 CE approved  
**GROHE CoolTouch®**  
**GROHE EcoJoy®** technology for less water and perfect flow  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**



|                                        |               |        |        |
|----------------------------------------|---------------|--------|--------|
| 36 240 001                             | 4005176929427 | chrome | 929.96 |
| <b>ditto</b> , spout 160 mm projection |               |        |        |


|            |               |  |        |
|------------|---------------|--|--------|
| 36 206 000 | 4005176203312 |  | 133.21 |
|------------|---------------|--|--------|

**Infrared remote control**  
 for Tectron and Europlus E  
 adjustment of detection zone  
 adjustment of flushing time  
 open solenoid valve  
 close solenoid valve (permanent stop)  
 re-establish basic settings  
 test mode  
 2 x 1.5 V DC battery supply



|            |               |        |       |
|------------|---------------|--------|-------|
| 36 210 000 | 4005176207112 | chrome | 46.33 |
|------------|---------------|--------|-------|

**Socket for spout elevation**  
 for extension of the outlet height  
 suitable for single hole mixers  
 consisting of:  
 metal socket 25 mm  
 mounting-set  
**GROHE StarLight®** chrome finish




# GROHE EUROSMART COSMOPOLITAN E




# GROHE EUROSMART COSMOPOLITAN E

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 36 325 000 | 4005176896613 | chrome | 384.62                 |



**Eurosmart Cosmopolitan E**  
**Infra-red electronic basin mixer with mixing device**  
 with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC  
 monobloc installation  
 for 1/2" angle valve  
 rapid installation system  
 7 pre-set programs  
 with 24/72 hours autoflush  
 time or user dependent  
 with cleaning mode  
 safety stop after 60 sec.  
 additional functions by remote control 36 206 000:  
 adjustable flow time  
 adjustment reflection range by remote  
 activation of thermal disinfection for 3, 5 or 11 min by hand  
 mousseur 5.7 l/min  
 flexible connection hoses  
 solenoid connection including dirt strainer  
 CE approved  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
**min. recommended pressure 1.0 bar**


|            |               |        |        |
|------------|---------------|--------|--------|
| 36 330 000 | 4005176896668 | chrome | 345.28 |
|------------|---------------|--------|--------|



**Eurosmart Cosmopolitan E**  
**Infra-red electronic basin mixer with hidden mixing device**  
 6V lithium-battery, type CR-P2  
 monobloc installation  
 for 1/2" angle valve  
 rapid installation system  
 7 pre-set programs  
 with 24/72 hours autoflush  
 time or user dependent  
 with cleaning mode  
 safety stop after 60 sec.  
 additional functions by remote control 36 206 000:  
 adjustable flow time  
 adjustment reflection range by remote  
 activation of thermal disinfection for 3, 5 or 11 min by hand  
 mousseur 5.7 l/min  
 flexible connection hoses  
 non-return valve  
 solenoid connection including dirt strainer  
 CE approved  
**GROHE EcoJoy®** technology for less water and perfect flow  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**

# GROHE EUROSMART COSMOPOLITAN E


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 36 327 000 | 4005176896637 | chrome | 345.28                 |



**Eurosmart Cosmopolitan E**  
**Infra-red electronic basin mixer**  
 battery supply  
 6V lithium-battery, type CR-P2  
 monobloc installation  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
 external battery  
 rapid installation system  
 safety stop after 60 sec.  
 multistage battery status display  
 functions to activate with remote control 36 206 and with IR sensor:  
 automatic flushing after 1 or 3 days  
 without use  
 thermal disinfection for 3,5 or 11 min  
 mixing device with hot water stop-valve  
 adjustable  
 6.0 l/min flow rate  
 flexible connection hoses with non-return valve 3/8"  
 dirt strainer  
 CE approved  
**min. recommended pressure 1.0 bar**


|                                    |               |        |        |
|------------------------------------|---------------|--------|--------|
| 36 331 000                         | 4005176896675 | chrome | 356.65 |
| <b>ditto, Pop Up Waste Version</b> |               |        |        |

|            |               |  |       |
|------------|---------------|--|-------|
| 36 338 000 | 4005176896743 |  | 78.68 |
|------------|---------------|--|-------|



**Switch mode power supply**  
 for one eye infra-red wash basin mixer  
 switch mode power supply with operating voltage  
 100-230 V AC, 50 - 60 Hz  
 for concealed socket with cover and strain relief

|            |               |        |          |
|------------|---------------|--------|----------|
| 36 333 000 | 4005176896699 | chrome | 1,069.94 |
|------------|---------------|--------|----------|




**Eurosmart Cosmopolitan E**  
**Infrared electronic wash basin thermostat, 1/2"**  
 6V lithium-battery, type CR-P2  
 temperature scale handle with  
**GROHE SafeStop** safety stop at 38°C  
 swivel cast spout 190 mm  
 swivel range stop at 130°, lockable  
 7 pre-set programs  
 with 24/72 hours autoflush  
 time or user dependent  
 with cleaning mode  
 safety stop after 60 sec.  
 additional functions by remote control 36 206 000:  
 adjustable flow time  
 adjustment reflection range by remote  
 activation of thermal disinfection for 3, 5 or 11 min by hand  
 3 types of starting modes  
 laminar mousseur 9 l/min  
 S-unions  
 escutcheon covers for S-unions  
 non-return valve  
 dirt strainers  
 CE approved  
**GROHE EcoJoy®** technology for less water and perfect flow  
**GROHE StarLight®** chrome finish  
**GROHE CoolTouch®** metal housing  
**min. recommended pressure 1.0 bar**

|                            |               |        |          |
|----------------------------|---------------|--------|----------|
| 36 332 000                 | 4005176896682 | chrome | 1,379.38 |
| <b>ditto, 220 mm Spout</b> |               |        |          |

# GROHE EUROSMART COSMOPOLITAN E

| Ref.No.    | EAN code      | Colour          | Retail Guide Price (£) |
|------------|---------------|-----------------|------------------------|
| 36 335 SD0 | 4005176896712 | stainless steel | 405.60                 |




**Eurosmart Cosmopolitan E**  
**Infra-red electronic wall basin tap without mixing device**  
 with transformer 230 V AC, 50-60 Hz, 6 V DC  
 set for final installation for concealed fitting box  
 36 336 000/36 337 000  
 for cold or premixed water  
 stainless steel escutcheon  
 stainless steel spout 170 mm  
 7 pre-set programs  
 with 24/72 hours autoflush  
 time or user dependent  
 with cleaning mode  
 safety stop after 60 sec.  
 additional functions by remote control 36 206 000:  
 adjustable flow time  
 adjustment reflection range by remote  
 activation of thermal disinfection for 3, 5 or 11 min by hand  
 laminar mousseur 9 l/min  
 CE approved  
 noise classification 1 in accordance  
 with DIN4109  
**GROHE EcoJoy®** technology for  
 less water and perfect flow  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**

|            |               |                 |        |
|------------|---------------|-----------------|--------|
| 36 334 SD0 | 4005176896705 | stainless steel | 445.80 |
|------------|---------------|-----------------|--------|


Ditto, projection 230 mm

|            |               |  |        |
|------------|---------------|--|--------|
| 36 336 000 | 4005176896729 |  | 259.62 |
|------------|---------------|--|--------|



**Eurosmart Cosmopolitan E**  
**Concealed mounting box**  
 with integrated pre-adjustable  
 thermostatic mixer  
 wall installation  
 suitable for IR-sets for final installation  
 2 stop valves  
 pre-adjustable thermostatic mixer  
 Grotherm Micro integrated  
 non-return valve  
**GROHE EcoJoy®** technology for  
 less water and perfect flow


|            |               |  |        |
|------------|---------------|--|--------|
| 36 337 000 | 4005176896736 |  | 101.57 |
|------------|---------------|--|--------|



**Euroeco Cosmopolitan E**  
**Concealed mounting box**  
 for cold or premixed water  
 wall installation  
 suitable for IR-sets for final installation  
 stop valve  
 connection housing for power supply  
**GROHE EcoJoy®** technology for  
 less water and perfect flow


# GROHE EUROSMART COSMOPOLITAN E

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 36 315 000 | 4005176896590 | chrome | 445.80                 |



**Eurosmart Cosmopolitan E**  
**Infra-red electronic wall basin tap with mixing device**  
 with transformer 230 V AC, 50-60 Hz, 6 V DC  
 set for final installation for concealed fitting box  
 36 336 000/36 339 000  
 chrome escutcheon  
 chrome spout 170 mm  
 7 pre-set programs  
 with 24/72 hours autoflush  
 time or user dependent  
 with cleaning mode  
 safety stop after 60 sec.  
 additional functions by remote control 36 206 000:  
 adjustable flow time  
 adjustment reflection range by remote  
 activation of thermal disinfection for 3, 5 or 11 min by hand  
 mousseur 9 l/min  
 CE approved  
 noise classification 1 in accordance  
 with DIN4109  
**GROHE EcoJoy®** technology for  
 less water and perfect flow  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**

|            |               |  |        |
|------------|---------------|--|--------|
| 36 339 000 | 4005176896842 |  | 162.24 |
|------------|---------------|--|--------|



**Eurosmart Cosmopolitan E**  
**Concealed mounting box**  
**with mixture**  
 wall installation  
 suitable for IR-sets for final installation  
 2 stop valves  
 housing with mixing device  
 non-return valve  
 connection housing for power supply  
**GROHE EcoJoy®** technology for  
 less water and perfect flow




# GROHE EUROECO COSMOPOLITAN E




# GROHE EUROECO COSMOPOLITAN E

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 36 269 000 | 4005176893179 | chrome | 314.69                 |




**Euroeco Cosmopolitan E**  
**Infra-red electronic basin tap 1/2"**  
 with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC  
 monobloc installation  
 for 3/8" angle valve  
 rapid installation system  
 7 pre-set programs  
 with 24/72 hours autoflush  
 time or user dependent  
 with cleaning mode  
 safety stop after 60 sec.  
 additional functions by remote control 36 206 000:  
 adjustable flow time  
 adjustment reflection range by remote  
 activation of thermal disinfection for 3, 5 or 11 min by hand  
 mousseur 5.7 l/min  
 for cold or premixed water  
 flexible connection hose  
 non-return valve  
 solenoid connection including dirt strainer  
 CE approved  
**GROHE EcoJoy®** technology for less water  
 and perfect flow  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**

|            |               |        |        |
|------------|---------------|--------|--------|
| 36 271 000 | 4005176893193 | chrome | 304.20 |
|------------|---------------|--------|--------|



**Euroeco Cosmopolitan E**  
**Infra-red electronic basin tap 1/2"**  
 with lithium battery 6 V DC, CR-P2  
 monobloc installation  
 for 3/8" angle valve  
 rapid installation system  
 7 pre-set programs  
 with 24/72 hours autoflush  
 time or user dependent  
 with cleaning mode  
 safety stop after 60 sec.  
 additional functions by remote control 36 206 000:  
 adjustable flow time  
 adjustment reflection range by remote  
 activation of thermal disinfection for 3, 5 or 11 min by hand  
 mousseur 5.7 l/min  
 for cold or premixed water  
 flexible connection hose  
 non-return valve  
 solenoid connection including dirt strainer  
 CE approved  
**GROHE EcoJoy®** technology for less water  
 and perfect flow  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**


|            |               |  |       |
|------------|---------------|--|-------|
| 36 338 000 | 4005176896743 |  | 78.68 |
|------------|---------------|--|-------|



**Switch mode power supply**  
 for one eye infra-red wash basin mixer  
 switch mode power supply with operating voltage  
 100-230 V AC, 50 - 60 Hz  
 for concealed socket with cover and strain relief


# GROHE EUROECO COSMOPOLITAN E

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 36 274 000 | 4005176893223 | chrome | 365.39                 |




**Euroeco Cosmopolitan E**  
**Infra-red electronic wall basin tap without mixing device**  
 with lithium battery 6 V DC, CR-P2  
 metal body  
 7 pre-set programs  
 with 24/72 hours autoflush  
 time or user dependent  
 with cleaning mode  
 safety stop after 60 sec.  
 additional functions by remote control 36 206 000:  
 adjustable flow time  
 adjustment reflection range by remote  
 activation of thermal disinfection for 3, 5 or 11 min by hand  
 mousseur 5.7 l/min  
 for cold or premixed water  
 CE approved  
**GROHE EcoJoy®** technology for less water  
 and perfect flow  
**GROHE StarLight®** finish  
**min. recommended pressure 1.0 bar**

|            |               |        |        |
|------------|---------------|--------|--------|
| 36 273 000 | 4005176893216 | chrome | 426.58 |
|------------|---------------|--------|--------|



**Euroeco Cosmopolitan E**  
**Infra-red electronic wall basin tap without mixing device**  
 with plug transformer 100-230 V AC, 50-60 Hz, 6 V DC  
 set for final installation for concealed fitting box  
 36 336 000/36 337 000  
 for cold or premixed water  
  
 chrome spout 170 mm  
 7 pre-set programs  
 with 24/72 hours autoflush  
 time or user dependent  
 with cleaning mode  
 safety stop after 60 sec.  
 additional functions by remote control 36 206 000:  
 adjustable flow time  
 adjustment reflection range by remote  
 activation of thermal disinfection for 3, 5 or 11 min by hand  
 mousseur 7.5 l/min  
 CE approved  
 noise classification 1 in accordance  
 with DIN4109  
**GROHE EcoJoy®** technology for less water  
 and perfect flow  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**


|            |               |  |        |
|------------|---------------|--|--------|
| 36 337 000 | 4005176896736 |  | 101.57 |
|------------|---------------|--|--------|



**Euroeco Cosmopolitan E**  
**Concealed mounting box**  
 for cold or premixed water  
 wall installation  
 suitable for IR-sets for final installation  
 stop valve  
 connection housing for power supply  
**GROHE EcoJoy®** technology for  
 less water and perfect flow

# GROHE EUROECO COSMOPOLITAN E

|            |               |        |                        |
|------------|---------------|--------|------------------------|
| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
| 36 336 000 | 4005176896729 |        | 259.62                 |



**Eurosmart Cosmopolitan E**  
**Concealed mounting box**  
 with integrated pre-adjustable  
 thermostatic mixer  
 wall installation  
 suitable for IR-sets for final installation  
 2 stop valves  
 pre-adjustable thermostatic mixer  
 Grotherm Micro integrated  
 non-return valve  
**GROHE EcoJoy®** technology for  
 less water and perfect flow  
**min. recommended pressure 1.0 bar**

# GROHE SPECIAL THERMOSTATS



GROHE  
TurboStat\*



GROHE  
CoolTouch\*



GROHE  
EcoJoy\*\*



GROHE  
StarLight\*



# GROHE GROHTHERM 2000 SPECIAL

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|

|            |               |        |        |
|------------|---------------|--------|--------|
| 34 205 000 | 4005176809996 | chrome | 395.11 |
|------------|---------------|--------|--------|

**Grohtherm 2000 Special**  
**Thermostatic shower mixer 1/2"**  
wall mounted  
**GROHE CoolTouch®** safety housing  
**GROHE TurboStat®** compact cartridge with wax thermoelement  
integrated mixed water shut off  
ceramic headpart 1/2", 180°  
volume handle with individually adjustable economy stop  
shower bottom outlet 1/2"  
built-in non return valves  
covered S-unions  
protected against backflow  
**GROHE StarLight®** chrome finish  
temperature scale handle with pre-adjustable safety stop between 35°C and 43°C  
easy thermal disinfection with accessory handle 47 764 000  
**min. recommended pressure 1.0 bar**

|            |               |        |        |
|------------|---------------|--------|--------|
| 34 255 000 | 4005176837722 | chrome | 384.62 |
|------------|---------------|--------|--------|

**Ditto**, without s-unions

|            |               |        |        |
|------------|---------------|--------|--------|
| 34 202 000 | 4005176808661 | chrome | 486.01 |
|------------|---------------|--------|--------|




**Grohtherm 2000 Special**  
**Thermostatic bath/shower mixer 1/2"**  
wall mounted  
**GROHE CoolTouch®** safety housing  
**GROHE TurboStat®** compact cartridge with wax thermoelement  
Aquadimmer handle with multiple function  
- flow control  
- diverter: bath/shower  
shower bottom outlet 1/2"  
built-in non return valves  
covered S-unions  
protected against backflow  
**GROHE StarLight®** chrome finish  
Balance hot and cold supplies recommended  
GROHE ErgoPlus  
GROHE SafetyPlus  
**GROHE EcoJoy®** technology for less water and perfect flow  
**min. recommended pressure 1.0 bar**  
**min. recommended pressure 1.0 bar**  
max. pressure differential 5:1  
metal wing handles  
integrated mixed water shut off  
ceramic headpart 1/2", 180°  
temperature scale handle with pre-adjustable safety stop between 35°C and 43°C  
easy thermal disinfection with accessory handle 47 764 000

|            |               |        |        |
|------------|---------------|--------|--------|
| 34 254 000 | 4005176837715 | chrome | 475.53 |
|------------|---------------|--------|--------|

**Ditto**, without s-unions

|            |               |        |        |
|------------|---------------|--------|--------|
| 18 978 000 | 4005176028809 | chrome | 146.33 |
|------------|---------------|--------|--------|

**Pillar union, 3/4", pair**  
180 mm centres  
for pillar mounting  
**GROHE StarLight®** chrome finish



# GROHE GROHTHERM 2000 SPECIAL

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|

|            |               |        |       |
|------------|---------------|--------|-------|
| 18 370 000 | 4005176885228 | chrome | 60.50 |
|------------|---------------|--------|-------|

**Wall Mounted Brackets**  
1 pair  
for exposed 1/2" mixers  
includes: wall plate, brass olive, fixing nipple, chrome shroud

|            |               |        |       |
|------------|---------------|--------|-------|
| 12 051 000 | 4005176213588 | chrome | 36.17 |
|------------|---------------|--------|-------|





**S-union**  
1/2" x 3/4"  
screw socket to cover the union nut and the rosette  
sealing towards wall  
adjustment range 12.5 mm  
lockable for service  
suitable for  
Euroeco Special and safety mixers  
Grohtherm 3000  
Grohtherm Ergomix  
Europlus  
**GROHE StarLight®** chrome finish

|            |               |        |       |
|------------|---------------|--------|-------|
| 12 400 000 | 4005176004582 | chrome | 34.17 |
|------------|---------------|--------|-------|

**S-union**  
Single  
1/2" x 3/4"  
**adjustment range 10 mm**  
isolating valve  
**GROHE StarLight®** chrome finish

|            |               |        |        |    |
|------------|---------------|--------|--------|----|
| 19 416 000 | 4005176831492 | chrome | 304.20 | 50 |
|------------|---------------|--------|--------|----|



**Grohtherm 2000 Special**  
**Thermostatic shower mixer**  
**without concealed body**  
**TMV2 compliant when used with 35 050 000**  
set for final installation for  
35 500 000 / 35 050 000  
**GROHE StarLight®** chrome finish  
volume handle with individually adjustable economy stop  
escutcheon- and shaft-sealing  
metal escutcheon, covered coupling  
easy thermal disinfection with accessory handle 47 764 000  
**GROHE EcoJoy®** technology for less water and perfect flow  
temperature scale handle with pre-adjustable safety stop between 35°C and 43°C





# GROHE GROHTHERM 2000 SPECIAL

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 19 417 000 | 4005176831508 | chrome | 346.16                 |



**Grotherm 2000 Special**  
**Thermostat with integrated 2-way diverter for bath or shower with more than one outlet without concealed body**  
 set for final installation for 35 500 000 / 35 050 000  
**GROHE StarLight®** chrome finish  
 Aquadimmer with multiple function shut off and flow control diverter for 2 outlets  
 escutcheon- and shaft-sealing  
 metal escutcheon, covered coupling  
 easy thermal disinfection with accessory handle 47 764 000  
 metal wing handles  
 temperature scale handle with pre-adjustable safety stop between 35°C and 43°C

NEW

|            |               |  |        |
|------------|---------------|--|--------|
| 35 050 000 | 4005176982064 |  | 263.99 |
|------------|---------------|--|--------|

**GROHE Rapido T**  
**Universal Thermostatic mixer for concealed intallation TMV2 compliant product**  
 for use with bath-, shower- and central-mixer without finishing trim set  
 easy to install, premounted and tested unit  
**GROHE TurboStat®** compact cartridge with wax thermoelement  
 two top outlets 1/2", lockable  
 bottom outlet 1/2" - can only be used with separate stopvalve  
 safe to install, stable built-in-box and protective cap  
 fixation options for solid walls and dry cladding  
 wall sealing  
 Aquadimmer-diverter for bath mixer or stopvalve for shower mixer in finishing trim set  
 body in DR-brass  
 built-in non return valve and dirt strainers  
**GROHE EcoJoy®** technology for less water and perfect flow  
**min. recommended pressure 1.0 bar**

|            |               |  |        |
|------------|---------------|--|--------|
| 35 500 000 | 4005176831522 |  | 263.99 |
|------------|---------------|--|--------|


|            |               |        |       |
|------------|---------------|--------|-------|
| 47 735 000 | 4005176810084 | chrome | 12.83 |
|------------|---------------|--------|-------|

**Grotherm 2000 Special**  
**Handle for disabled use**  
 antibacterial equipped material to be mounted on the volume handle



# GROHE AUTOMATIC 2000

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 34 309 000 | 4005176199486 | chrome | 288.46                 |



**Automatic 2000 Special**  
**In-line thermostat, 1/2" DO8 approved**  
 for under basin / bidet use without flow control  
 wax thermoelement  
 nickel-plated  
 lockable temperature stop between 35 and 41°C  
 integrated non-return valve  
 accessible strainers  
**GROHE StarLight®** chrome finish  
 max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**  
**TMV3 approved product**

|            |               |        |       |
|------------|---------------|--------|-------|
| 47 095 000 | 4005176128646 | chrome | 63.83 |
|------------|---------------|--------|-------|

**Handle for shut-off valve**  
 Automatic 2000 Special pre-adjustable flow volume integral flow limiter  
**GROHE StarLight®** chrome finish  
 without eco control button



|            |               |        |       |
|------------|---------------|--------|-------|
| 07 749 000 | 4005176018695 | chrome | 65.83 |
|------------|---------------|--------|-------|

**Handle for shut-off valve, metallic**  
 for Automatic 2000 vandal-proof  
**GROHE StarLight®** chrome finish



|            |               |        |       |
|------------|---------------|--------|-------|
| 47 763 000 | 4005176824166 | chrome | 65.83 |
|------------|---------------|--------|-------|


**Metal handle temperature control**  
 vandalism hampering individual fixing of a temperature



50


| Ref.No.    | EAN code      | Colour       | Retail Guide Price (£) |
|------------|---------------|--------------|------------------------|
| 34 041 ILO | 4005176224997 | chrome/white | 398.60                 |

**Avensys Shower**  
**Single control DO8 shower mixer 1/2"**  
Thermostatic  
suitable for high / low pressure  
concealed brass body & trim set  
factory set max. temperature 41°C  
installation bracket for body  
in masonry / stud walls  
combined flow & temperature control  
handle  
metal lever  
built-in non return valves  
dirt strainers  
shower outlet 1/2" top or bottom  
reversible body for crossed supplies  
flow limiters for high (>1.0 bar) or unequal pressures  
**GROHE StarLight®** chrome finish  
**recommended pressure 0.1 - 5.0 bar**  
**TMV3 Approved**




|            |               |              |        |
|------------|---------------|--------------|--------|
| 34 038 ILO | 4005176224973 | chrome/white | 398.60 |
|------------|---------------|--------------|--------|

**Avensys Shower**  
**Single control DO8 shower mixer 1/2" EV**  
Thermostatic  
wall mounted, swivel inlet unions  
brass body  
wax thermoelement  
factory set max. temperature 41°C  
combined flow & temperature control  
handle  
metal lever  
built-in non return valves  
dirt strainers  
shower outlet 1/2" top or bottom  
reversible body for crossed supplies  
flow limiters for high (>1.0 bar) or unequal pressures  
**GROHE StarLight®** chrome finish  
max. pressure differential 5:1  
**recommended pressure 0.1 - 5.0 bar**  
**TMV3 Approved**




| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 35 085 000 | 4005176207068 | chrome | 1,611.90               |

**Grohtherm XL**  
**Thermostat mixer 1"**  
wall mounted  
range of use 9l/min to 140l/min  
wax thermoelement  
temperature scale handles with pre-adjustable safety stop between 33°C and 43°C  
arrangement to make the thermal disinfection easier  
built-in non return valves and dirt strainers as compact service units  
connecting thread 1 1/4"  
outlet thread 1 1/2"  
changeable top/bottom outlet  
without connection unions  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**




|            |               |        |          |
|------------|---------------|--------|----------|
| 35 087 000 | 4005176207082 | chrome | 1,870.64 |
|------------|---------------|--------|----------|

**Grohtherm XL**  
**Thermostat mixer 1 1/4"**  
wall mounted  
range of use 9l/min to 140l/min  
wax thermoelement  
temperature scale handles with pre-adjustable safety stop between 33°C and 43°C  
arrangement to make the thermal disinfection easier  
built-in non return valves and dirt strainers as compact service units  
connecting thread 1 1/2"  
outlet thread 2"  
changeable top/bottom outlet  
without connection unions  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**



|            |               |        |          |
|------------|---------------|--------|----------|
| 35 003 000 | 4005176211621 | chrome | 1,230.78 |
|------------|---------------|--------|----------|

**Grohtherm XL**  
**Thermostat mixer 1"**  
concealed installation  
range of use 9l/min to 140l/min  
wax thermoelement  
temperature scale handles with pre-adjustable safety stop between 33°C and 43°C  
arrangement to make the thermal disinfection easier  
built-in non return valves and dirt strainers as compact service units  
connecting thread 1 1/4"  
outlet thread 1 1/4"  
connection and outlet at top or bottom  
without connection unions  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**




|            |               |        |        |
|------------|---------------|--------|--------|
| 47 569 000 | 4005176214189 | chrome | 338.32 |
|------------|---------------|--------|--------|

**Grohtherm XL**  
**Loose key and shield**



|            |               |        |       |
|------------|---------------|--------|-------|
| 12 411 000 | 4005176004667 | chrome | 53.33 |
|------------|---------------|--------|-------|

**S-union**  
nut 1 1/4" x 1" male thread  
**adjustment range 50 mm**  
screw escutcheon  
(for Grohtherm XL 1", 35 085/35 086)  
in units of 1  
**GROHE StarLight®** chrome finish




# GROHE GROHTHERM XL

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|


|            |               |        |       |
|------------|---------------|--------|-------|
| 12 417 000 | 4005176004681 | chrome | 33.67 |
|------------|---------------|--------|-------|

**Straight union**  
nut 1 1/4" x 1" male thread  
screw escutcheon  
(for Grohtherm XL 1", 35 085/35 086)  
**GROHE StarLight®** chrome finish




|            |               |        |       |
|------------|---------------|--------|-------|
| 12 424 000 | 4005176004735 | chrome | 37.17 |
|------------|---------------|--------|-------|

**Straight union, male 1 1/4", nut 1 1/2"**  
nut 1 1/2" x 1 1/4" male thread  
(for Grohtherm XL 1", 35 085/35 086)  
**GROHE StarLight®** chrome finish




|            |               |        |       |
|------------|---------------|--------|-------|
| 12 428 000 | 4005176004759 | chrome | 51.83 |
|------------|---------------|--------|-------|

**Elbow union**  
nut 1 1/4" x 1" male thread  
(for Grohtherm XL 1", 35 085/35 086)  
**GROHE StarLight®** chrome finish  
in units of 2




|            |               |        |       |
|------------|---------------|--------|-------|
| 12 432 000 | 4005176004773 | chrome | 80.00 |
|------------|---------------|--------|-------|

**Wall union, male 1 1/4"**  
nut 1 1/2" x 1 1/4" male thread  
projection 125 mm  
screw escutcheon  
(for Grohtherm XL 1", 35 085/35 086)  
**GROHE StarLight®** chrome finish



|            |               |        |        |
|------------|---------------|--------|--------|
| 12 444 000 | 4005176004834 | chrome | 140.33 |
|------------|---------------|--------|--------|

**Wall union, male 1 1/4"**  
with thermometer  
nut 1 1/2" x 1 1/4" male thread  
projection 90 mm  
screw escutcheon  
(for Grohtherm XL 1", 35 085/35 086)  
**GROHE StarLight®** chrome finish




# GROHE GROHTHERM XL

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|

|            |               |        |        |
|------------|---------------|--------|--------|
| 12 436 000 | 4005176004797 | chrome | 131.66 |
|------------|---------------|--------|--------|


**Wall union, male 1 1/4"**  
without thermometer  
nut 1 1/2" x 1 1/4" male thread  
projection 90 mm  
screw escutcheon  
(for Grohtherm XL 1", 35 085/35 086)  
**GROHE StarLight®** chrome finish



# GROHE GROHTHERM ERGOMIX


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 34 020 000 | 4005176201295 | chrome | 858.40                 |

**Grohtherm Ergomix**  
**Thermostat basin mixer 1/2"**  
for elbow lever action  
wall mounted  
metal lever 250 mm  
swivel area 100°  
metal stop  
ceramic headpart 1/2"  
wax thermoelement  
temperature scale handle  
with pre-adjustable  
safety stop between 35°C and 45°C  
arrangement to make the thermal  
disinfection easier  
swivel cast spout  
laminar flow straightener 9 l/min.  
lockable stop ring  
built-in non return valves  
dirt strainers  
projection 255 mm  
covered S-unions  
lockable  
**GROHE StarLight®** chrome finish  
max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**



|            |               |        |        |
|------------|---------------|--------|--------|
| 34 021 000 | 4005176201301 | chrome | 828.68 |
|------------|---------------|--------|--------|


**Grohtherm Ergomix**  
**Thermostat basin mixer 1/2"**  
for elbow lever action  
wall mounted  
metal lever 170 mm  
swivel area 100°  
metal stop  
ceramic headpart 1/2"  
wax thermoelement  
temperature scale handle  
with pre-adjustable  
safety stop between 35°C and 45°C  
arrangement to make the thermal  
disinfection easier  
swivel cast spout  
laminar flow straightener 9 l/min.  
lockable stop ring  
built-in non return valves  
dirt strainers  
projection 195 mm  
covered S-unions  
lockable  
**GROHE StarLight®** chrome finish  
max. pressure differential 5:1  
**min. recommended pressure 1.0 bar**



# GROHE GROHTHERM MICRO


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 34 487 000 | 4005176936234 | chrome | 110.00                 |

**Grohtherm Micro**  
**Thermostatic scalding protection**  
temperature adjustment 15-43°C  
thermal disinfection without re-adjustment of temperature  
connection 3/8" below with cap nut  
above 3/8" male thread  
**GROHE TurboStat®** thermoelement  
built-in non return valves  
dirt strainers  
without connection set  
**GROHE StarLight®** chrome finish  
**min recommended pressure 1.0 bar**



|            |               |        |       |
|------------|---------------|--------|-------|
| 47 533 000 | 4005176207181 | chrome | 25.67 |
|------------|---------------|--------|-------|

**Grohtherm Micro**  
**Connection set**  
for Grohtherm Micro (34 023 000)  
consisting of:  
T-unit  
union nut 3/8"  
2 outlets 3/8" male thread  
flexible connection hose  
**GROHE StarLight®** chrome finish






# GROHE COMMERCIAL SHOWERS




# GROHE COMMERCIAL SHOWERS


Ref.No. EAN code Colour Retail Guide Price (£)




**28 185 000 4005176038501 chrome 91.96**  
**Relexa Plus 80 Dual**  
**Hand shower 2 sprays**  
 adjustable shower jet  
 Turbo Jet (normal spray hard)/Normal (full shower spray)  
 Grohclick integrated quick coupling  
**Twistfree** to prevent hose from twisting  
 Universal Mounting System. Fitting all standard shower hoses  
**GROHE StarLight®** chrome finish  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE CoolTouch®**  
**SpeedClean** anti-limescale system  
**Min. recommended pressure 0.1 bar**




**28 587 000 4005176282966 chrome 135.66**  
**Relexa**  
**Shower rail, 900 mm**  
 with handle  
 handle can be mounted right or left handed  
 with wall brackets (3 pieces)  
 gliding element with metal sleeve  
 angle of inclination adjustable by click stop device  
 height adjustment by locking nut  
**GROHE StarLight®** chrome finish



**28 671 000 4005176103070 chrome 32.70**  
**Relexa**  
**Shower outlet elbow, 1/2"**  
 male thread  
 suitable for the Relexa plus handsprays  
 Single (28 212)  
 Exquisit (28 215)  
**GROHE StarLight®** chrome finish




**28 405 000 4005176264559 chrome 41.96**  
**Movario**  
**Shower outlet elbow, 1/2"**  
 protected against backflow  
**DVGW Reg. No. NW-6506AT2066**  
**GROHE StarLight®** chrome finish



**28 406 000 4005176264566 chrome 43.88**  
**Movario**  
**Shower outlet elbow, 1/2"**  
 with shower holder  
 protected against backflow  
**DVGW Reg. No. NW-6506AT2066**  
**GROHE StarLight®** chrome finish

# GROHE COMMERCIAL SHOWERS


Ref.No. EAN code Colour Retail Guide Price (£)




**11 521 9 4005176910067 chrome 24.17**  
**Shower hose**  
**WRAS Approved**  
 Non EPDM Health Care construction  
 1500 mm  
 chrome finish  
**Min. recommended pressure 0.1 bar**




**11 522 0 4005176910074 chrome 241.66**  
**Shower hose**  
**WRAS Approved**  
 Non EPDM Health Care construction  
 Pack of 10  
 1500 mm  
 chrome finish  
**Min. recommended pressure 0.1 bar**



**28 161 000 4005176038273 chrome 33.39**  
**Shower hose**  
 1500 mm  
 1/2" x 1/2" x 12 mm bore  
**GROHE StarLight®** chrome finish  
**Min. recommended pressure 0.1 bar**




**28 142 000 4005176601330 chrome 48.42**  
**Relexa**  
**Metal hose**  
 1250 mm, 1/2" x 1/2" x 7 mm bore  
 Longlife, **For heavy duty applications**  
**GROHE StarLight®** chrome finish  
**28 143 KS0 4005176842252 velvet black 103.85**  
**28 143 000 4005176601347 chrome 54.19**  
**28 143 LS0 4005176842269 moon white 81.12**  
 ditto, 1500 mm




**28 145 000 4005176601354 chrome 62.94**  
 ditto, 2000 mm  
**28 150 000 4005176601439 chrome 27.10**  
**Relexa**  
**Relexaflex hose**  
 1250 mm  
 1/2" x 1/2" x 8 mm bore  
 bendproof  
**GROHE StarLight®** chrome finish  
**28 151 000 4005176601514 chrome 30.24**  
 ditto, 1500 mm  
**28 154 000 4005176601552 chrome 33.39**  
 ditto, 1750 mm  
**28 155 000 4005176601576 chrome 36.37**  
 ditto, 2000m

# GROHE COMMERCIAL SHOWERS


Ref.No. EAN code Colour Retail Guide Price (£)




28 622 000 4005176041297 **chrome** 25.52  
**Relexa plus**  
**Wall hand Shower holder**  
**GROHE StarLight®** chrome finish




28 623 000 4005176031595 **chrome** 30.42  
**Relexa plus**  
**Wall hand Shower holder**  
 adjustable  
**GROHE StarLight®** chrome finish



45 296 000 4005176055065 **chrome** 25.67  
**Relexa**  
**Swivel hose connector**  
 to prevent hose twisting  
**GROHE StarLight®** chrome finish




28 189 000 4005176075650 **chrome** 194.05  
**Avensys Shower**  
**Head shower 2 sprays**  
 Turbo Jet (normal spray hard)/Normal (full shower spray)  
**GROHE StarLight®** chrome finish  
**GROHE DreamSpray®** perfect spray pattern  
**SpeedClean** anti-limescale system  
 integral arm  
 with ball joint  
 connection thread with pre-assembled sealing  
**Min. recommended pressure 0.1 bar**




28 002 000 4005176858796 **chrome** 131.47  
**Relexa**  
 connection thread 1/2"  
 low aerosol emission  
 heavy, casted model  
 theft proof  
**SpeedClean** anti-limescale system  
**Inner WaterGuide** for a longer life  
 projection 57 mm  
 flow limiter 9 l/min. and 12 l/min.  
**GROHE DreamSpray®** perfect spray pattern  
**GROHE CoolTouch®**  
**GROHE StarLight®** chrome finish  
 suicide resisting design  
 pipe union plug-in for wall connection  
**min. recommended pressure 1.0 bar**

# GROHE COMMERCIAL SHOWERS


Ref.No. EAN code Colour Retail Guide Price (£)




28 948 000 4005176209871 **chrome** 115.21  
**Relexa**  
 connection thread 1/2"  
 heavy, casted model  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
 projection 148 mm  
 vandal-proof  
**min. recommended pressure 1.0 bar**




28 270 000 4005176124761 **chrome** 101.57  
**Relexa Plus 80 Dual**  
 Turbo Jet (normal spray hard)/Normal (full shower spray)  
 ball-joint  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
 connection thread 1/2"  
 without shower arm  
**min. recommended pressure 1.0 bar**



28 094 000 4005176601132 **chrome** 40.04  
**Relexa**  
 with ball joint  
 1/2" connection  
**GROHE StarLight®** chrome finish  
 adjustable flow rate  
 without shower arm  
**min. recommended pressure 1.0 bar**





28 429 000 4005176601910 **chrome** 36.54  
**Relexa**  
**Shower arm 55 mm**  
 connection thread 1/2"  
**GROHE StarLight®** chrome finish



28 541 000 4005176040528 **chrome** 104.54  
**Relexa**  
**Shower arm 147 mm**  
 connection thread 1/2"  
 escutcheon  
**GROHE StarLight®** chrome finish



# GROHE COMMERCIAL SHOWERS

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 27 304 000 | 4005176600142 | chrome | 59.44                  |





**Relexa**  
Riser pipe 1300 mm  
shower riser Ø 18 mm  
union nut 3/4"  
1300 mm high  
projection 330 mm  
GROHE StarLight® chrome finish

|            |               |        |       |
|------------|---------------|--------|-------|
| 28 708 000 | 4005176602375 | chrome | 30.83 |
|------------|---------------|--------|-------|



**Relexa**  
Pipe clip  
for pillar shower, 1/2"  
for shower riser Ø 18 mm  
with stone pin  
for fixing  
with wood screws  
GROHE StarLight® chrome finish

|            |               |        |       |
|------------|---------------|--------|-------|
| 28 817 000 | 4005176602962 | chrome | 11.00 |
|------------|---------------|--------|-------|




**Relexa**  
Adaptor 1/2" x 3/4"  
female thread 3/4" x 1/2"  
male thread  
GROHE StarLight® chrome finish

# GROHE EUROECO SINGLE SEQUENTIAL





| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|




**32 788 000**    **4005176871887**    **chrome**    **224.65**

**Euroeco Single Sequential Single-lever basin mixer 1/2"**  
monobloc installation  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
ceramic cartridge  
adjustable flow rate limiter  
adjustable minimum flow rate 6 l/min.  
laminar flow straightener 9 l/min.  
metal lever, lever length 120 mm  
temperature limiter, pop-up waste set 1 1/4"  
rapid installation system  
flexible connection hoses  
**min. recommended pressure 1.0 bar**


|                   |                      |               |               |
|-------------------|----------------------|---------------|---------------|
| <b>32 789 000</b> | <b>4005176871894</b> | <b>chrome</b> | <b>209.79</b> |
|-------------------|----------------------|---------------|---------------|

**Ditto**, smooth body



|                   |                      |               |               |
|-------------------|----------------------|---------------|---------------|
| <b>32 794 000</b> | <b>4005176871948</b> | <b>chrome</b> | <b>346.16</b> |
|-------------------|----------------------|---------------|---------------|


**Euroeco Single Sequential Single-lever basin mixer 1/2"**  
wall mounted  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
ceramic cartridge  
adjustable flow rate limiter  
adjustable minimum flow rate 6 l/min.  
cast spout with flow straightener 9 l/min.  
projection 156 mm  
metal lever, lever length 120 mm  
temperature limiter  
S-unions  
**min. recommended pressure 1.0 bar**



|                   |                      |               |               |
|-------------------|----------------------|---------------|---------------|
| <b>32 795 000</b> | <b>4005176871955</b> | <b>chrome</b> | <b>361.89</b> |
|-------------------|----------------------|---------------|---------------|

**Euroeco Single Sequential Single-lever basin mixer 1/2"**  
wall mounted  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
ceramic cartridge  
adjustable flow rate limiter  
adjustable minimum flow rate 6 l/min.  
cast spout with flow straightener 9 l/min.  
projection 204 mm  
metal lever, lever length 170 mm  
temperature limiter, S-unions  
**min. recommended pressure 1.0 bar**

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|




**32 791 000**    **4005176871917**    **chrome**    **368.88**

**Euroeco Single Sequential Single-lever basin mixer 1/2"**  
wall mounted  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
ceramic cartridge  
adjustable flow rate limiter  
adjustable minimum flow rate 6 l/min.  
cast swivel spout, lockable with flow straightener 9 l/min.  
projection 156 mm  
metal lever, lever length 120 mm  
temperature limiter, S-unions  
**min. recommended pressure 1.0 bar**

|                   |                      |               |               |
|-------------------|----------------------|---------------|---------------|
| <b>32 792 000</b> | <b>4005176871924</b> | <b>chrome</b> | <b>384.62</b> |
|-------------------|----------------------|---------------|---------------|

**Ditto**, projection 196 mm



|                   |                      |               |               |
|-------------------|----------------------|---------------|---------------|
| <b>32 793 000</b> | <b>4005176871931</b> | <b>chrome</b> | <b>400.35</b> |
|-------------------|----------------------|---------------|---------------|

**Euroeco Single Sequential Single-lever basin mixer 1/2"**  
wall mounted  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
ceramic cartridge  
adjustable flow rate limiter  
adjustable minimum flow rate 6 l/min.  
cast swivel spout, lockable with flow straightener 9 l/min.  
projection 256 mm  
metal lever, lever length 170 mm  
temperature limiter, S-unions  
**min. recommended pressure 1.0 bar**

# GROHE EUROECO SPECIAL



GROHE  
SilkMove®




GROHE  
StarLight®



# GROHE EUROECO SPECIAL

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|




**32 763 000**    **4005176871030**    **chrome**    **177.45**

**Euroeco Special**  
**Basin mixer 1/2"**  
 monobloc installation  
**GROHE StarLight®** chrome finish  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE EcoJoy®** technology for less water and perfect flow  
 adjustable flow rate limiter  
 adjustable minimum flow rate 2.5 l/min  
 laminar flow straightener 9 l/min.  
 metal lever, lever length 120 mm  
 temperature limiter, rapid installation system  
 pop-up waste set 1 1/4"  
 flexible connection hoses  
**min. recommended pressure 1.0 bar**

|                   |                      |               |               |
|-------------------|----------------------|---------------|---------------|
| <b>32 762 000</b> | <b>4005176871023</b> | <b>chrome</b> | <b>167.48</b> |
|-------------------|----------------------|---------------|---------------|

**Ditto**, smooth body

|                   |                      |               |               |
|-------------------|----------------------|---------------|---------------|
| <b>32 766 000</b> | <b>4005176871061</b> | <b>chrome</b> | <b>251.75</b> |
|-------------------|----------------------|---------------|---------------|





**32 765 000**    **4005176871054**    **chrome**    **242.13**

**Euroeco Special**  
**Single-lever basin mixer 1/2"**  
 monobloc installation  
**GROHE StarLight®** chrome finish  
**GROHE SilkMove®** 46 mm ceramic cartridge  
 adjustable flow rate limiter  
 adjustable minimum flow rate 2.5 l/min  
 laminar flow straightener 9 l/min.  
 metal lever, lever length 120 mm  
 temperature limiter, pop-up waste set 1 1/4"  
 rapid installation system  
 flexible connection hoses  
**GROHE EcoJoy®** technology for less water and perfect flow  
**min. recommended pressure 1.0 bar**

**Ditto**, smooth body

# GROHE EUROECO SPECIAL

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|





|                   |                      |               |               |
|-------------------|----------------------|---------------|---------------|
| <b>32 778 000</b> | <b>4005176871788</b> | <b>chrome</b> | <b>248.26</b> |
|-------------------|----------------------|---------------|---------------|

**Euroeco Special**  
**Basin mixer 1/2"**  
 wall mounted  
**GROHE StarLight®** chrome finish  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE EcoJoy®** technology for less water and perfect flow  
 adjustable flow rate limiter  
 adjustable minimum flow rate 2.5 l/min  
 cast spout  
 laminar flow straightener 9 l/min.  
 projection 204 mm  
 metal lever, lever length 170 mm  
 temperature limiter, S-unions  
**min. recommended pressure 1.0 bar**

|                   |                      |               |               |
|-------------------|----------------------|---------------|---------------|
| <b>32 779 000</b> | <b>4005176871795</b> | <b>chrome</b> | <b>281.47</b> |
|-------------------|----------------------|---------------|---------------|

**Ditto**, projection 220 mm

|                   |                      |               |               |
|-------------------|----------------------|---------------|---------------|
| <b>32 767 000</b> | <b>4005176871078</b> | <b>chrome</b> | <b>269.24</b> |
|-------------------|----------------------|---------------|---------------|




**32 771 000**    **4005176871719**    **chrome**    **299.83**

**Euroeco Special**  
**Basin mixer 1/2"**  
 wall mounted  
**GROHE StarLight®** chrome finish  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE EcoJoy®** technology for less water and perfect flow  
 adjustable flow rate limiter  
 adjustable minimum flow rate 2.5 l/min  
 cast swivel spout, lockable  
 laminar flow straightener 9 l/min.  
 projection 197 mm  
 metal lever, lever length 120 mm  
 temperature limiter, S-unions  
**min. recommended pressure 1.0 bar**

**Ditto**, projection 214 mm

# GROHE EUROECO SPECIAL

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|




**32 773 000 4005176871733** **chrome** **281.47**

**Euroeco Special Basin mixer 1/2"**  
 wall mounted  
**GROHE StarLight®** chrome finish  
**GROHE SilkMove®** 46 mm ceramic cartridge  
**GROHE EcoJoy®** technology for less water and perfect flow  
 adjustable flow rate limiter  
 adjustable minimum flow rate 2.5 l/min  
 cast swivel spout, lockable  
 laminar flow straightener 9 l/min.  
 projection 257 mm  
 metal lever, lever length 170 mm  
 temperature limiter, S-unions  
**min. recommended pressure 1.0 bar**



**32 774 000 4005176871740** **chrome** **313.81**  
 Ditto, projection 274 mm

**32 775 000 4005176871757** **chrome** **326.92**  
 Ditto, projection 342 mm





**32 786 000 4005176871863** **chrome** **176.58**

**Euroeco Special Sink mixer 1/2"**  
 monobloc installation  
**GROHE StarLight®** chrome finish  
**GROHE SilkMove®** 46 mm ceramic cartridge  
 adjustable flow rate limiter  
 swivel tubular spout  
 metal lever, lever length 120 mm  
 temperature limiter  
 flexible connection hoses  
 selectable swivel area : 0° / 150° / 360°  
 laminar flow straightener 9 l/min.  
**min. recommended pressure 1.0 bar**



**30 208 000 4005176927836** **chrome** **199.99**

**Euroeco Special Basin mixer 1/2"**  
 medium spout  
 monobloc installation  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 adjustable flow rate limiter  
 swivel tubular spout  
 swivel area 140°  
 special lever 170 mm  
 laminar flow straightener 5.7 l/min.  
 temperature limiter  
 flexible connection hoses  
 rapid installation system





**30 209 000 4005176927843** **chrome** **221.66**

**Euroeco Special Basin mixer 1/2"**  
 medium spout  
 monobloc installation  
**GROHE SilkMove®** 35 mm ceramic cartridge  
**GROHE StarLight®** chrome finish  
 adjustable flow rate limiter  
 swivel tubular spout  
 swivel area 140°  
 special lever 170 mm  
 laminar flow straightener 5.7 l/min.  
 temperature limiter  
 flexible connection hoses  
 rapid installation system


# GROHE EUROECO SPECIAL

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|



**32 784 000 4005176871849** **chrome** **103.85**

**Euroeco Special Single-lever shower mixer trim without concealed body**  
 set for final installation for 35 501 000  
**GROHE StarLight®** chrome finish  
 metal lever, lever length 120 mm  
 escutcheon- and shaft-sealing  
 metal escutcheon  
 screwed  
 temperature limiter



**35 501 000 4005176833847** **chrome** **103.15**

**GROHE Rapido E Universal Single-lever mixer for concealed installation without finishing trim set**  
**GROHE SilkMove®** 46 mm ceramic cartridge  
 adjustable flow rate limiter  
**min. recommended pressure 1.0 bar**



**32 870 000 4005176876523** **chrome** **83.22**


**Euroeco Special Lever 115 mm**  
 for Euroeco special single-lever mixer  
**GROHE StarLight®** chrome finish

**32 871 000 4005176876530** **chrome** **97.56**  
 Ditto, lever 160 mm




# GROHE HOSPITA






| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 30 978 000 | 4005176098918 | chrome | 164.51                 |

**Hospita**  
Sink pillar tap, 1/2", cold  
mousseur  
1/4 turn ceramic valve  
Sistra flow straightener  
lever length 150 mm  
with hot (red) and cold (blue) caps  
**GROHE StarLight®** chrome finish  
Min. recommended pressure 0.1 bar




|            |               |        |        |
|------------|---------------|--------|--------|
| 20 025 000 | 4005176099403 | chrome | 109.62 |
|------------|---------------|--------|--------|

**Hospita**  
Basin taps, 1/2", hot  
1/4 turn ceramic valve  
mousseur  
Sistra flow straightener  
lever length 100 mm  
with hot (red) and cold (blue) caps  
**GROHE StarLight®** chrome finish  
Min. recommended pressure 0.1 bar



|            |               |        |       |
|------------|---------------|--------|-------|
| 45 316 000 | 4005176099267 | chrome | 60.33 |
|------------|---------------|--------|-------|

**Lever**  
marking: blue/red  
projection 100 mm  
for use with ceramic headparts  
**GROHE StarLight®** chrome finish



|            |               |        |       |
|------------|---------------|--------|-------|
| 45 314 000 | 4005176099250 | chrome | 66.00 |
|------------|---------------|--------|-------|

**Lever**  
projection 150 mm  
marking: blue/red  
for use with ceramic headparts  
**GROHE StarLight®** chrome finish



# GROHE EURODISC SE



# GROHE EURODISC SE

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 36 233 000 | 4005176283338 | chrome | 449.31                 |

**Eurodisc SE**  
**Self-closing basin mixer 1/2"**  
 self-closing electronic  
 6V lithium-battery, type CR-P2  
 start-stop function  
 Flow time infinitely adjustable from 2-180 sec.  
 flow limiter 6 l/min (3 bar)  
 Flow time infinitely adjustable from 2-60 sec.  
 Automatic flushing: 5 min after 3 days  
 without use  
 thermal disinfection for 3,5 or 11 min  
 Maximum flow rate of 5 litres per minute  
 flexible connection hoses  
 type of protection IP 59K, CE approved  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for  
 less water and perfect flow  
**min. recommended pressure 1.0 bar**




|            |               |        |       |
|------------|---------------|--------|-------|
| 36 209 000 | 4005176207105 | chrome | 63.50 |
|------------|---------------|--------|-------|

**Eurodisc SE**  
**Security cover cap**  
 vandal-proof, covered and pre-adjustable  
 suitable for single hole mixers  
 Europlus E, Eurodisc SE & Tectron  
 consisting of:  
 special mixing device for actuation by  
 screwdriver  
 metallic cap  
**GROHE StarLight®** chrome finish



|            |               |        |        |
|------------|---------------|--------|--------|
| 36 244 000 | 4005176252624 | chrome | 699.31 |
|------------|---------------|--------|--------|

**Eurodisc SE**  
**Self-closing shower thermostat, 1/2"**  
 top outlet 3/4"  
**battery supply** 6 V lithium-battery,  
 type CR-P2  
 self-closing electronic  
 safety stop after 180 sec.  
 start-stop function  
 activation of permanent run for thermal  
 disinfection for 3.5 min  
 external access to flow time adjustment  
 activation of permanent run for thermal  
 disinfection for 3.5 min.  
 temperature scale handle with safety stop  
 between 35°C and 45°C  
 wax thermoelement with non-rising spindle  
 non-return valve, dirt strainers, S-unions  
 CE approved  
**GROHE StarLight®** chrome finish  
 max. pressure differential 5:1  
**GROHE EcoJoy®** technology for  
 less water and perfect flow  
**min. recommended pressure 1.0 bar**




|            |               |        |        |
|------------|---------------|--------|--------|
| 36 245 000 | 4005176252631 | chrome | 715.04 |
|------------|---------------|--------|--------|

**Ditto**, bottom outlet 1/2"

# GROHE EURODISC SE


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 36 247 000 | 4005176252655 | chrome | 629.38                 |

**Eurodisc SE**  
**Self-closing shower thermostat, 1/2"**  
 safety stop after 180 sec.  
 self-closing electronic  
**battery supply** 6 V lithium-battery,  
 type CR-P2  
 start-stop function  
 activation of permanent run for thermal  
 disinfection for 3.5 min  
 thermal disinfection for 3,5 or 11 min  
 temperature scale handle with safety stop  
 between 35°C and 45°C  
 wax thermoelement with non-rising spindle  
 non-return valve, dirt strainers  
 Automatic flushing: 5 min after 3 days  
 without use  
 CE approved  
**GROHE StarLight®** chrome finish  
 max. pressure differential 5:1  
**GROHE EcoJoy®** technology for  
 less water and perfect flow  
**without concealed body**  
**min. recommended pressure 1.0 bar**




|            |               |  |        |
|------------|---------------|--|--------|
| 36 014 000 | 4005176286889 |  | 176.58 |
|------------|---------------|--|--------|

**Eurodisc SE**  
**Concealed mounting box 1/2"**  
 wall installation  
 suitable for final installation set  
 36 247 000  
 2 stop valves





|            |               |        |        |
|------------|---------------|--------|--------|
| 36 248 000 | 4005176252662 | chrome | 279.73 |
|------------|---------------|--------|--------|

**Eurodisc SE**  
**Head shower combination**  
 complete with  
 exposed shower riser  
 union nut 3/4"  
 pipe clamp and shower head  
 with wall flange  
 vandal resistant  
**GROHE StarLight®** chrome finish  
**SpeedClean** anti-limescale system  
 flow limiter  
 9 l./min and 12l./min.  
**min. recommended pressure 1.0 bar**



|            |               |        |       |
|------------|---------------|--------|-------|
| 12 407 000 | 4005176004629 | chrome | 83.83 |
|------------|---------------|--------|-------|

**Wall union, male 1/2"**  
 connection pipe Ø 18 mm  
 connector set 3/4"  
 male thread 1/2"  
 escutcheon  
**GROHE StarLight®** chrome finish




# GROHE EUROSMART COSMOPOLITAN T






# GROHE EUROSMART COSMOPOLITAN T

Ref.No. EAN code Colour Retail Guide Price (£)




**36 317 000 4005176896514**  
**Eurosmart Cosmopolitan T**  
**Self-closing basin mixer**  
**with mixture**  
 monobloc installation  
 mixing device with hot water stop-valve  
 6.0 l/min flow rate, flow time 7 sec.  
 2 flexible hoses, dirt strainers  
 non-return valve  
**GROHE EcoJoy®** technology for  
 less water and perfect flow  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**


**36 318 000 4005176896521** **chrome** **226.54**  
**ditto, Pop Up Waste Version**




**36 319 000 4005176896538** **chrome** **410.84**  
**Eurosmart Cosmopolitan T**  
**Self-closing basin mixer 1/2"**  
 swivel cast spout 250 mm  
 swivel range stop at 130°, lockable  
 wall mounted  
 mixing device with hot water stop-valve  
 laminar flow straightener 9 l/min.  
 flow time 7 sec.  
 S-unions, non-return valve  
 dirt strainers  
**GROHE EcoJoy®** technology for  
 less water and perfect flow  
**GROHE StarLight®** chrome finish  
**GROHE CoolTouch®**  
**min. recommended pressure 1.0 bar**



**36 321 000 4005176896552** **chrome** **319.05**  
**Eurosmart Cosmopolitan T**  
**Self-closing shower mixer**  
**with mixture**  
 set for final installation for concealed fitting box  
 mixing device with hot water stop-valve  
 flow time 15 sec.  
 dirt strainers  
**without concealed body**  
**GROHE EcoJoy®** technology for  
 less water and perfect flow  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**



**36 322 000 4005176896569** **chrome** **121.68**  
**Eurosmart Cosmopolitan T**  
**Concealed mounting box**  
**with mixture**  
 wall installation  
 with adhesive flange for sealing the wall  
 2 stop valves  
 non-return valve  
**GROHE EcoJoy®** technology for  
 less water and perfect flow




**36 320 000 4005176896545** **chrome** **313.81**  
**Eurosmart Cosmopolitan T**  
**Self-closing shower mixer 1/2"**  
**with mixture**  
 hose connection G 1/2" and G 3/4"  
 wall mounted  
 mixing device with hot water stop-valve  
 flow time 15 sec.  
 S-unions  
 non-return valve  
 dirt strainers  
**GROHE EcoJoy®** technology for  
 less water and perfect flow  
**GROHE StarLight®** chrome finish  
**GROHE CoolTouch®**  
**min. recommended pressure 1.0 bar**

# GROHE EUROECO COSMOPOLITAN T




# GROHE EUROECO COSMOPOLITAN T

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 36 265 000 | 4005176893131 | chrome | 101.57                 |




**Euroeco Cosmopolitan T**  
**Self-closing pillar tap 1/2"**  
 monobloc installation  
 marking: blue/red  
 recommended pressure 0.5 - 6.0 bar  
 flow time adjustable to 7, 15 and 30 sec.  
 adjusted ex factory to 7 sec.  
 flow limiter 7.5 l/min  
**GROHE EcoJoy®** technology for less water and perfect flow  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**

|            |               |        |       |
|------------|---------------|--------|-------|
| 36 266 000 | 4005176893148 | chrome | 91.43 |
|------------|---------------|--------|-------|




**Euroeco Cosmopolitan T**  
**Self-closing pillar tap 1/2"**  
 wall mounted  
 marking: blue/red  
 recommended pressure 0.5 - 6.0 bar  
 flow time adjustable to 7, 15 and 30 sec.  
 adjusted ex factory to 7 sec.  
 flow limiter 7.5 l/min  
 escutcheon  
**GROHE EcoJoy®** technology for less water and perfect flow  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**

|            |               |        |       |
|------------|---------------|--------|-------|
| 36 267 000 | 4005176893155 | chrome | 81.12 |
|------------|---------------|--------|-------|




**Euroeco Cosmopolitan T**  
**Self-closing shower valve 1/2"**  
 exposed body and trim set  
 marking: blue/red  
 recommended pressure 0.5 - 6.0 bar  
 flow time adjustable to 7, 15 and 30 sec.  
 adjusted by the factory to 15 sec.  
 for use from 4-45°C  
 escutcheon  
**GROHE EcoJoy®** technology for less water and perfect flow  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**

|            |               |        |       |
|------------|---------------|--------|-------|
| 36 268 000 | 4005176893162 | chrome | 91.43 |
|------------|---------------|--------|-------|



**Euroeco Cosmopolitan T**  
**Self-closing shower valve 1/2"**  
 for concealed installation  
 marking: blue/red  
 recommended pressure 0.5 - 6.0 bar  
 flow time adjustable to 7, 15 and 30 sec.  
 adjusted by the factory to 15 sec.  
**GROHE EcoJoy®** technology for less water and perfect flow  
**GROHE StarLight®** chrome finish  
**min. recommended pressure 1.0 bar**

|            |               |            |       |
|------------|---------------|------------|-------|
| 40 536 000 | 4005176905506 | chrome     | 43.01 |
| 40 536 DC0 | 4005176905537 | supersteel | 51.66 |



**Contemporary Soap Dispenser**  
 for liquid soaps,  
 storage bin 0.4 l  
**GROHE StarLight®** chrome finish

# GROHE SPOUTS AND WASTES




# GROHE SPOUTS AND WASTES

Ref.No. EAN code Colour Retail Guide Price (£)


13 299 000 4005176899003 chrome 230.77

**Allure Brilliant**  
Bath spout  
wall mounted  
GROHE StarLight® chrome finish  
spout with integrated mousseur  
projection 161 mm  
min. recommended pressure 1.0 bar




13 139 000 4005176235856 chrome 178.32

**Atrio**  
Bath spout  
wall mounted  
mousseur  
projection 168 mm  
GROHE StarLight® chrome finish  
min. recommended pressure 1.0 bar




13 135 000 4005176225765 chrome 157.17

**Tenso**  
Bath spout 3/4"  
wall mounted  
projection 174 mm  
Sistra flow straightener  
GROHE StarLight® chrome finish  
min. recommended pressure 1.0 bar




13 614 000 4005176068096 chrome 183.33

**Chiara**  
Bath spout 3/4"  
wall mounted  
mousseur  
projection 170 mm  
GROHE StarLight® chrome finish  
min. recommended pressure 1.0 bar



13 278 002 4005176887871 chrome 115.39

**Eurodisc Cosmopolitan**  
Bath spout  
wall mounted  
GROHE StarLight® chrome finish  
mousseur  
male thread 1/2"  
projection 170 mm  
min. recommended pressure 1.0 bar




# GROHE SPOUTS AND WASTES

Ref.No. EAN code Colour Retail Guide Price (£)


13 276 002 4005176887246 chrome 78.90

**Eurostyle Cosmopolitan**  
Bath spout  
wall mounted  
GROHE StarLight® chrome finish  
mousseur  
male thread 1/2"  
projection 170 mm  
min. recommended pressure 1.0 bar




13 280 001 4005176888687 chrome 87.41

**Concetto**  
Bath spout  
wall mounted  
GROHE StarLight® chrome finish  
mousseur  
male thread 1/2"  
projection 170 mm  
min. recommended pressure 1.0 bar




13 261 000 4005176877384 chrome 78.15

**Eurosmart Cosmopolitan**  
Bath spout  
wall mounted  
GROHE StarLight® chrome finish  
mousseur  
male thread 1/2"  
projection 170 mm  
min. recommended pressure 1.0 bar




13 540 000 4005176005411 chrome 90.00

**Bath spout 3/4"**  
wall mounted  
flow straightener  
female thread 3/4"  
projection 140 mm  
GROHE StarLight® chrome finish  
min. recommended pressure 1.0 bar



13 303 000 4005176906350 chrome 104.38

**Eurocube**  
Bath spout  
wall mounted  
GROHE StarLight® chrome finish  
mousseur  
male thread 1/2"  
projection 170 mm




# GROHE SPOUTS AND WASTES

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|



|            |               |        |        |
|------------|---------------|--------|--------|
| 13 304 000 | 4005176906367 | chrome | 115.03 |
|------------|---------------|--------|--------|

**Eurocube**  
Bath spout  
wall mounted  
GROHE StarLight® chrome finish  
mousseur  
automatic diverter: bath/shower  
male thread 1/2"  
projection 170 mm




|            |               |        |        |
|------------|---------------|--------|--------|
| 13 435 000 | 4005176005251 | chrome | 206.66 |
|------------|---------------|--------|--------|

**Bath spout 3/4"**  
wall mounted  
mousseur  
automatic diverter: bath/shower  
shower connection 1/2"  
female thread 3/4"  
projection 140 mm  
min. recommended pressure 1.0 bar  
GROHE StarLight® chrome finish





|            |               |        |      |
|------------|---------------|--------|------|
| 13 900 000 | 4005176005442 | chrome | 8.33 |
|------------|---------------|--------|------|

**Strainer jet regulator**  
Sistra M22x1  
female thread  
M 22 x 1 (LP)




|            |               |        |       |
|------------|---------------|--------|-------|
| 13 928 000 | 4005176025365 | chrome | 10.67 |
|------------|---------------|--------|-------|

**Mousseur aerator**  
mousseur  
female thread  
M 22 x 1 (HP)  
flow class A  
15 l/min. at 3 bar



|            |               |        |      |
|------------|---------------|--------|------|
| 13 905 000 | 4005176025099 | chrome | 8.33 |
|------------|---------------|--------|------|

**Strainer jet regulator**  
Sistra M24x1  
Sistra flow straightener  
M 24 x 1 male thread




# GROHE SPOUTS AND WASTES

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|



|            |               |        |       |
|------------|---------------|--------|-------|
| 13 929 000 | 4005176025440 | chrome | 10.67 |
|------------|---------------|--------|-------|

**Mousseur aerator**  
mousseur  
flow class A  
male thread  
M 24 x 1  
15 l/min. at 3 bar



|            |               |        |       |
|------------|---------------|--------|-------|
| 13 907 000 | 4005176025129 | chrome | 18.83 |
|------------|---------------|--------|-------|

**Sistra flow straightener M28x1**  
Sistra flow straightener  
male thread  
M 28 x 1



|            |               |        |       |
|------------|---------------|--------|-------|
| 13 927 000 | 4005176005541 | chrome | 18.83 |
|------------|---------------|--------|-------|

**Mousseur aerator**  
mousseur  
flow class C  
male thread  
M 28 x 1  
30 l/min. at 3 bar




|            |               |        |       |
|------------|---------------|--------|-------|
| 13 950 000 | 4005176025679 | chrome | 10.67 |
|------------|---------------|--------|-------|

**Economy Mousseur**  
Z-class mousseur  
female thread  
M 22 x 1 (HP)  
7.3 l/min. at 3 bar



|            |               |        |       |
|------------|---------------|--------|-------|
| 13 951 000 | 4005176025730 | chrome | 10.67 |
|------------|---------------|--------|-------|


**Economy Mousseur**  
Z-class mousseur  
male thread  
M 24 x 1  
7.3 l/min. at 3 bar





# GROHE SPOUTS AND WASTES

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|




|            |               |        |      |
|------------|---------------|--------|------|
| 13 954 000 | 4005176025747 | chrome | 8.33 |
|------------|---------------|--------|------|

**Flow regulator**  
Laminar flow straightener  
female thread



|            |               |        |      |
|------------|---------------|--------|------|
| 13 955 000 | 4005176025808 | chrome | 8.33 |
|------------|---------------|--------|------|


**Flow regulator**  
Laminar flow straightener  
male thread  
M 24 x 1



|            |               |        |        |
|------------|---------------|--------|--------|
| 19 952 000 | 4005176174230 | chrome | 169.06 |
|------------|---------------|--------|--------|


**Talentofill**  
**Inlet-, pop-up and waste-system**  
set for final installation  
consisting of:  
escutcheon  
supply part  
waste plug  
fixing set  
**GROHE StarLight®** chrome finish  
min recommended pressure 1.0 bar

in combination with Talentofill  
28 990 000/28 991 000



|            |               |  |        |
|------------|---------------|--|--------|
| 28 990 000 | 4005176174025 |  | 160.83 |
|------------|---------------|--|--------|

**Talentofill**  
**Inlet-, pop-up and waste-system**  
for normal baths  
with bottle trap and 45°-outlet-bend  
without finishing trim set  
19 952 000  
min. recommended pressure 1.0 bar




|            |               |  |        |
|------------|---------------|--|--------|
| 28 991 000 | 4005176174032 |  | 182.49 |
|------------|---------------|--|--------|

**Talentofill**  
**Inlet-, pop-up and waste-system**  
for baths with waste up to 370 mm reach  
without finishing trim set  
19 952 000  
min. recommended pressure 1.0 bar


# GROHE SPOUTS AND WASTES

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|




|            |               |              |       |
|------------|---------------|--------------|-------|
| 19 025 000 | 4005176209154 | chrome       | 37.67 |
| 19 025 KSO | 4005176842016 | velvet black | 50.70 |
| 19 025 LSO | 4005176842023 | moon white   | 50.70 |

**Talento**  
**Waste and overflow set for baths**  
set for final installation  
escutcheon  
waste plug  
fixing set  
**GROHE StarLight®** chrome finish  
in combination with Talento 28 939 & 28943



|            |               |  |       |
|------------|---------------|--|-------|
| 28 939 000 | 4005176209161 |  | 81.66 |
|------------|---------------|--|-------|

**Talento**  
**Pop-up bath waste and overflow**  
set for normal bath  
and deep shower trays  
with bowden cable  
bottle trap  
45° waste elbow  
for use with trim set 19 025




|            |               |  |       |
|------------|---------------|--|-------|
| 28 943 000 | 4005176209178 |  | 98.33 |
|------------|---------------|--|-------|

**Pop-up bath waste and overflow**  
set for special baths with reach  
up to 370 mm overflow to waste  
with bowden cable  
bottle trap  
45° waste elbow  
without finishing trim set 19 025



|          |               |  |       |
|----------|---------------|--|-------|
| 11 522 1 | 4005176910081 |  | 30.60 |
|----------|---------------|--|-------|

**Click Waste**  
1 1/4"  
for basins mixers without Pop Up Waste  
removable cover




|            |               |        |       |
|------------|---------------|--------|-------|
| 40 565 000 | 4005176912757 | chrome | 68.19 |
|------------|---------------|--------|-------|

**Plug incl. cup**  
for standard pop-up waste set 1 1/4"  
**GROHE StarLight®** chrome finish

# GROHE SPOUTS AND WASTES


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 28 910 000 | 4005176603846 | chrome | 49.50                  |

**Pop-up waste set 1 1/4"**  
for basin/bidet fittings



|            |               |        |       |
|------------|---------------|--------|-------|
| 28 900 000 | 4005176603822 | chrome | 77.16 |
|------------|---------------|--------|-------|

**Pop-up waste set 1 1/4"**  
for basins  
GROHE StarLight® chrome finish




|            |               |        |       |
|------------|---------------|--------|-------|
| 07 182 000 | 4005176017438 | chrome | 20.50 |
|------------|---------------|--------|-------|

**Plug for pop-up waste set**




**Bottle trap, 1 1/4"**  
for basins  
brass  
(screw-top for cleaning)  
large sliding escutcheon  
GROHE StarLight® chrome finish



|            |               |        |        |
|------------|---------------|--------|--------|
| 40 564 000 | 4005176912740 | chrome | 180.83 |
|------------|---------------|--------|--------|


**Bottle trap**  
for wash basin  
GROHE StarLight® chrome finish  
brass body



# GROHE SPOUTS AND WASTES

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|         |          |        |                        |

**Bottle trap, 1 1/4"**  
for basins  
with fixed dip tube  
wall connection  
escutcheon  
GROHE StarLight® chrome finish





# GROHE UNIONS AND EXTENSIONS





# GROHE UNIONS AND EXTENSIONS

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|



**Pillar union**  
GROHE StarLight® chrome finish

|            |               |        |       |
|------------|---------------|--------|-------|
| 18 121 000 | 4005176815812 | chrome | 62.16 |
|------------|---------------|--------|-------|





**Pillar union, 3/4", pair**  
180 mm centres  
for pillar mounting  
GROHE StarLight® chrome finish

|            |               |        |        |
|------------|---------------|--------|--------|
| 18 978 000 | 4005176028809 | chrome | 146.33 |
|------------|---------------|--------|--------|





**Wall Mounted Brackets**  
1 pair  
for exposed 1/2" mixers  
includes: wall plate, brass olive, fixing nipple, chrome shroud

|            |               |        |       |
|------------|---------------|--------|-------|
| 18 370 000 | 4005176885228 | chrome | 60.50 |
|------------|---------------|--------|-------|



**Wall union**  
1 pair  
for exposed 1/2" mixers

|            |               |        |       |
|------------|---------------|--------|-------|
| 18 862 000 | 4005176028120 | chrome | 49.16 |
|------------|---------------|--------|-------|




**Wall union**  
Single  
for bibtaps

|            |               |        |       |
|------------|---------------|--------|-------|
| 12 952 000 | 4005176022692 | chrome | 33.17 |
|------------|---------------|--------|-------|


# GROHE UNIONS AND EXTENSIONS

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|




**S-union**  
adjustment range 7.5 mm  
1/2" x 3/4"  
GROHE StarLight® chrome finish

|            |               |        |       |
|------------|---------------|--------|-------|
| 12 001 000 | 4005176004339 | chrome | 20.33 |
|------------|---------------|--------|-------|




**S-union**  
Single  
1/2" x 3/4"  
adjustment range 10 mm  
lockable  
isolating valve  
GROHE StarLight® chrome finish

|            |               |        |       |
|------------|---------------|--------|-------|
| 12 400 000 | 4005176004582 | chrome | 34.17 |
|------------|---------------|--------|-------|





**S-union**  
Single  
3/4" x 1"  
adjustment range 12 mm  
lockable  
isolating valve  
GROHE StarLight® chrome finish

|            |               |        |       |
|------------|---------------|--------|-------|
| 12 401 000 | 4005176004612 | chrome | 61.66 |
|------------|---------------|--------|-------|



**S-union**  
1/2" x 3/4"  
screw socket to cover the union nut  
and the rosette  
sealing towards wall  
adjustment range 12.5 mm  
lockable for service  
suitable for  
Euroeco Special and safety mixers  
Grotherm 3000  
Grotherm Ergomix  
Europlus  
GROHE StarLight® chrome finish

|            |               |        |       |
|------------|---------------|--------|-------|
| 12 051 000 | 4005176213588 | chrome | 36.17 |
|------------|---------------|--------|-------|




**Inlet bulkhead unions, pair**  
Externally threaded, rosette

|            |               |        |       |
|------------|---------------|--------|-------|
| 18 863 000 | 4005176028137 | chrome | 61.66 |
|------------|---------------|--------|-------|




# GROHE UNIONS AND EXTENSIONS


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 12 965 000 | 4005176022708 |        | 38.67                  |
| 12 925 000 | 4005176004940 |        | 45.16                  |
| 12 927 000 | 4005176004957 |        | 13.50                  |
| 12 423 000 | 4005176004728 | chrome | 30.83                  |
| 28 817 000 | 4005176602962 | chrome | 11.00                  |




**Bulkhead union**




**Shank extension**  
M 26 x 1.5



**Shank extension**  
25 mm  
M 26 x 1.5



**Straight union**  
nut 1" x 3/4" male thread



**Adaptor 1/2" x 3/4"**  
female thread 3/4" x 1/2"  
male thread  
**GROHE StarLight®** chrome finish


# GROHE SPARE PARTS




# GROHE SPARE PARTS

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|

**14 159 000**    **4005176100710**    **chrome**    **14.67**  
**Double backflow preventer 3/4"**  
 for bath-fittings 3/4"  
 for intrinsically safe against non-return after DIN 1988  
**GROHE StarLight®** chrome finish



**14 165 00M**    **4005176006043**    **chrome**    **20.67**  
**Non-return valve**  
 male thread 1/2"  
 female thread 1/2"  
**GROHE StarLight®** chrome finish  
 multi-packaging: 2 pieces



**45 869 000**    **4005176189876**    **23.83**  
**Headpart 1/2"**  
 with ceramic sealing disks  
 rotation angle 180°  
 stop: right-hand

**47 364 000**    **4005176171819**    **70.33**  
**Aquadimmer**  
 for thermostatic mixers

**45 342 000**    **4005176129865**    **39.00**  
**Ceramic headpart, 1/2"**  
 with ceramic sealing disks  
 rotation angle 180°  
 stop: left-hand  
 cold

# GROHE SPARE PARTS

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|

**45 346 000**    **4005176104572**    **39.00**  
**Ceramic headpart, 1/2"**  
 with ceramic sealing disks  
 rotation angle 180°  
 stop: right-hand  
 hot

**45 882 000**    **4005176189883**    **37.83**  
**Ceramic headpart, 1/2"**  
 1/4 turn ceramic valve  
 with ceramic sealing disks  
 rotation angle 90°  
 stop: right-hand  
 hot

**45 883 000**    **4005176189890**    **37.83**  
**Ceramic headpart, 1/2"**  
 with ceramic sealing disks  
 1/4 turn ceramic valve  
 rotation angle 90°  
 stop: left-hand  
 cold

**45 885 000**    **4005176189913**    **86.33**  
**Ceramic headpart 3/4", 180°**  
 with ceramic sealing disks  
 rotation angle 180°  
 stop: right-hand  
 hot

**45 887 000**    **4005176189937**    **52.66**  
**Ceramic headpart 3/4", 180°**  
 with ceramic sealing disks  
 1/4 turn ceramic valve  
 stop: left-hand  
 rotation angle 90°  
 cold

# GROHE SPARE PARTS



| Ref.No.                                                                                                                                                   | EAN code      | Colour | Retail Guide Price (£) |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------|------------------------|
| 45 888 000                                                                                                                                                | 4005176189944 |        | 61.83                  |
| <b>Ceramic headpart 3/4", 180°</b><br>with ceramic sealing disks<br>1/4 turn ceramic valve<br>rotation angle 90°<br>stop: right-hand<br>hot               |               |        |                        |
| 07 146 000                                                                                                                                                | 4005176017261 |        | 16.50                  |
| <b>Headpart 1/2"</b><br>2 1/4 turn screw-down valves<br>with non-rising spindle<br>re-washerable                                                          |               |        |                        |
| 07 025 000                                                                                                                                                | 4005176016929 |        | 25.50                  |
| <b>Headpart 3/4"</b><br>2 1/4 turn screw-down valves<br>short spindle for 1/2" handles<br>re-washerable<br>for concealed valves, 3/4"                     |               |        |                        |
| 46 374 000                                                                                                                                                | 4005176169076 |        | 78.00                  |
| <b>Cartridge</b><br>GROHE SilkMove® 35 mm ceramic cartridge<br>For one hand lever mixers                                                                  |               |        |                        |
| 46 375 000                                                                                                                                                | 4005176169083 |        | 31.50                  |
| <b>Temperature limiter</b><br>please see possible utilisation in current Technical Product Information and spare part documentation in print/online media |               |        |                        |

# GROHE SPARE PARTS



| Ref.No.                                                                                                                                                                          | EAN code      | Colour | Retail Guide Price (£) |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------|------------------------|
| 46 048 000                                                                                                                                                                       | 4005176008283 |        | 78.00                  |
| <b>Cartridge</b><br>GROHE SilkMove® 46 mm ceramic cartridge<br>for all single lever mixers                                                                                       |               |        |                        |
| 46 386 000                                                                                                                                                                       | 4005176169410 |        | 97.16                  |
| <b>Cartridge</b><br>GROHE SilkMove® 56 mm ceramic cartridge<br>For one hand lever mixers                                                                                         |               |        |                        |
| 46 308 000                                                                                                                                                                       | 4005176131769 |        | 31.50                  |
| <b>Temperature limiter</b><br>please see possible utilisation in current Technical Product Information and spare part documentation in print/online media<br>for one-hand mixers |               |        |                        |
| 46 278 000                                                                                                                                                                       | 4005176131868 |        | 86.50                  |
| <b>Ceramic cartridge</b><br>single sequential control cartridge<br>GROHE SilkMove® 46 mm ceramic cartridge<br>for Euroeco and Euroeco Special                                    |               |        |                        |
| 46 409 000                                                                                                                                                                       | 4005176177668 |        | 44.16                  |
| <b>Cartridge</b><br>for use with displacement water heater<br>GROHE SilkMove® 46 mm ceramic cartridge                                                                            |               |        |                        |

# GROHE SPARE PARTS



| Ref.No.                                                                                                                                                                                                              | EAN code      | Colour | Retail Guide Price (£) |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------|------------------------|
| 47 439 000                                                                                                                                                                                                           | 4005176811975 |        | 127.83                 |
| <b>Thermostatic compact cartridge 1/2"</b><br>GROHE TurboStat® compact cartridge with wax thermoelement                                                                                                              |               |        |                        |
| 47 483 000                                                                                                                                                                                                           | 4005176815409 |        | 157.83                 |
| <b>Thermostatic compact cartridge 3/4"</b><br>GROHE TurboStat® compact cartridge with wax thermoelement                                                                                                              |               |        |                        |
| 47 175 000                                                                                                                                                                                                           | 4005176803895 |        | 127.83                 |
| <b>Thermostatic compact cartridge 1/2"</b><br>thermo-element 3/8"<br>GROHE TurboStat® compact cartridge with wax thermoelement<br>GROHE Turbostat® C3 compact cartridge with wax thermoelement for changed waterways |               |        |                        |
| 47 186 000                                                                                                                                                                                                           | 4005176803901 |        | 157.83                 |
| <b>Thermostatic compact cartridge 3/4"</b><br>for changed waterways<br>GROHE TurboStat® compact cartridge with wax thermoelement<br>Note: CoolTouch-function is omitted after being installed in exposed fittings    |               |        |                        |
| 47 450 000                                                                                                                                                                                                           | 4005176076190 |        | 127.83                 |
| <b>Thermostatic cartridge 1/2"</b><br>rising spindle<br>wax element                                                                                                                                                  |               |        |                        |

# GROHE SPARE PARTS



| Ref.No.                                                                                                               | EAN code      | Colour | Retail Guide Price (£) |
|-----------------------------------------------------------------------------------------------------------------------|---------------|--------|------------------------|
| 47 282 000                                                                                                            | 4005176061592 |        | 127.83                 |
| <b>Thermostatic reverse cartridge</b><br>thermo-element 3/8"<br>rising spindle<br>for reverse water supplies          |               |        |                        |
| 47 217 000                                                                                                            | 4005176241246 |        | 127.83                 |
| <b>Thermostatic cartridge</b><br>thermo-element 3/8"<br>with non-rising spindle                                       |               |        |                        |
| 47 657 000                                                                                                            | 4005176262838 |        | 127.83                 |
| <b>Thermostatic reverse cartridge</b><br>thermo-element 3/8"<br>with non-rising spindle<br>for reverse water supplies |               |        |                        |
| 47 349 000                                                                                                            | 4005176141461 |        | 102.83                 |
| <b>Wax thermo-element-cartridge 3/8"</b><br>thermo-element 3/8"<br>rising spindle                                     |               |        |                        |
| 47 310 000                                                                                                            | 4005176079238 |        | 157.83                 |
| <b>Thermostatic cartridge</b><br>thermostatic cartridge, 3/4"<br>rising spindle                                       |               |        |                        |



# GROHE SPARE PARTS

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 47 379 000 | 4005176203169 |        | 157.83                 |

**Thermostatic reverse cartridge**  
thermostatic cartridge, 3/4"  
rising spindle  
for reverse water supplies



|            |               |  |        |
|------------|---------------|--|--------|
| 47 220 000 | 4005176241253 |  | 157.83 |
|------------|---------------|--|--------|

**Thermostatic cartridge**  
thermostatic cartridge, 3/4"  
with non-rising spindle




|            |               |  |        |
|------------|---------------|--|--------|
| 47 658 000 | 4005176262845 |  | 157.83 |
|------------|---------------|--|--------|

**Thermostatic reverse cartridge**  
thermostatic cartridge, 3/4"  
with non-rising spindle  
for reverse water supplies





|            |               |  |        |
|------------|---------------|--|--------|
| 47 201 000 | 4005176803925 |  | 128.49 |
|------------|---------------|--|--------|

**Extension set 27.5 mm**  
suitable for  
34 212 000



|            |               |  |       |
|------------|---------------|--|-------|
| 45 203 000 | 4005176052842 |  | 16.00 |
|------------|---------------|--|-------|

**Extension-set 200 mm**  
for concealed valves, 1/2", 3/4"  
for wall thickness up to 200 mm



# GROHE SPARE PARTS

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 00 798 000 | 4005176229008 | chrome | 25.33                  |

**Avensys Shower  
wax thermo-element**



|            |               |        |       |
|------------|---------------|--------|-------|
| 07 587 000 | 4005176229015 | chrome | 13.50 |
|------------|---------------|--------|-------|

**Avensys Shower  
Slide**



|            |               |        |       |
|------------|---------------|--------|-------|
| 47 600 000 | 4005176228995 | chrome | 52.50 |
|------------|---------------|--------|-------|

**Avensys Shower  
Control unit**  
Single control shower 1/2" mixer  
For DO8 mixers



|            |               |        |        |
|------------|---------------|--------|--------|
| 47 598 000 | 4005176229169 | chrome | 126.33 |
|------------|---------------|--------|--------|

**Avensys Shower  
Control unit**  
for Avensys  
Dual control shower mixer 1/2"



|            |               |        |       |
|------------|---------------|--------|-------|
| 14 116 00M | 4005176006005 | chrome | 43.66 |
|------------|---------------|--------|-------|

**Non-return valve 1/2"**  
multi-packaging: 2 pieces



# GROHE SPARE PARTS





| Ref.No.                                                                                                                                                                         | EAN code      | Colour | Retail Guide Price (£) |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------|------------------------|
| 47 189 000                                                                                                                                                                      | 4005176010330 |        | 32.17                  |
| <b>Non-return valve</b><br>for 1/2" thermostatic exposed supplies                                                                                                               |               |        |                        |
| 47 167 000                                                                                                                                                                      | 4005176010125 | chrome | 16.00                  |
| <b>Stop ring and regulating nut</b><br>for thermostats with 47 450 cartridge                                                                                                    |               |        |                        |
| 07 264 00M                                                                                                                                                                      | 4005176228797 | chrome | 8.00                   |
| <b>Filter</b><br>washer with filter for thermostats<br>multi-packaging: 2 pieces                                                                                                |               |        |                        |
| 07 341 000                                                                                                                                                                      | 4005176017728 | chrome | 31.33                  |
| <b>Extended horizontal pop-up rod</b><br>length 350 mm                                                                                                                          |               |        |                        |
| 19 332 000                                                                                                                                                                      | 4005176823695 | chrome | 60.66                  |
| <b>Socket Spanner</b><br>34 mm for dis-/assembly of central screw coupling and GROHE TurboStat®<br>thermostatic compact cartridge<br>32 mm for dis-/assembly of 35 mm cartridge |               |        |                        |


# GROHE SPARE PARTS



| Ref.No.                                                                                                                                                               | EAN code      | Colour | Retail Guide Price (£) |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------|------------------------|
| 19 377 000                                                                                                                                                            | 4005176872204 | chrome | 33.17                  |
| <b>Special Spanner</b><br>30 mm for dis-/assembly exposed faucets with covered S-unions<br>34 mm for dis-/assembly of GROHE TurboStat® thermostatic compact cartridge |               |        |                        |
| 48 021 000                                                                                                                                                            | 4005176881435 |        | 5.17                   |
| <b>GROOVED Key</b><br>for mousseurs<br>(M 22 x 1, M 24 x 1, M 28 x 1)<br>for integrated mousseurs<br>M 16,5 x 1, M 18,5 x 1, M 24 x 1<br>in units of 10               |               |        |                        |
| 19 070 000                                                                                                                                                            | 4005176029653 | chrome | 44.33                  |
| <b>Socket Spanner</b><br>Wrench size 12 and 14 mm<br>To disassemble/assemble<br>the hot water seat of thermostats                                                     |               |        |                        |
| 19 017 000                                                                                                                                                            | 4005176212024 |        | 32.50                  |
| <b>Mounting wrench</b><br>SW 13<br>for installation of basin mixers with the Rapid system                                                                             |               |        |                        |
| 48 166 000                                                                                                                                                            | 4005176923197 |        | 12.17                  |
| <b>Grohclean</b><br><b>Detergent for fittings and bathrooms</b><br>500 ml spray bottle<br>sales unit 10 pieces                                                        |               |        |                        |



# GROHE SPARE PARTS



| Ref.No.                       | EAN code      | Colour | Retail Guide Price (£) |
|-------------------------------|---------------|--------|------------------------|
| 47 532 000                    | 4005176206795 | chrome | 142.66                 |
| <b>Thermostatic cartridge</b> |               |        |                        |
| 45 023 000                    | 4005176006494 | chrome | 7.67                   |
| <b>Thermostat seat</b>        |               |        |                        |

# GROHE SANITARY SYSTEMS

|                             |                                           |           |
|-----------------------------|-------------------------------------------|-----------|
| <b>Flushing Systems WC</b>  | WC Concealed Installation                 | <b>61</b> |
| <b>Installation Systems</b> | Rapid SL WC, Frames                       | <b>62</b> |
|                             | WC Wall Plates, Dual Flush / Single Flush | <b>63</b> |
|                             | Rapid SL Urinal                           | <b>64</b> |
|                             | Rapid SL Wash Basin, Bidet                | <b>65</b> |
| <b>Flow Charts</b>          |                                           | <b>66</b> |

# GROHE FLUSHING CISTERNS WC






# GROHE WC CISTERNS

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|

NEW



39 053 000 4005176935978 83.72


**Concealed flushing cistern**  
6 l / 3 l  
**Dual Flush**  
water supply from bottom  
insulated against condensation  
acoustic group I  
round push button actuation Ø 50 mm with Eco button  
actuation from front, top, left or right  
for walls 18 -24 mm thickness  
bowden cable 0.5 m length  
for more flexibility in push button position  
fixing brackets  
flush pipe  
WC inlet connector  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
**min. recommended pressure 0.2 bar**

# GROHE WC CISTERNS

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|

61


NEW



39 056 000 4005176936302 chrome 19.45

**Round push button actuation Ø 50 mm with Eco button**  
in combination with bath furniture or removable claddings for cistern inspection  
for combination with flushing cistern 39 056 000 for walls 18 -24 mm thickness  
**GROHE StarLight®** chrome finish


NEW



39 054 000 4005176936289 75.26

**Concealed flushing cistern**  
6 l / 3 l  
**Dual Flush**  
water supply from left/right or back  
insulated against condensation  
acoustic group I  
round push button actuation Ø 50 mm with Eco button  
actuation from front, top, left or right  
for walls 18 -24 mm thickness  
bowden cable 0.5 m length  
for more flexibility in push button position  
fixing brackets  
flush pipe  
WC inlet connector  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
**min. recommended pressure 0.2 bar**

NEW



39 055 000 4005176936296 66.71


**Concealed flushing cistern**  
6 l / 3 l  
**Dual Flush**  
water supply from left/right or back  
insulated against condensation  
acoustic group I  
fixing brackets  
flush pipe  
WC inlet connector  
**without push button actuation**  
**GROHE EcoJoy®** technology for less water and perfect flow  
**min. recommended pressure 0.2 bar**

# GROHE WC CISTERNS

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|


|            |               |              |       |
|------------|---------------|--------------|-------|
| 37 762 SH0 | 4005176213250 | alpine white | 57.70 |
|------------|---------------|--------------|-------|

**Adagio**  
**Concealed cistern, 6 l**  
non-interruptible flush cycle  
min. recommended static pressure 0.2 bar  
- without air buttons 37 761 / 37 768 / 38 488 / 38 496 / 38 497 / 38819/ 38820  
Flush can be set to 4.5ltr, this is not reversible  
ABS flush pipe 180 mm x 320 mm  
rubber inlet pan connector




|            |               |              |       |
|------------|---------------|--------------|-------|
| 37 945 SH0 | 4005176256387 | alpine white | 62.94 |
|------------|---------------|--------------|-------|

**Adagio**  
**Concealed cistern, 6 l**  
bottom inlet  
ABS flush pipe 180 mm x 320 mm  
rubber inlet pan connector  
min. recommended static pressure 0.2 bar  
Flush can be set to 4.5ltr, this is not reversible  
- without air buttons 37 761 / 37 768 / 38 488 / 38 496 / 38 497 / 38819/ 38820




|            |               |        |       |
|------------|---------------|--------|-------|
| 37 761 000 | 4005176213243 | chrome | 33.75 |
|------------|---------------|--------|-------|

**Air button**  
ABS button & 75cm air hose  
for use with Adagio cistern 37 762 SH / 37 945 SH




|            |               |        |       |
|------------|---------------|--------|-------|
| 38 488 000 | 4005176289866 | chrome | 33.75 |
|------------|---------------|--------|-------|

**Air button**  
with 750 mm air hose  
for panel thickness up to 30 mm  
made of ABS  
for use with Adagio cistern 37 762 SH / 37 945 SH



|            |               |        |       |
|------------|---------------|--------|-------|
| 38 819 000 | 4005176868399 | chrome | 37.76 |
|------------|---------------|--------|-------|

**Air button**  
diameter 60 mm  
with 750 mm air hose  
for panel thickness up to 30 mm  
for use with Adagio cistern 37 762 SH / 37 945 SH




# GROHE WC CISTERNS

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|


|            |               |        |       |
|------------|---------------|--------|-------|
| 38 820 000 | 4005176868405 | chrome | 37.76 |
|------------|---------------|--------|-------|

**Air button**  
60 x 60 mm  
with 750 mm air hose  
for panel thickness up to 30 mm  
for use with Adagio cistern 37 762 SH / 37 945 SH




|            |               |        |        |
|------------|---------------|--------|--------|
| 38 496 000 | 4005176289958 | chrome | 108.39 |
|------------|---------------|--------|--------|

**Air button**  
air button 63 mm dia.  
with 750 mm air hose  
for panel thickness up to 30 mm  
chrome plated brass  
only for use with a removable shelf / panel  
for use with Adagio cistern 37 762 SH / 37 945 SH





|            |               |                 |        |
|------------|---------------|-----------------|--------|
| 38 497 SD0 | 4005176289965 | stainless steel | 158.04 |
|------------|---------------|-----------------|--------|

**Air button**  
air button 63 mm dia.  
with 750 mm air hose  
for panel thickness up to 30 mm  
only for use with a removable shelf / panel  
for use with Adagio cistern 37 762 SH / 37 945 SH





|            |               |  |       |
|------------|---------------|--|-------|
| 42 137 000 | 4005176259524 |  | 20.63 |
|------------|---------------|--|-------|

**Servo discharge valve**  
for cisterns Adagio / Dallux



|            |               |  |      |
|------------|---------------|--|------|
| 43 544 000 | 4005176157738 |  | 6.17 |
|------------|---------------|--|------|


**Outlet piston**



# GROHE WC CISTERNS


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 42 181 000 | 4005176286872 | chrome | 31.47                  |

**Filling valve**  
1/2" connection  
min. recommended  
static pressure 0.2 bar




|            |               |              |      |
|------------|---------------|--------------|------|
| 37 101 SH0 | 4005176141942 | alpine white | 8.00 |
|------------|---------------|--------------|------|

**Flush pipe**  
190 x 210 mm  
for use with Adagio 37 762 SH




|            |               |              |       |
|------------|---------------|--------------|-------|
| 37 100 SH0 | 4005176142093 | alpine white | 15.83 |
|------------|---------------|--------------|-------|

**Flush pipe**  
390 x 350 mm  
for use with Adagio



|            |               |  |      |
|------------|---------------|--|------|
| 37 119 000 | 4005176144370 |  | 3.50 |
|------------|---------------|--|------|

**Connector**  
Ø 55 mm  
for flush pipes 37 100 / 37 101  
for use with Adagio




# GROHE WC CISTERNS

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 38 691 000 | 4005176815454 |        | 104.72                 |


**Eau2**  
**WC Flushing cistern 0.82 m**  
**6 l / 3 l, Dual Flush**  
connection from left / right or back  
insulated against condensation  
with angle stop valve 1/2" and flush pipe  
fixing brackets  
min. recommended  
static pressure 0.2 bar  
can be adjusted to reduce flushing volume

**air button**  
**front or top actuation**  
extended hose length for flexibility when  
positioning the actuation  
sleek and minimal styling allows the button  
to be fitted in any 360degree orientation  
with inlet pipe




|            |               |  |        |
|------------|---------------|--|--------|
| 38 422 000 | 4005176275203 |  | 187.94 |
|------------|---------------|--|--------|

**WC concealed cistern 0.82 m, 6/3 l**  
dual or single flush  
**0.82 m installation height**  
**front or top actuation**  
low noise filling valve  
connection from left / right or back  
insulated against condensation  
415 x 140 x 360 mm  
with angle stop valve 1/2" and flush pipe  
fixing brackets  
protecting block  
min. recommended  
static pressure 0.2 bar  
for use with horizontal plates  
**without wall plate/actuation**  
**without inlet connector 37 489**



|            |               |  |        |
|------------|---------------|--|--------|
| 38 661 000 | 4005176294907 |  | 177.45 |
|------------|---------------|--|--------|

**WC concealed cistern**  
adjustment ex factory 6 l and 3 l  
with small maintenance access  
pneumatic discharge valve offering 3 modes of operation:  
dual flush or start/stop or non-interruptible  
connection from left/right/back or top  
low noise (group I acc. to  
German Noise Specification)  
DIN approved  
insulated against condensation  
1/2" water supply connection including integrated  
angle valve and push fit flexible hose union  
no tools required for the installation  
of the inspection shaft incl. protection  
during construction phase,  
for vertical or horizontal use  
flush pipe insulated against condensation  
**GROHE EcoJoy®** technology for less water  
and perfect flow  
fixing brackets  
**without inlet connector 37 489**  
**without wall plate/actuation**



# GROHE WC CISTERNS

Ref.No. EAN code Colour Retail Guide Price (£)

38 863 000 4005176832345 126.23

**Flushing cistern for WC**  
pneumatic discharge valve offering 3 modes of operation:  
dual flush or start/stop or non-interruptible  
with small maintenance access  
water supply connection from top  
low noise (group I acc. to German Noise Specification)  
test approval applied for with plaster base coating made of vinyl fleece  
with angle valve 1/2"  
with push fit flexible hose union  
fixing brackets  
**without wall plate/actuation, for use with vertical & horizontal plates  
without inlet connector 37 489**

37 489 000 4005176167386 8.67

**Extension**  
for concealed cisterns  
(not Adagio / Dallux)  
length 200 mm

37 105 K00 4005176141904 black 15.33

**Extension**  
for horizontal extension  
for use with inlet pipe / connector 37 489

37 104 K00 4005176160844 black 18.17

**WC inlet and outlet connecting set**  
connecting pipe 45 mm dia  
for wall hung WC connector  
2 chrome finished caps for WC fixing bolts  
and waste pipe 110 mm wide  
150 mm long  
for concealed cisterns  
(not Adagio / Dallux)

38 735 000 4005176837500 59.44

**Adaptor**  
for flushing cistern 38 422  
concealed installation  
consisting of valve seat  
dual flush discharge valve AV1  
for 6 l or 3 l  
for use with Rapid SL 38 526 and 38 525  
**without wall plate**

# GROHE WC CISTERNS

Ref.No. EAN code Colour Retail Guide Price (£)

38 736 000 4005176837517 63.99

**Dual flush valve set**  
for flushing cistern 38 661  
**6 - 9 l** adjustable  
consisting of valve seat  
dual flush discharge valve AV1  
**for use with Rapid SL 38 528  
without wall plate/actuation**

37 095 000 4005176145124 29.03

**Filling valve**  
3/8" connection  
adjustable float  
min. recommended  
static pressure 0.2 bar

38 714 000 4005176828454 12.17

**WC wall plate extension set 70 mm**  
with pneumatic discharge valve

42 271 00M 4005176820588 chrome 44.33

**Nipple**  
multi-packaging: 10 pieces



# GROHE RAPID SL FOR WC



GROHE  
Whisper\*



GROHE  
EcoJoy\*\*




GROHE  
QuickFix\*



# GROHE RAPID SL WC


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 38 528 001 | 4005176863943 |        | 318.18                 |

**Rapid SL WC**  
**1.13 m installation height**  
 flushing cistern GD 2  
 with small maintenance access  
 for on-the-wall installations or studded walls  
 powder coated steel frame, self-supporting  
 for dry-cladding, completely pre-assembled  
 with fixed connections  
 for single or series installation  
 quick adjustment, lockable  
 fixing material  
 TÜV approved  
 2 WC fixing bolts  
 fixing device for ceramic  
 distance of fixing bolts 180/230 mm  
 outlet bend Ø 80 mm, depth adjustable  
 reducer Ø 80/100 mm  
 inlet and outlet connecting set  
 adjustment ex factory 6 l and 3 l  
 pneumatic discharge valve offering 3 modes of operation:  
 dual flush or start/stop or non-interruptible  
 water supply from left/right or back  
 insulated against condensation  
 1/2" water supply connection including integrated  
 angle valve and push fit flexible hose union  
 no tools required for the installation  
 of the inspection shaft incl. protection  
 during construction phase,  
 for vertical or horizontal flush plates  
**without wall plate/actuation**  
**without front wall brackets**  
**38 558 00M (pair)**



|            |               |  |        |
|------------|---------------|--|--------|
| 38 525 001 | 4005176863967 |  | 330.42 |
|------------|---------------|--|--------|


**Rapid SL WC**  
**1.0 m installation height**  
**front or top actuation**  
 for on-the-wall installations or studded walls  
 powder coated steel frame, self-supporting  
 for dry-cladding, completely pre-assembled  
 with fixed connections  
 for single or series installation  
 quick adjustment, lockable  
 fixing material  
 TÜV approved  
 2 WC fixing bolts  
 fixing device for ceramic  
 distance of fixing bolts 180/230 mm  
 outlet bend Ø 80 mm, depth adjustable  
 reducer Ø 80/100 mm  
 inlet and outlet connecting set  
 pneumatic discharge valve offering 3 modes of operation:  
 dual flush or start/stop or non-interruptible  
 water supply from left/right or back  
 insulated against condensation  
 1/2" water supply connection including integrated  
 angle valve and push fit flexible hose union  
 Shortable inspection shaft incl.  
 protection during construction phase,  
 for horizontal flush plates  
**without front wall brackets**  
**38 558 00M (pair)**  
**without wall plate/actuation**



# GROHE RAPID SL WC


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 38 526 000 | 4005176291050 |        | 330.42                 |

**Rapid SL WC**  
**0.82 m installation height**  
**front or top actuation**  
 dual or single flush  
 for on-the-wall installations or studded walls  
 powder coated steel frame, self-supporting  
 for dry-cladding, completely pre-assembled  
 with fixed connections  
 for single or series installation  
 fixing material  
 2 WC fixing bolts  
 distance of fixing bolts 180/230 mm  
 PP-outlet bend 80/100 mm dia.  
 inlet and outlet connecting set  
 dual flush discharge valve pneumatic  
 connection from left / right or back  
 insulated against condensation  
 with angle stop valve 1/2" and flush pipe  
 For horizontal flush plates  
**without wall plate/actuation**  
**without front wall brackets**  
**38 558 00M (pair)**




|            |               |  |        |
|------------|---------------|--|--------|
| 38 675 001 | 4005176863516 |  | 417.84 |
|------------|---------------|--|--------|

**Rapid SL WC**  
 flushing cistern 6 l  
**1.13 m installation height**  
 for the disabled  
**for WC bowls 70 cm projection**  
 for on-the-wall installations or studded walls  
 powder coated steel frame, self-supporting  
 for dry-cladding, completely pre-assembled  
 with fixed connections  
 for single or series installation  
 fixing material  
 TÜV approved  
 2 WC fixing bolts  
 fixing device for ceramic  
 distance of fixing bolts 180/230 mm  
 outlet bend Ø 80 mm, depth adjustable  
 reducer Ø 80/100 mm  
 inlet and outlet connecting set  
 pneumatic discharge valve offering 3 modes of operation:  
 dual flush or start/stop or non-interruptible  
 insulated against condensation  
 1/2" water supply connection including integrated  
 angle valve and push fit flexible hose union  
**without wall plate/actuation**



|            |               |  |        |
|------------|---------------|--|--------|
| 38 559 001 | 4005176863776 |  | 157.52 |
|------------|---------------|--|--------|


**Rapid SL**  
**Fixing element**  
 to fix support for the disabled  
**1.13 m installation height**  
**0.31 m wide**  
 powder coated steel frame  
 waterproof plywood  
 fixing material  
**without front wall brackets**  
**38 558 00M (pair)**



# GROHE RAPID SL WC


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 38 729 000 | 4005176835698 |        | 199.30                 |

**Uniset for WC**  
with small maintenance access  
pneumatic discharge valve offering 3 modes of operation:  
dual flush or start/stop or non-interruptible  
PE outlet bend Ø 80 mm  
inlet and outlet connecting set  
steel frame, hot galvanized, with  
4 fixing brackets  
2 WC fixing bolts  
distance of fixing bolts 180/230 mm  
fixing device for ceramic  
water supply connection from top  
low noise (group I acc. to  
German Noise Specification)  
with plaster base coating made of vinyl fleece  
with angle valve ½"  
with push fit flexible hose union  
Shortable inspection shaft incl.  
protection during construction phase,  
for vertical or horizontal plates  
**without wall plate/actuation**





|            |               |  |       |
|------------|---------------|--|-------|
| 38 558 00M | 4005176291418 |  | 23.08 |
|------------|---------------|--|-------|

**Rapid SL Front wall brackets**  
for against-the-wall installations  
for fixing the elements at the brick-wall  
or in front of the studded wall  
steady vertical adjustment from 130 - 230 mm  
fixing material  
**2 pieces**





|            |               |  |        |
|------------|---------------|--|--------|
| 38 779 000 | 4005176855306 |  | 100.35 |
|------------|---------------|--|--------|

**Rapid SL Accessory**  
for WC bowls with a bearing area of  
less than 20 cm



|            |               |        |        |
|------------|---------------|--------|--------|
| 38 562 001 | 4005176863752 | chrome | 125.33 |
|------------|---------------|--------|--------|


**Rapid SL set for corner installation**  
for WC, bidet, wash basin and urinal  
single installation or fitting to a rail  
fitting maximum 625 mm from the corner  
fixing material for corner installation  
2 wall brackets 1.13 m  
**135°**



# GROHE RAPID SL WC

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 38 563 000 | 4005176291463 |        | 27.27                  |

**Extension set**  
for Rapid SL frames  
for max. distance to the wall 330 mm, additional 110 mm  
2 threaded bolts with sleeves




|            |               |  |       |
|------------|---------------|--|-------|
| 42 766 000 | 4005176222115 |  | 10.50 |
|------------|---------------|--|-------|

**Distance pipe 3"**



|            |               |  |        |
|------------|---------------|--|--------|
| 38 536 001 | 4005176863929 |  | 318.18 |
|------------|---------------|--|--------|

**Rapid SL WC**  
flushing cistern GD 2  
with small maintenance access  
**1.13 m installation height**  
for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections  
for single or series installation  
quick adjustment, lockable  
fixing material, TÜV approved  
2 WC fixing bolts, fixing device for ceramic  
distance of fixing bolts 180/230 mm  
outlet bend Ø 80 mm, depth adjustable  
reducer Ø 80/100 mm  
inlet and outlet connecting set  
adjustment ex factory 6 l and 3 l  
pneumatic discharge valve offering 3 modes of operation:  
dual flush or start/stop or non-interruptible  
water supply from left/right or back  
low noise (group I acc. to  
German Noise Specification)  
DIN approved  
insulated against condensation  
½" water supply connection including integrated  
angle valve and push fit flexible hose union  
no tools required for the installation  
of the inspection shaft incl. protection  
during construction phase,  
for vertical or horizontal use  
accessories for on-the-wall installation




# GROHE RAPID SL WC

Ref.No. EAN code Colour Retail Guide Price (£)


38 947 000 4005176911217 330.42

**Rapid SL 2-in-1 set for WC with flushing cistern 6 - 9 l**  
for on-the-wall installations or studded walls  
**1.0 m installation height**  
powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections  
for single or series installation  
quick adjustment, lockable, fixing material TÜV approved, 2 WC fixing bolts  
fixing device for ceramic  
distance of fixing bolts 180/230 mm  
outlet bend Ø 80 mm, depth adjustable  
reducer Ø 80/100 mm  
inlet and outlet connecting set  
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or non-interruptible  
**front or top actuation**  
water supply from left/right or back  
low noise (group I acc. to German Noise Specification)  
insulated against condensation  
½" water supply connection including integrated angle valve and push fit flexible hose union  
shortable inspection shaft incl. protection during construction phase  
**GROHE EcoJoy®** technology for less water and perfect flow  
accessories for on-the-wall installation



38 948 000 4005176911224 330.42

**Rapid SL 2-in-1 set for WC with flushing cistern 6 - 9 l**  
for on-the-wall installations or studded walls  
**0.82 m installation height**  
powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections  
for single or series installation  
quick adjustment, lockable fixing material, TÜV approved  
2 WC fixing bolts, fixing device for ceramic  
distance of fixing bolts 180/230 mm  
outlet bend Ø 80 mm, depth adjustable  
reducer Ø 80/100 mm  
inlet and outlet connecting set  
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or non-interruptible  
**front or top actuation**  
water supply from left/right or back  
low noise (group I acc. to German Noise Specification)  
insulated against condensation  
½" water supply connection including integrated angle valve and push fit flexible hose union  
protecting block  
**GROHE EcoJoy®** technology for less water and perfect flow  
**GROHE StarLight®** chrome finish  
**with wall brackets for on-the-wall installations**




# GROHE RAPID SL WC

Ref.No. EAN code Colour Retail Guide Price (£)


38 721 001 4005176863431 322.56

**Rapid SL 3 in 1 set for WC**  
flushing cistern GD 2  
with small maintenance access  
**1.13 m installation height**  
for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections, for single or series installation  
quick adjustment, lockable fixing material, TÜV approved, 2 WC fixing bolts  
fixing device for ceramic  
distance of fixing bolts 180/230 mm  
outlet bend Ø 80 mm, depth adjustable  
reducer Ø 80/100 mm  
inlet and outlet connecting set  
adjustment ex factory 6 l and 3 l  
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or non-interruptible  
water supply from left/right or back  
insulated against condensation  
½" water supply connection including integrated angle valve and push fit flexible hose union  
no tools required for the installation of the inspection shaft incl. protection during construction phase, for vertical or horizontal use  
**including wall plate Skate Air**  
for dual flush or start & stop actuation  
for vertical installation, 156 x 197 mm  
chrome, made of ABS  
**GROHE StarLight®** chrome finish  
accessories for on-the-wall installation



38 761 000 4005176841620 335.67

**Rapid SL 3 in 1 set for WC with flushing cistern 6 - 9 l**  
for on-the-wall installations or studded walls  
**0.82 m installation height**  
powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections  
for single or series installation  
quick adjustment, lockable fixing material, TÜV approved, 2 WC fixing bolts  
fixing device for ceramic  
distance of fixing bolts 180/230 mm  
outlet bend Ø 80 mm, depth adjustable  
reducer Ø 80/100 mm  
inlet and outlet connecting set  
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or non-interruptible  
**front or top actuation**  
water supply from left/right or back  
test approval applied for insulated against condensation  
½" water supply connection including integrated angle valve and push fit flexible hose union, protecting block  
**including wall plate Skate Air**, chrome  
for dual flush or start & stop actuation, for horizontal installation  
156 x 197 mm, made of ABS  
**GROHE EcoJoy®** technology for less water and perfect flow  
**GROHE StarLight®** chrome finish  
**with wall brackets for on-the-wall installations**






# GROHE RAPID SL WC


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 38 772 001 | 4005176863288 |        | 322.56                 |

**Rapid SL 3 in 1 set for WC**  
flushing cistern GD 2  
with small maintenance access  
**1.13 m installation height**  
for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections, for single or series installation  
quick adjustment, lockable  
fixing material, TÜV approved, 2 WC fixing bolts  
fixing device for ceramic  
distance of fixing bolts 180/230 mm  
outlet bend Ø 80 mm, depth adjustable  
reducer Ø 80/100 mm  
inlet and outlet connecting set  
adjustment ex factory 6 l and 3 l  
pneumatic discharge valve offering 3 modes of operation:  
dual flush or start/stop or non-interruptible  
water supply from left/right or back  
insulated against condensation  
½" water supply connection including integrated  
angle valve and push fit flexible hose union  
no tools required for the installation  
of the inspection shaft incl. protection  
during construction phase,  
for vertical or horizontal use  
accessories for on-the-wall installation  
**including wall plate Skate Cosmopolitan**  
for dual flush or start & stop actuation  
for vertical and horizontal installation  
156 x 197 mm, chrome, made of ABS  
**GROHE StarLight®** chrome finish



|          |               |  |        |
|----------|---------------|--|--------|
| 11 815 2 | 4005176981951 |  | 345.28 |
|----------|---------------|--|--------|


**Rapid SL 3 in 1 set for WC**  
with flush cistern 6 l  
for on-the-wall installations or studded walls  
**1.0 m installation height**  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections  
for single or series installation  
quick adjustment, lockable  
fixing material  
TÜV approved  
2 WC fixing bolts  
fixing device for ceramic  
distance of fixing bolts 180/230 mm  
outlet bend Ø 80 mm  
depth adjustable  
reducer Ø 80/100 mm  
inlet and outlet connecting set  
flushing cistern 6 - 9 l  
pneumatic discharge valve offering 3 modes of operation:  
dual flush or start/stop or non-interruptible  
**front or top actuation**  
water supply from left/right or back  
low noise (group I acc. to  
German Noise Specification)  
test approval applied for  
insulated against condensation  
½" water supply connection including integrated  
angle valve and push fit flexible hose union  
protecting block  
**including wall plate Skate Cosmopolitan**  
for dual flush or start & stop actuation  
horizontal installation  
156 x 197 mm  
chrome  
made of ABS  
**GROHE EcoJoy®** technology for less water  
and perfect flow  
**GROHE StarLight®** chrome finish  
**with wall brackets for on-the-wall installations**



# GROHE RAPID SL WC


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 38 773 000 | 4005176850288 |        | 345.28                 |

**Rapid SL 3 in 1 set for WC**  
**with flushing cistern 6 - 9 l**  
for on-the-wall installations or studded walls  
**0.82 m installation height**  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections  
for single or series installation  
quick adjustment, lockable  
fixing material, TÜV approved, 2 WC fixing bolts  
fixing device for ceramic  
distance of fixing bolts 180/230 mm  
outlet bend Ø 80 mm, depth adjustable  
reducer Ø 80/100 mm  
inlet and outlet connecting set  
pneumatic discharge valve offering 3 modes of operation:  
dual flush or start/stop or non-interruptible  
**front or top actuation**  
water supply from left/right or back  
insulated against condensation  
½" water supply connection including integrated  
angle valve and push fit flexible hose union  
protecting block  
**including wall plate Skate Cosmopolitan**  
for dual flush or start & stop actuation  
for horizontal installation, 156 x 197 mm  
chrome, made of ABS  
**GROHE EcoJoy®** technology for less water  
and perfect flow  
**GROHE StarLight®** chrome finish  
**with wall brackets for on-the-wall installations**



|            |               |  |        |
|------------|---------------|--|--------|
| 38 860 000 | 4005176878084 |  | 322.56 |
|------------|---------------|--|--------|

**Rapid SL 3 in 1 set for WC**  
flushing cistern GD 2  
with small maintenance access  
**1.13 m installation height**  
for on-the-wall installations or studded walls  
distance of fixing bolts 180/230 mm  
outlet bend Ø 80 mm  
depth adjustable  
reducer Ø 80/100 mm  
inlet and outlet connecting set  
adjustment ex factory 6 l and 3 l  
pneumatic discharge valve offering 3 modes of operation:  
dual flush or start/stop or non-interruptible  
**front or top actuation**  
water supply from left/right or back  
½" water supply connection including integrated  
angle valve and push fit flexible hose union  
no tools required for the installation  
of the inspection shaft incl. protection  
during construction phase,  
for vertical or horizontal use  
**including wall plate Nova Cosmopolitan**  
**GROHE StarLight®** chrome finish  
for dual flush or start & stop actuation



# GROHE RAPID SL WC


| Ref.No.  | EAN code      | Colour | Retail Guide Price (£) |
|----------|---------------|--------|------------------------|
| 11 859 9 | 4005176993527 |        | 335.98                 |

**Rapid SL 3 in 1 set for WC**  
with flush cistern 6 l  
for on-the-wall installations or studded walls  
**1.0 m installation height**  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections  
for single or series installation  
quick adjustment, lockable  
fixing material, TÜV approved  
2 WC fixing bolts  
fixing device for ceramic  
distance of fixing bolts 180/230 mm  
outlet bend Ø 80 mm, depth adjustable  
reducer Ø 80/100 mm  
inlet and outlet connecting set  
flushing cistern 6 - 9 l  
pneumatic discharge valve offering 3 modes of operation:  
dual flush or start/stop or non-interruptible  
**front or top actuation**  
water supply from left/right or back  
low noise (group I acc. to German Noise Specification)  
test approval applied for insulated against condensation  
½" water supply connection including integrated angle valve and push fit flexible hose union  
protecting block  
**including wall plate Nova Cosmopolitan**  
for dual flush or start & stop actuation  
horizontal installation  
156 x 197 mm  
chrome  
made of ABS  
**GROHE EcoJoy®** technology for less water and perfect flow  
**GROHE StarLight®** chrome finish  
**with wall brackets for on-the-wall installations**



|            |               |  |        |
|------------|---------------|--|--------|
| 38 868 000 | 4005176878091 |  | 335.67 |
|------------|---------------|--|--------|


**Rapid SL 3 in 1 set for WC**  
with flushing cistern 6 - 9 l  
for on-the-wall installations or studded walls  
**0.82 m installation height**  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections  
for single or series installation  
quick adjustment, lockable  
fixing material, TÜV approved  
2 WC fixing bolts, fixing device for ceramic  
distance of fixing bolts 180/230 mm  
outlet bend Ø 80 mm, depth adjustable  
reducer Ø 80/100 mm  
inlet and outlet connecting set  
pneumatic discharge valve offering 3 modes of operation:  
dual flush or start/stop or non-interruptible  
**front or top actuation**  
water supply from left/right or back  
low noise (group I acc. to German Noise Specification)  
test approval applied for, insulated against condensation  
½" water supply connection including integrated angle valve and push fit flexible hose union  
shortable inspection shaft incl. protection during construction phase  
**including wall plate Nova Cosmopolitan**  
for dual flush or start & stop actuation  
156 x 197 mm, chrome, made of ABS  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
2 wall angles with fixing material



# GROHE RAPID SL WC


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 38 827 000 | 4005176870477 |        | 347.03                 |

**Rapid SL 4in 1 set for WC**  
flushing cistern GD 2  
with small maintenance access  
**1.13 m installation height**  
for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections, for single or series installation  
quick adjustment, lockable  
fixing material, TÜV approved  
2 WC fixing bolts, fixing device for ceramic  
distance of fixing bolts 180/230 mm  
outlet bend Ø 80 mm, depth adjustable  
reducer Ø 80/100 mm, inlet and outlet connecting set  
adjustment ex factory 6 l and 3 l  
pneumatic discharge valve offering 3 modes of operation:  
dual flush or start/stop or non-interruptible  
water supply from left/right or back  
low noise (group I acc. to German Noise Specification)  
DIN approved, insulated against condensation  
½" water supply connection including integrated angle valve and push fit flexible hose union  
no tools required for the installation of the inspection shaft incl. protection during construction phase, for vertical or horizontal use  
accessories for on-the-wall installation with **GROHE Fresh** retrofit set  
**including wall plate Skate Cosmopolitan**  
for dual flush or start & stop actuation  
for vertical and horizontal installation  
156 x 197 mm, chrome, made of ABS  
**GROHE StarLight®** chrome finish  
WC set for noise protection



|            |               |  |        |
|------------|---------------|--|--------|
| 38 888 000 | 4005176879630 |  | 377.63 |
|------------|---------------|--|--------|


**Rapid SL 4 in 1 set for WC**  
with flushing cistern 6 - 9 l  
for on-the-wall installations or studded walls  
**1.0 m installation height**  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections, for single or series installation  
quick adjustment, lockable  
fixing material, TÜV approved  
2 WC fixing bolts, fixing device for ceramic  
distance of fixing bolts 180/230 mm  
outlet bend Ø 80 mm, depth adjustable  
reducer Ø 80/100 mm, inlet and outlet connecting set  
pneumatic discharge valve offering 3 modes of operation:  
dual flush or start/stop or non-interruptible  
**front or top actuation**  
water supply from left/right or back  
low noise (group I acc. to German Noise Specification)  
test approval applied for, insulated against condensation  
½" water supply connection including integrated angle valve and push fit flexible hose union  
shortable inspection shaft incl. protection during construction phase  
**including wall plate Skate Cosmopolitan**  
for dual flush or start & stop actuation, for horizontal installation  
156 x 197 mm, chrome, made of ABS  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
accessories for on-the-wall installation with **GROHE Fresh** retrofit set



# GROHE RAPID SL WC


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 38 885 000 | 4005176879609 |        | 377.63                 |

**Rapid SL 4 in 1 set for WC with flushing cistern 6 - 9 l**  
for on-the-wall installations or studded walls  
**0.82 m installation height**  
powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections, for single or series installation  
quick adjustment, lockable  
fixing material, TÜV approved  
2 WC fixing bolts, fixing device for ceramic  
distance of fixing bolts 180/230 mm  
outlet bend Ø 80 mm, depth adjustable  
reducer Ø 80/100 mm, inlet and outlet connecting set  
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or non-interruptible  
**front or top actuation**  
water supply from left/right or back  
low noise (group I acc. to German Noise Specification)  
insulated against condensation  
½" water supply connection including integrated angle valve and push fit flexible hose union  
shortable inspection shaft incl. protection during construction phase  
**including wall plate Skate Cosmopolitan**  
for dual flush or start & stop actuation, for horizontal installation  
156 x 197 mm, chrome, made of ABS  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
accessories for on-the-wall installation with **GROHE Fresh** retrofit set



|            |               |  |        |
|------------|---------------|--|--------|
| 38 883 000 | 4005176879586 |  | 347.03 |
|------------|---------------|--|--------|


**Rapid SL 4 in 1 set for WC**  
flushing cistern GD 2  
with small maintenance access  
**1.13 m installation height**  
for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections, for single or series installation  
quick adjustment, lockable, fixing material  
TÜV approved, 2 WC fixing bolts  
fixing device for ceramic  
distance of fixing bolts 180/230 mm  
outlet bend Ø 80 mm, depth adjustable  
reducer Ø 80/100 mm, inlet and outlet connecting set  
adjustment ex factory 6 l and 3 l  
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or non-interruptible  
water supply from left/right or back  
low noise (group I acc. to German Noise Specification)  
DIN approved, insulated against condensation  
½" water supply connection including integrated angle valve and push fit flexible hose union  
no tools required for the installation of the inspection shaft incl. protection during construction phase, for vertical or horizontal use  
**including wall plate Nova Cosmopolitan**  
for dual flush or start & stop actuation for vertical and horizontal installation  
156 x 197 mm, chrome, made of ABS  
**GROHE StarLight®** chrome finish  
accessories for on-the-wall installation with **GROHE Fresh** retrofit set



# GROHE RAPID SL WC


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 38 889 000 | 4005176879647 |        | 377.63                 |

**Rapid SL 4 in 1 set for WC with flushing cistern 6 - 9 l**  
for on-the-wall installations or studded walls  
**1.0 m installation height**  
powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections, for single or series installation  
quick adjustment, lockable, fixing material  
TÜV approved, 2 WC fixing bolts  
fixing device for ceramic  
distance of fixing bolts 180/230 mm  
outlet bend Ø 80 mm, depth adjustable  
reducer Ø 80/100 mm, inlet and outlet connecting set  
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or non-interruptible  
**front or top actuation**  
water supply from left/right or back  
low noise (group I acc. to German Noise Specification)  
insulated against condensation  
½" water supply connection including integrated angle valve and push fit flexible hose union  
shortable inspection shaft incl. protection during construction phase  
**including wall plate Nova Cosmopolitan**  
for dual flush or start & stop actuation for horizontal installation, 156 x 197 mm  
chrome, made of ABS  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
accessories for on-the-wall installation with **GROHE Fresh** retrofit set



|            |               |  |        |
|------------|---------------|--|--------|
| 38 886 000 | 4005176879616 |  | 377.63 |
|------------|---------------|--|--------|

**Rapid SL 4 in 1 set for WC with flushing cistern 6 - 9 l**  
for on-the-wall installations or studded walls  
**0.82 m installation height**  
powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections, for single or series installation  
quick adjustment, lockable  
fixing material, TÜV approved  
2 WC fixing bolts, fixing device for ceramic  
distance of fixing bolts 180/230 mm  
outlet bend Ø 80 mm, depth adjustable  
reducer Ø 80/100 mm, inlet and outlet connecting set  
pneumatic discharge valve offering 3 modes of operation: dual flush or start/stop or non-interruptible  
**front or top actuation**  
water supply from left/right or back  
low noise (group I acc. to German Noise Specification)  
insulated against condensation  
½" water supply connection including integrated angle valve and push fit flexible hose union  
shortable inspection shaft incl. protection during construction phase  
**including wall plate Nova Cosmopolitan**  
for dual flush or start & stop actuation, for horizontal installation  
156 x 197 mm, chrome, made of ABS  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water and perfect flow  
accessories for on-the-wall installation with **GROHE Fresh** retrofit set




# GROHE RAPID SL WC

Ref.No. EAN code Colour Retail Guide Price (£)


38 884 000 4005176879593 347.03

**Rapid SL 4 in 1 set for WC**  
flushing cistern GD 2  
with small maintenance access  
**1.13 m installation height**  
for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections, for single or series installation  
quick adjustment, lockable, fixing material  
TÜV approved, 2 WC fixing bolts  
fixing device for ceramic  
distance of fixing bolts 180/230 mm  
outlet bend Ø 80 mm, depth adjustable  
reducer Ø 80/100 mm, inlet and outlet connecting set  
adjustment ex factory 6 l and 3 l  
pneumatic discharge valve offering 3 modes of operation:  
dual flush or start/stop or non-interruptible  
water supply from left/right or back  
low noise (group I acc. to  
German Noise Specification)  
DIN approved, insulated against condensation  
½" water supply connection including integrated  
angle valve and push fit flexible hose union  
no tools required for the installation  
of the inspection shaft incl. protection  
during construction phase,  
for vertical or horizontal use  
**including wall plate Skate Air**  
for dual flush or start & stop actuation, for vertical installation  
156 x 197 mm, chrome, made of ABS  
**GROHE StarLight®** chrome finish  
accessories for on-the-wall installation  
with **GROHE Fresh** retrofit set



38 943 000 4005176910579 347.03

**Rapid SL 4 in 1 set for WC**  
flushing cistern GD 2  
with small maintenance access  
**1.13 m installation height**  
for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections, for single or series installation  
quick adjustment, lockable, fixing material  
TÜV approved, 2 WC fixing bolts  
fixing device for ceramic  
distance of fixing bolts 180/230 mm  
outlet bend Ø 80 mm, depth adjustable  
reducer Ø 80/100 mm, inlet and outlet connecting set  
adjustment ex factory 6 l and 3 l  
pneumatic discharge valve offering 3 modes of operation:  
dual flush or start/stop or non-interruptible  
water supply from left/right or back  
low noise (group I acc. to  
German Noise Specification)  
DIN approved, insulated against condensation  
½" water supply connection including integrated  
angle valve and push fit flexible hose union  
no tools required for the installation  
of the inspection shaft incl. protection  
during construction phase,  
for vertical or horizontal use  
**including wall plate Arena Cosmopolitan**  
for dual flush or start & stop actuation, for vertical installation  
156 x 197 mm, chrome, made of ABS  
**GROHE StarLight®** chrome finish  
accessories for on-the-wall installation  
with **GROHE Fresh** retrofit set




# GROHE RAPID SL WC

Ref.No. EAN code Colour Retail Guide Price (£)


38 944 000 4005176911187 377.63

**Rapid SL 4 in 1 set for WC**  
**with flushing cistern 6 - 9 l**  
for on-the-wall installations or studded walls  
**1.0 m installation height**  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections, for single or series installation  
quick adjustment, lockable, fixing material  
TÜV approved, 2 WC fixing bolts  
fixing device for ceramic  
distance of fixing bolts 180/230 mm  
outlet bend Ø 80 mm, depth adjustable  
reducer Ø 80/100 mm, inlet and outlet connecting set  
pneumatic discharge valve offering 3 modes of operation:  
dual flush or start/stop or non-interruptible  
**front or top actuation**  
water supply from left/right or back  
low noise (group I acc. to  
German Noise Specification)  
insulated against condensation  
½" water supply connection including integrated  
angle valve and push fit flexible hose union  
shortable inspection shaft incl. protection  
during construction phase  
**including wall plate Arena Cosmopolitan**  
for dual flush or start & stop actuation, for horizontal installation  
156 x 197 mm, chrome, made of ABS  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water  
and perfect flow  
accessories for on-the-wall installation  
with **GROHE Fresh** retrofit set



38 945 000 4005176911194 377.63

**Rapid SL 4 in 1 set for WC**  
**with flushing cistern 6 - 9 l**  
for on-the-wall installations or studded walls  
**0.82 m installation height**  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
with fixed connections, for single or series installation  
quick adjustment, lockable, fixing material  
TÜV approved, 2 WC fixing bolts  
fixing device for ceramic  
distance of fixing bolts 180/230 mm  
outlet bend Ø 80 mm, depth adjustable  
reducer Ø 80/100 mm, inlet and outlet connecting set  
pneumatic discharge valve offering 3 modes of operation:  
dual flush or start/stop or non-interruptible  
**front or top actuation**  
water supply from left/right or back  
low noise (group I acc. to  
German Noise Specification)  
insulated against condensation  
½" water supply connection including integrated  
angle valve and push fit flexible hose union  
shortable inspection shaft incl. protection  
during construction phase  
**including wall plate Arena Cosmopolitan**  
for dual flush or start & stop actuation, for horizontal installation  
156 x 197 mm, chrome, made of ABS  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water  
and perfect flow  
accessories for on-the-wall installation  
with **GROHE Fresh** retrofit set





# GROHE WC WALLPLATES



GROHE  
EcoJoy™



GROHE  
Whisper®




GROHE  
StarLight®



# GROHE WALL PLATES, DUAL FLUSH


| Ref.No.    | EAN code      | Colour       | Retail Guide Price (£) |
|------------|---------------|--------------|------------------------|
| 38 915 LSO | 4005176897115 | moon white   | 774.48                 |
| 38 915 KSO | 4005176897108 | velvet black | 774.48                 |

**GROHE Ondus Digtecture Light WC wall plate**  
for dual flush or start & stop actuation  
for touch-free flushing activation  
external highlighted outline  
with LEDs in blue, red, yellow, green  
colour gradient adjustable  
on/off button  
timer for individual regulation of  
illuminating period  
3 m connecting cable  
transformer for external installation  
servo motor  
supply voltage 230 V AC  
50/60 Hz, 2.0 VA  
CE-approved  
adjustable flow time  
with function check lamps  
for pneumatic drop valve AV1  
for vertical installation  
200 x 200 mm  
made of security glass




|            |               |        |        |
|------------|---------------|--------|--------|
| 38 809 000 | 4005176864681 | chrome | 456.29 |
|------------|---------------|--------|--------|

**Nova Cosmopolitan Light WC wall plate**  
for dual flush or start & stop actuation  
external highlighted outline  
with LEDs in blue, red, yellow, green  
colour gradient adjustable, on/off button  
timer for individual regulation of  
illuminating period  
3 m connecting cable  
transformer for external installation  
supply voltage 230 V AC, 50/60 Hz, 2.0 VA  
CE-approved, for pneumatic drop valve AV1  
for vertical and horizontal installation  
156 x 197 mm, made of ABS  
**GROHE StarLight®** chrome finish




|            |               |                   |        |
|------------|---------------|-------------------|--------|
| 38 913 XM0 | 4005176896972 | taninred<br>black | 331.30 |
| 38 913 XN0 | 4005176896965 |                   | 331.30 |

**Skate Cosmopolitan WC wall plate**  
with leather surface, quilted  
for dual flush or start & stop actuation  
for pneumatic drop valve AV1  
for vertical and horizontal installation  
156 x 197 mm  
not suitable for flushing cistern 6 l  
not suitable for GROHE Fresh



|            |               |                   |        |
|------------|---------------|-------------------|--------|
| 38 914 XM0 | 4005176899379 | taninred<br>black | 233.39 |
| 38 914 XN0 | 4005176899362 |                   | 233.39 |


**Skate Cosmopolitan WC wall plate Leather**  
for dual flush or start & stop actuation  
for pneumatic drop valve AV1  
for vertical and horizontal installation  
156 x 197 mm  
fixing frame with mounting-set  
not suitable for flushing cistern 6 l  
not suitable for GROHE Fresh



# GROHE WALL PLATES, DUAL FLUSH


| Ref.No.    | EAN code      | Colour       | Retail Guide Price (£) |
|------------|---------------|--------------|------------------------|
| 38 916 0A0 | 4005176896941 | mirror glass | 271.86                 |

**Skate Cosmopolitan WC wall plate Mirror Glass**  
plastic actuation buttons  
for dual flush or start & stop actuation  
for pneumatic drop valve AV1  
for vertical and horizontal installation  
156 x 197 mm  
made of security glass  
fixing frame with mounting-set  
not suitable for GROHE Fresh




|            |               |                                        |        |
|------------|---------------|----------------------------------------|--------|
| 38 845 LSO | 4005176878336 | moon white<br>chrome/<br>daVinci satin | 222.03 |
| 38 845 MFO | 4005176878619 |                                        | 222.03 |
| 38 845 BSO | 4005176878350 | chrome/titanium<br>velvet black        | 222.03 |
| 38 845 KSO | 4005176878343 |                                        | 222.03 |

**Skate Cosmopolitan WC wall plate**  
for dual flush or start & stop actuation  
for pneumatic drop valve AV1  
for vertical and horizontal installation  
156 x 197 mm  
made of security glass  
fixing frame with mounting-set  
not suitable for GROHE Fresh




|            |               |                                                       |        |
|------------|---------------|-------------------------------------------------------|--------|
| 38 849 HP0 | 4005176878589 | american walnut/<br>chrome                            | 189.69 |
| 38 849 HW0 | 4005176878671 |                                                       | 189.69 |
| 38 849 HV0 | 4005176878664 | natural oak/<br>matt chrome<br>bamboo/<br>matt chrome | 189.69 |
| 38 849 HR0 | 4005176878633 |                                                       | 189.69 |

**Skate Cosmopolitan WC wall plate**  
with wood surface  
frame and actuation buttons made of plastic,  
chrome/mat chrome plated  
for dual flush or start & stop actuation  
for pneumatic drop valve AV1  
for vertical and horizontal installation  
156 x 197 mm  
fixing frame with mounting-set  
not suitable for GROHE Fresh



|            |               |        |        |
|------------|---------------|--------|--------|
| 38 821 000 | 4005176868986 | chrome | 182.70 |
|------------|---------------|--------|--------|

**Skate Cosmopolitan WC wall plate**  
for dual flush or start & stop actuation  
for pneumatic drop valve AV1  
for vertical installation  
156 x 197 mm  
made of brass  
**GROHE StarLight®** chrome finish




# GROHE WALL PLATES, DUAL FLUSH

Ref.No. EAN code Colour Retail Guide Price (£)


38 776 SD0 4005176853555 stainless steel 131.13

**Skate Cosmopolitan**  
**Wall plate, stainless steel**  
for dual flush or start & stop actuation  
for horizontal installation  
156 x 197 mm  
plastic fixing frame  
hidden fixing screws  
**not suitable for GROHE Fresh**




38 732 SD0 4005176847691 stainless steel 131.13

**Skate Cosmopolitan**  
**Wall plate, stainless steel**  
for dual flush or start & stop actuation  
for pneumatic drop valve AV1  
for vertical installation  
156 x 197 mm  
plastic fixing frame  
hidden fixing screws  
**not suitable for GROHE Fresh**




38 732 BR0 4005176873676 titanium 107.17

**Skate Cosmopolitan**  
**WC wall plate**  
with anti-fingerprint surface  
for dual flush or start & stop actuation  
for pneumatic drop valve  
for vertical and horizontal installation  
156 x 197 mm  
made of ABS




38 859 XG0 4005176878312 black graphics 89.33

**Skate Cosmopolitan**  
**WC wall plate**  
with printed graphics  
for dual flush or start & stop actuation  
for pneumatic drop valve AV1  
for vertical and horizontal installation  
156 x 197 mm  
made of ABS



38 732 000 4005176836114 chrome 65.91

**Skate Cosmopolitan**  
**WC wall plate**  
for dual flush or start & stop actuation  
for vertical and horizontal installation  
156 x 197 mm  
made of ABS  
for pneumatic drop valve AV1  
**GROHE StarLight®** chrome finish




# GROHE WALL PLATES, DUAL FLUSH

Ref.No. EAN code Colour Retail Guide Price (£)


38 847 K10 4005176878596 black/chrome 89.33  
38 847 LS0 4005176879753 moon white 89.33  
38 847 XG0 4005176878701 black graphics 89.33  
38 847 LI0 4005176878688 white/chrome 89.33

**Nova Cosmopolitan**  
**WC wall plate**  
with printed graphics  
for dual flush or start & stop actuation  
for pneumatic drop valve  
for vertical and horizontal installation  
156 x 197 mm  
made of ABS




38 765 000 4005176846830 chrome 60.32

**Nova Cosmopolitan**  
**WC wall plate**  
for dual flush or start & stop actuation  
for pneumatic drop valve AV1  
for vertical and horizontal installation  
156 x 197 mm  
made of ABS  
**GROHE StarLight®** chrome finish  
**GROHE EcoJoy®** technology for less water  
and perfect flow




38 861 000 4005176832284 chrome 65.91  
38 861 SH0 4005176832307 alpine white 56.99  
38 861 P00 4005176832291 matt chrome 65.91

**Surf**  
**WC wall plate**  
for vertical and horizontal installation  
156 x 197 mm  
made of ABS  
**GROHE StarLight®** chrome finish




38 862 000 4005176832314 chrome 65.91  
38 862 SH0 4005176832338 alpine white 56.99  
38 862 P00 4005176832321 matt chrome 65.91

**Skate**  
**WC wall plate**  
for vertical and horizontal installation  
156 x 197 mm  
made of ABS  
**GROHE StarLight®** chrome finish



38 844 000 4005176874963 chrome 63.99  
38 844 SH0 4005176874970 alpine white 51.57  
38 844 P00 4005176875687 matt chrome 63.99


**Arena Cosmopolitan**  
**WC wall plate**  
for dual flush or start & stop actuation  
for pneumatic drop valve  
for vertical installation  
156 x 197 mm  
made of ABS  
**GROHE StarLight®** chrome finish



# GROHE WALL PLATES, DUAL FLUSH


| Ref.No.    | EAN code      | Colour       | Retail Guide Price (£) |
|------------|---------------|--------------|------------------------|
| 38 858 000 | 4005176876714 | chrome       | 63.99                  |
| 38 858 SH0 | 4005176876738 | alpine white | 51.57                  |
| 38 858 P00 | 4005176876721 | matt chrome  | 63.99                  |

**Arena Cosmopolitan  
WC wall plate**  
for dual flush or start & stop actuation  
for pneumatic drop valve  
for horizontal installation  
156 x 197 mm  
made of ABS  
**GROHE StarLight®** chrome finish




|            |               |              |       |
|------------|---------------|--------------|-------|
| 38 505 000 | 4005176290053 | chrome       | 62.42 |
| 38 505 P00 | 4005176290060 | matt chrome  | 65.91 |
| 38 505 SH0 | 4005176290046 | alpine white | 54.02 |

**Skate Air  
WC wall plate**  
for vertical installation  
156 x 197 mm  
for pneumatic drop valve  
made of ABS  
for dual flush or start & stop actuation  
**GROHE StarLight®** chrome finish




|            |               |              |       |
|------------|---------------|--------------|-------|
| 38 506 000 | 4005176290121 | chrome       | 62.42 |
| 38 506 P00 | 4005176290138 | matt chrome  | 62.42 |
| 38 506 SH0 | 4005176290114 | alpine white | 54.02 |

**Skate Air  
WC wall plate**  
for horizontal installation  
156 x 197 mm  
for pneumatic drop valve  
made of ABS  
for dual flush or start & stop actuation  
**GROHE StarLight®** chrome finish



|            |               |        |       |
|------------|---------------|--------|-------|
| 38 771 000 | 4005176848551 | chrome | 41.26 |
|------------|---------------|--------|-------|


**Eau2  
Pneumatic push button actuation**  
only for use with a removable shelf / panel  
in combination with bath furniture or removable claddings for cistern inspection  
**for use with 38 528 / 38 525 / 38 526**  
for dual flush or start & stop actuation  
Ø 48 mm  
for material thickness from 18 -24 mm with 600 mm air hose  
**GROHE StarLight®** chrome finish



# GROHE WALL PLATES, SINGLE FLUSH


| Ref.No.    | EAN code      | Colour          | Retail Guide Price (£) |
|------------|---------------|-----------------|------------------------|
| 38 672 SD0 | 4005176296468 | stainless steel | 94.23                  |

**Skate  
Wall plate, stainless steel  
for single flush actuation**  
for pneumatic drop valve  
for use with 38 661 / 38 422  
38 528 / 38 525 / 38 526  
for vertical and horizontal installation  
156 x 197 mm  
**not suitable for GROHE Fresh**




|            |               |              |       |
|------------|---------------|--------------|-------|
| 38 574 000 | 4005176292385 | chrome       | 59.96 |
| 38 574 P00 | 4005176292392 | matt chrome  | 59.96 |
| 38 574 SH0 | 4005176292378 | alpine white | 50.88 |

**Surf  
WC wall plate  
for single flush actuation**  
for pneumatic drop valve  
for use with 38 661 / 38 422  
38 528 / 38 525 / 38 526  
for vertical and horizontal installation  
156 x 197 mm  
made of ABS




|            |               |              |       |
|------------|---------------|--------------|-------|
| 38 573 000 | 4005176292316 | chrome       | 59.96 |
| 38 573 P00 | 4005176292323 | matt chrome  | 59.96 |
| 38 573 SH0 | 4005176292309 | alpine white | 50.88 |

**Skate  
WC wall plate  
for single flush actuation**  
for pneumatic drop valve  
for use with 38 661 / 38 422  
38 528 / 38 525 / 38 526  
for vertical and horizontal installation  
156 x 197 mm  
made of ABS




|            |               |              |       |
|------------|---------------|--------------|-------|
| 38 564 000 | 4005176291784 | chrome       | 59.96 |
| 38 564 SH0 | 4005176291777 | alpine white | 50.88 |

**Skate Air  
WC wall plate  
for single flush actuation**  
for vertical installation  
**for use with 38 661 / 38 528 / 38 675**  
for pneumatic drop valve  
156 x 197 mm  
made of ABS



|            |               |              |       |
|------------|---------------|--------------|-------|
| 38 565 000 | 4005176291845 | chrome       | 59.96 |
| 38 565 SH0 | 4005176291838 | alpine white | 50.88 |


**Skate Air  
WC wall plate  
for single flush actuation**  
for horizontal installation  
for pneumatic drop valve  
156 x 197 mm  
for use with 38 661 / 38 422  
38 528 / 38 525 / 38 526  
made of ABS






# GROHE WALL PLATES, SINGLE FLUSH

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|



**37 060 000**    **4005176142901**    **chrome**    **56.65**

**Air button**  
 push button actuation with escutcheon 100 mm dia  
 pneumatic hose 1500 mm long  
 only for use with a removable shelf / panel  
 made of ABS  
 for cisterns 38 661 / 38 422  
 for frame 38 528, 38 525, 38 526  
**GROHE StarLight®** chrome finish




**37 059 000**    **4005176142857**    **chrome**    **116.08**

**Air button  
 Single flush**  
 for horizontal installation  
 wall plate Surf 156 x 197 mm  
 air button 100 mm dia.  
 with 1500 mm air hose  
 for use with cistern 38 661, 38 422  
 for frame 38 528, 38 525, 38 526  
 made of ABS  
**GROHE StarLight®** chrome finish


# GROHE WALL PLATES FOR WC, ELECTRONIC

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|



**38 699 001**    **4005176929588**    **chrome**    **716.64**

**Tectron Surf**  
**Infra-red electronic for WC flushing cistern**  
 with transformer 230 V AC, 50-60 Hz, 6 V DC  
 for flushing cistern GD 2  
 concealed installation  
 CE-approved  
 front plate 156 x 197 mm  
 infra-red control  
 servo motor  
 7 pre-set programs  
 with 24/72 hours autoflush  
 time or user dependent  
 with cleaning mode  
 additional functions by remote control 36 206 000:  
 adjustable flow time by hand or remote  
 adjustment reflection range by remote  
**GROHE EcoJoy®** technology for less water  
 and perfect flow  
**GROHE StarLight®** chrome finish




**38 698 SD1**    **4005176929571**    **stainless steel**    **716.64**

**Tectron Skate**  
**Infra-red electronic for WC flushing cistern**  
 with transformer 230 V AC, 50-60 Hz, 6 V DC  
 for flushing cistern GD 2  
 concealed installation  
 CE-approved  
 front plate 156 x 197 mm  
 infra-red control  
 servo motor  
 7 pre-set programs  
 with 24/72 hours autoflush  
 time or user dependent  
 with cleaning mode  
 additional functions by remote control 36 206 000:  
 adjustment reflection range by remote  
**GROHE EcoJoy®** technology for less water  
 and perfect flow

# GROHE WALL PLATES FOR WC, ELECTRONIC


NEW



| Ref.No.    | EAN code      | Colour          | Retail Guide Price (£) |
|------------|---------------|-----------------|------------------------|
| 37 419 000 | 4005176933806 | chrome          | 574.48                 |
| 37 419 SD0 | 4005176933813 | stainless steel | 574.48                 |

**Tectron Skate**  
infra-red control  
with additional manual actuation  
for flushing cistern GD 2  
**GROHE StarLight®** chrome finish  
concealed installation  
CE approved  
front plate 156 x 197 mm  
hidden fixing screws  
push button actuation  
**for single flush actuation**  
servo motor  
transformer for external installation  
operating voltage 230 V AC 50/60 Hz, 4.0 VA  
7 pre-set programs  
with 24/72 hours autoflush  
time or user dependent  
detection range  
cleaning mode on/off  
pre-flush on/off  
additional functions by remote control 36 206 000:  
adjustable flush (3 - 9 l) by hand and remote  
adjustment reflection range by remote  
**GROHE EcoJoy®** technology for  
less water and perfect flow

# GROHE GROHE FRESH



| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 38 796 000 | 4005176857034 |        | 37.76                  |
| 38 798 000 | 4005176857058 | chrome | 103.49                 |
| 38 799 000 | 4005176857072 | chrome | 100.52                 |
| 38 805 000 | 4005176865596 | chrome | 103.49                 |

**GROHE Fresh retro-fit set**  
for GROHE flushing cisterns with  
pneumatic flush valve and small  
inspection shaft  
fixing frame with opening function  
with box for support of aromatic tabs  
for all GROHE wall plates  
156 x 197 mm  
**not suitable for Skate Cosmopolitan with  
wood or glass or metal surface**

**Skate Air Set Fresh  
WC wall plate**  
for dual flush or start & stop actuation  
with **GROHE Fresh**  
fixing frame with opening function  
with box for support of aromatic tabs  
for pneumatic drop valve AV1  
156 x 197 mm  
for vertical installation  
made of ABS  
**GROHE StarLight®** chrome finish

**Nova Cosmopolitan Set Fresh  
WC wall plate**  
for dual flush or start & stop actuation  
with **GROHE Fresh**  
fixing frame with opening function  
with box for support of aromatic tabs  
for pneumatic drop valve AV1  
for vertical and horizontal installation  
156 x 197 mm  
made of ABS  
**GROHE StarLight®** chrome finish

**Skate Cosmopolitan Set Fresh  
WC wall plate**  
for dual flush or start & stop actuation  
with **GROHE Fresh**  
fixing frame with opening function  
with box for support of aromatic tabs  
for pneumatic drop valve AV1  
for vertical and horizontal installation  
156 x 197 mm  
made of ABS  
**GROHE StarLight®** chrome finish

# GROHE RAPID SL FOR URINAL



GROHE  
Whisper\*



GROHE  
EcoJoy\*\*




GROHE  
QuickFix\*




# GROHE RAPID SL URINAL

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 38 786 001 | 4005176864025 |        | 336.54                 |




**Rapid SL for urinal**  
with GROHE Rapido U  
**for manual actuation or Tectron infra-red electronic 6 V or 230 V**  
**1.13 and 1.30 m installation height**  
for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
height adjustable fitting connections  
for single or series installation  
quick adjustment, lockable  
fixing material  
TUV approved  
PE-outlet bend 50 mm dia  
inlet connection and inlet connecting set  
fixing bolts M8, with fixing device  
for the ceramic  
water group with stop valve  
flow pressure min 0.5 bar  
operating pressure max 10 bar  
flush aid  
functional unit checked ex factory  
water supply connections 1/2" outer thread  
connecting box for mains supply 230 V  
installation box with gasket  
Shortable inspection shaft incl. protection during  
construction phase for sets for final installation  
with dimensions 116 x 144 mm  
**without front wall brackets**  
**38 558 00M (pair)**

|            |               |  |        |
|------------|---------------|--|--------|
| 38 511 001 | 4005176863981 |  | 291.09 |
|------------|---------------|--|--------|



**Rapid SL for urinal**  
**1.13 and 1.30 m installation height**  
with roughing-in set for radar electronic  
**without installation set for radar electronic**  
for on-the-wall installations or studded walls  
powder coated steel frame, self-supporting  
for dry-cladding, completely pre-assembled  
height adjustable fitting connections  
for single or series installation  
quick adjustment, lockable  
fixing material  
TUV approved  
PE-outlet bend 50 mm dia  
inlet connection and inlet connecting set  
fixing bolts M8, with fixing device  
for the ceramic  
box for concealed installation  
including roughing-in box  
water group with stop valve and  
flush elbow  
**without front wall brackets**  
**38 558 00M (pair)**  
**without tiling set**


|            |               |  |       |
|------------|---------------|--|-------|
| 38 558 00M | 4005176291418 |  | 23.08 |
|------------|---------------|--|-------|



**Rapid SL Front wall brackets**  
for against-the-wall installations  
for fixing the elements at the brick-wall  
or in front of the studded wall  
steady vertical adjustment from 130 - 230 mm  
fixing material  
**2 pieces**

# GROHE RAPID SL URINAL

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 38 562 001 | 4005176863752 | chrome | 125.33                 |




**Rapid SL set for corner installation**  
for WC, bidet, wash basin and urinal  
single installation or fitting to a rail  
fitting maximum 625 mm from the corner  
fixing material for corner installation  
2 wall brackets **1.13 m**  
**135°**




# GROHE RAPIDO U/UMB

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 37 338 000 | 4005176837920 |        | 105.42                 |



**GROHE Rapido U**  
roughing-in set for urinal  
**for manual actuation or Tectron infra-red electronic 6 V or 230 V**  
water group with stop valve  
flow pressure min 0.5 bar  
operating pressure max 10 bar  
flush aid  
functional unit checked ex factory  
water supply connections 1/2" outer threat  
connecting box for mains supply 230 V  
installation box with gasket  
fixing points for dry cladding and masonry-in  
Shortable inspection shaft incl. protection during construction phase for sets for final installation with dimensions 116 x 144 mm


|            |               |  |       |
|------------|---------------|--|-------|
| 38 787 000 | 4005176855689 |  | 87.07 |
|------------|---------------|--|-------|




**GROHE Rapido UMB**  
roughing-in set for urinal  
**for manual actuation or Tectron infra-red electronic 6 V**  
water group with stop valve  
flow pressure min 0.5 bar  
operating pressure max 10 bar  
flush aid  
functional unit checked ex factory  
water supply connections 1/2" outer threat  
installation box with gasket  
fixing points for dry cladding and masonry-in  
Shortable inspection shaft incl. protection during construction phase for sets for final installation with dimensions 116 x 144 mm  
**(not suitable for 37 321)**

# GROHE WALL PLATES FOR URINAL

| Ref.No.    | EAN code      | Colour       | Retail Guide Price (£) |
|------------|---------------|--------------|------------------------|
| 38 857 000 | 4005176875694 | chrome       | 107.17                 |
| 38 857 SH0 | 4005176875793 | alpine white | 98.77                  |




**Arena Cosmopolitan Actuation plate**  
manual activation for urinal  
set for final installation  
116 x 144 mm  
mechanical functional cartridge  
**GROHE StarLight®** chrome finish  
flow pressure min 0.5 bar  
operating pressure max 6 bar  
1.0 - 6.0 adjustable




|            |               |        |        |
|------------|---------------|--------|--------|
| 38 784 000 | 4005176855535 | chrome | 107.17 |
|------------|---------------|--------|--------|

**Skate Cosmopolitan Actuation plate**  
manual activation for urinal  
set for final installation  
116 x 144 mm  
mechanical functional cartridge  
**GROHE StarLight®** chrome finish  
flow pressure min 0.5 bar  
operating pressure max 6 bar  
1.0 - 6.0 adjustable



|            |               |                                            |        |
|------------|---------------|--------------------------------------------|--------|
| 38 846 KS0 | 4005176878268 | glass chrome                               | 283.22 |
| 38 846 LS0 | 4005176878367 | velvet black<br>glass chrome<br>moon white | 283.22 |

**Skate Cosmopolitan Actuation plate**  
with glass surface  
plastic actuation button, chrome plated  
manual activation for urinal  
set for final installation  
fixing frame with mounting-set  
116 x 144 mm  
made of security glass  
mechanical functional cartridge  
flow pressure min 0.5 bar  
operating pressure max 6 bar  
1.0 - 6.0 adjustable  
**GROHE StarLight®** chrome finish




|            |               |              |       |
|------------|---------------|--------------|-------|
| 38 804 000 | 4005176861512 | chrome       | 93.32 |
| 38 804 SH0 | 4005176861529 | alpine white | 81.82 |

**Nova Cosmopolitan Actuation plate**  
manual activation for urinal  
set for final installation  
116 x 144 mm  
mechanical functional cartridge  
**GROHE StarLight®** chrome finish  
flow pressure min 0.5 bar  
operating pressure max 6 bar  
1.0 - 6.0 adjustable


# GROHE WALL PLATES FOR URINAL

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|




|            |               |        |       |
|------------|---------------|--------|-------|
| 38 808 000 | 4005176864056 | chrome | 81.82 |
|------------|---------------|--------|-------|

**Surf**  
**Actuation plate**  
manual activation for urinal  
set for final installation  
116 x 144 mm  
mechanical functional cartridge  
**GROHE StarLight®** chrome finish  
flow pressure min 0.5 bar  
operating pressure max 6 bar  
1.0 - 6.0 adjustable



|            |               |  |       |
|------------|---------------|--|-------|
| 37 396 000 | 4005176907968 |  | 99.66 |
|------------|---------------|--|-------|

**Press urinal flush valve**  
**1/2"**  
angle valve  
exposed installation  
brass  
flow pressure 1.0 - 5.0 bar  
flush time 7/15/30 sec.  
escutcheon  
flush pipe  
connector  
flush volume adjustable 2.0 - 6.0 l  
with wall escutcheon  
**GROHE StarLight®** chrome finish  
min. recommended pressure 1.0 bar




|            |               |  |       |
|------------|---------------|--|-------|
| 37 044 000 | 4005176160776 |  | 14.67 |
|------------|---------------|--|-------|

**Urinalc onnecting set 1/2"**  
for urinal with rear inlet  
with 33.5 - 38.0 mm rubber connector  
for washdown urinals


# GROHE URINAL ELECTRONIC

| Ref.No. | EAN code | Colour | Retail Guide Price (£) |
|---------|----------|--------|------------------------|
|---------|----------|--------|------------------------|



|            |               |                 |        |
|------------|---------------|-----------------|--------|
| 37 321 001 | 4005176929496 | chrome          | 371.65 |
| 37 321 SD1 | 4005176929502 | stainless steel | 523.31 |

**Tectron Skate**  
**Infra-red electronic for Urinal**  
set for final installation  
**for Rapido U**  
with transformer 230 V AC, 50-60 Hz, 6 V DC  
flow pressure min 0.5 bar  
operating pressure max 10 bar  
CE-approved  
infra-red control  
7 pre-set programs  
with 24/72 hours autoflush  
time or user dependent  
with cleaning mode  
additional functions by remote control 36 206 000:  
adjustable flow time by hand or remote  
adjustment reflection range by remote  
cartridge with solenoid valve and dirt strainer  
front plate 116 x 144 mm  
**GROHE StarLight®** chrome finish




|            |               |                 |        |
|------------|---------------|-----------------|--------|
| 37 324 001 | 4005176929526 | chrome          | 398.32 |
| 37 324 SD1 | 4005176929533 | stainless steel | 549.98 |

**Tectron Skate**  
**Infra-red electronic for Urinal**  
set for final installation  
**for Rapido U or Rapido UMB**  
**battery supply** 6 V lithium-battery,  
type CR-P2  
flow pressure min 0.5 bar  
operating pressure max 10 bar  
CE-approved  
infra-red control  
LongLife battery electronic  
battery lifetime approx. 7 years (150 actuations a day)  
7 pre-set programs  
with 24/72 hours autoflush  
time or user dependent  
with cleaning mode  
battery status check  
additional functions by remote control 36 206 000:  
adjustable flow time by hand or remote  
adjustment reflection range by remote  
cartridge with solenoid valve and dirt strainer  
front plate 116 x 144 mm  
**GROHE StarLight®** chrome finish

# GROHE URINAL ELECTRONIC

| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 37 336 001 | 4005176929540 | chrome | 426.65                 |


**Tectron Surf**  
**Infra-red electronic for Urinal**  
 set for final installation  
**for Rapido U**  
 with transformer 230 V AC, 50-60 Hz, 6 V DC  
 flow pressure min 0.5 bar  
 operating pressure max 10 bar  
 CE-approved  
 infra-red control  
 7 pre-set programs  
 with 24/72 hours autoflush  
 time or user dependent  
 with cleaning mode  
 additional functions by remote control 36 206 000:  
 adjustable flow time by hand or remote  
 adjustment reflection range by remote  
 cartridge with solenoid valve and dirt strainer  
 front plate 116 x 144 mm  
**GROHE StarLight®** chrome finish



# GROHE URINAL ELECTRONIC


| Ref.No.    | EAN code      | Colour | Retail Guide Price (£) |
|------------|---------------|--------|------------------------|
| 38 387 000 | 4005176288494 |        | 99.82                  |

**Roughing-in-set for radar-electronic**  
 for final installation set radar electronic 38 386  
 for installation behind or above urinal  
 or remote installation  
 box for radar detector 120 x 68 x 120 mm  
 control unit - installation box  
 200 x 104 x 210 mm  
 protecting block  
 stop valve and flush elbow




|            |               |  |       |
|------------|---------------|--|-------|
| 36 157 000 | 4005176140556 |  | 47.66 |
|------------|---------------|--|-------|

**Extension cable**  
 length 3.00 m  
 for radar detector  
**remote installation**  
 for radar electronic 38 386




|            |               |        |        |
|------------|---------------|--------|--------|
| 37 337 001 | 4005176929557 | chrome | 449.98 |
|------------|---------------|--------|--------|

**Tectron Surf**  
**Infra-red electronic for Urinal**  
 set for final installation  
**for Rapido U or Rapido UMB**  
**battery supply** 6 V lithium-battery,  
 type CR-P2  
 flow pressure min 0.5 bar  
 operating pressure max 10 bar  
 CE-approved  
 infra-red control  
 LongLife battery electronic  
 battery lifetime approx. 7 years (150 actuations a day)  
 7 pre-set programs  
 with 24/72 hours autoflush  
 time or user dependent  
 with cleaning mode  
 additional functions by remote control 36 206 000:  
 adjustable flow time by hand or remote  
 adjustment reflection range by remote  
 cartridge with solenoid valve and dirt strainer  
 front plate 116 x 144 mm  
**GROHE StarLight®** chrome finish



|            |               |  |        |
|------------|---------------|--|--------|
| 38 386 000 | 4005176288487 |  | 715.04 |
|------------|---------------|--|--------|

**Radar electronic for urinal**  
**concealed radar detector**  
 transformer / solenoid for concealed installation  
 behind or above urinal or remote installation  
 with extension cables (ordered separately)  
 CE-approved  
 operating voltage 230 V AC, 50 Hz,  
 3,2 VA  
 min. static & dynamic pressure 0.5 bar  
**without roughing-in set radar electronic**  
**38 387**



# GROHE RAPID SL BIDET/ WASH BASIN



GROHE  
Whisper\*



GROHE  
EcoJoy\*\*




GROHE  
QuickFix\*






# GROHE RAPID SL BIDET / WASH BASIN

Ref.No. EAN code Colour Retail Guide Price (£)




**38 553 001 4005176863813** **258.75**

**Rapid SL for bidet**  
**1.13 m installation height**  
 powder coated steel frame, self-supporting for on-the-wall installations or studded walls  
 pre-assembled  
 height adjustable fitting connections for single or series installation  
 quick adjustment, lockable  
 fixing material, TÜV approved  
 bidet fixing bolts  
 PE-outlet bend 50 mm dia, seal Ø 32 mm  
 2 noise protected fitting connections 1/2"  
 fixing material for bidet  
**without front wall brackets**  
**38 558 00M (pair)**




**38 545 000 4005176291272** **258.75**

**Rapid SL Bidet 1.00 m**  
**1.0 m installation height**  
 for on-the-wall installations or studded walls  
 powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled for single or series installation  
 height adjustable fitting connections  
 PE-outlet bend 50 mm dia  
 fixing material for bidet  
**without front wall brackets**  
**38 558 00M (pair)**



**38 543 000 4005176291258** **258.75**

**Rapid SL Bidet 0.82 m**  
**0.82 m installation height**  
 for on-the-wall installations or studded walls  
 powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled for single or series installation  
 height adjustable fitting connections  
 PE-outlet bend 50 mm dia  
 fixing material for bidet  
**without front wall brackets**  
**38 558 00M (pair)**




**38 554 001 4005176863806** **184.45**

**Rapid SL for basin**  
 for single hole installation  
**1.13 m installation height**  
 for on-the-wall installations or studded walls  
 powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled with fixed connections for single or series installation  
 quick adjustment, lockable  
 fixing material  
 TÜV approved  
 wash basin fixing bolts with fixing device for ceramic  
 variable distance of fixing bolts  
 PE-outlet bend 50 mm dia  
 seal Ø 32 mm  
 2 noise protected fitting connections 1/2"  
**without front wall brackets**  
**38 558 00M (pair)**


# GROHE RAPID SL BIDET / WASH BASIN

Ref.No. EAN code Colour Retail Guide Price (£)




**38 541 000 4005176291234** **184.45**

**Rapid SL Basin 1.00 m**  
 for single tap hole installation or wall mounted fittings  
**1.0 m installation height**  
 for on-the-wall installations or studded walls  
 powder coated steel frame, self-supporting for dry-cladding, completely pre-assembled for single or series installation  
 with fixing material for basin  
 PE-outlet bend 50 mm dia  
**without front wall brackets**  
**38 558 00M (pair)**




**38 558 00M 4005176291418** **23.08**

**Rapid SL Front wall brackets**  
 for against-the-wall installations for fixing the elements at the brick-wall or in front of the studded wall  
 steady vertical adjustment from 130 - 230 mm  
 fixing material  
**2 pieces**



**37 310 000 4005176148538** **34.62**


**Rapid element bar**  
 fixing material  
 1 piece  
 2600 x 36 x 20 mm




**38 562 001 4005176863752** **chrome** **125.33**

**Rapid SL set for corner installation**  
 for WC, bidet, wash basin and urinal  
 single installation or fitting to a rail  
 fitting maximum 625 mm from the corner  
 fixing material for corner installation  
 2 wall brackets **1.13 m**  
**135°**


# GROHE FLOW CHARTS




# GROHE FLOW CHARTS




# GROHE FLOW CHARTS



# GROHE FLOW CHARTS




# GROHE FLOW CHARTS







# GROHE FLOW CHARTS




# GROHE FLOW CHARTS




# GROHE FLOW CHARTS




# GROHE FLOW CHARTS













# GROHE FLOW CHARTS













# GROHE FLOW CHARTS



# GROHE FLOW CHARTS




# GROHE FLOW CHARTS







# GROHE FLOW CHARTS




# GROHE FLOW CHARTS



# GROHE FLOW CHARTS























# GROHE FLOW CHARTS




# GROHE FLOW CHARTS


# GROHE FLOW CHARTS



# GROHE FLOW CHARTS













# GROHE FLOW CHARTS
















# GROHE FLOW CHARTS




# GROHE FLOW CHARTS













# GROHE FLOW CHARTS













# GROHE FLOW CHARTS




# GROHE FLOW CHARTS




# GROHE FLOW CHARTS



# GROHE FLOW CHARTS




# GROHE FLOW CHARTS







# GROHE FLOW CHARTS




# GROHE FLOW CHARTS













# GROHE FLOW CHARTS













# GROHE FLOW CHARTS




# GROHE FLOW CHARTS




# GROHE FLOW CHARTS




# GROHE FLOW CHARTS




# GROHE FLOW CHARTS



# GROHE FLOW CHARTS













# GROHE FLOW CHARTS
















# GROHE FLOW CHARTS




# GROHE FLOW CHARTS




# GROHE FLOW CHARTS




# GROHE FLOW CHARTS




# GROHE FLOW CHARTS




# GROHE FLOW CHARTS



# GROHE FLOW CHARTS




# GROHE FLOW CHARTS






# GROHE FLOW CHARTS




# GROHE FLOW CHARTS






# GROHE FLOW CHARTS




# GROHE FLOW CHARTS




# GROHE FLOW CHARTS


38 808




Pressure loss curve without downstream resistance.




38 846



Pressure loss curve without downstream resistance.



38 857



Pressure loss curve without downstream resistance.

